R3850-1.7(81)D

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

DX LENGTH OF STAY BY DIAGNOSIS



UNITED STATES



Southern REGION

1981

Length of Stay by Diagnosis, Southern Region, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York. The UIS data do not include newborn (*ICD-9-CM List A* 393-395).

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


West
Pacific**
Mountain
North Central
West North Central
East North Central
Northeast
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1981

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	Short-Term Nonfederal Hospitals Number in Books (3)	Short-Term Nonfederal Hospitals Percent in Books (4)	Beds U.S. Total[2] (5)	Beds Number in Books (6)	Beds Percent in Books (7)
Bed Size						
Less than 25 beds	266	23	8.6	5,064	453	8.9
25-49	1,024	137	13.4	37,104	5,320	14.3
50-99	1,428	302	21.1	102,847	22,330	21.7
100-199	1,320	371	28.1	186,598	53,217	28.5
200-299	702	260	37.0	170,295	63,815	37.5
300-399	404	150	37.1	137,385	51,389	37.4
400-499	266	96	36.1	117,812	42,796	36.3
500 or more	316	82	25.9	218,042	54,935	25.2
Total	5,726	1,421	24.8	975,147	294,255	30.2
Region and Census Division						
Northeast	834	300	36.0	211,237	75,760	35.9
New England	244	66	27.0	49,134	14,900	30.3
Middle Atlantic	590	234	39.7	162,103	60,860	37.5
North Central	1,685	501	29.7	288,845	105,014	36.4
East North Central	892	383	42.9	191,524	82,064	42.8
West North Central	793	118	14.9	97,321	22,950	23.6
South	2,138	339	15.9	329,860	69,651	21.1
South Atlantic	806	236	29.3	155,152	47,941	30.9
East South Central	495	34	6.9	70,808	8,635	12.2
West South Central	837	69	8.2	103,900	13,075	12.6
West	1,069	281	26.3	145,205	43,830	30.2
Mountain	366	96	26.2	40,745	15,473	38.0
Pacific	703	185	26.3	104,460	28,357	27.1
Total	5,726	1,421	24.8	975,147	294,255	30.2

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g. *a. acute myocardial infarction* *b. dissecting aortic aneurysm* *c. acute pericarditis*			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  chronic nonsuppurative destructive 571.6
  nonsuppurative destructive (chronic) 571.6
Cholecystdocholithiasis — *see* Choledocholithiasis
Cholecystitis (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  with
    calculus, stones in
      bile duct (common) (hepatic) 574.4
      gallbladder 574.1
    choledocholithiasis 574.4
    cholelithiasis 574.1
  acute 575.0
    with
      calculus, stones in
        bile duct (common) (hepatic) 574.3
        gallbladder 574.0
      choledocholithiasis 574.3
      cholelithiasis 574.0
  emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  gangrenous *(see also* Cholecystitis, acute) 575.0
  paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  suppurative *(see also* cholecystitis, acute) 575.0
  typhoidal 002.0
Choledochitis (suppurative) 576.1
Choledocholith — *see* Choledocholithiasis
Choledocholithiasis 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  with cholecystitis (chronic) 574.4
    acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  with cholecystitis (chronic) 574.1
    acute 574.0
Cholemia *(see also* Jaundice) 782.4
  familial 277.4
  Gilbert's (familial nonhemolytic) 277.4
Cholemic gallstone — *see* Cholelithiasis
Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8
Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  antimonial 985.4
  carrier (suspected) of V02.0
  classical 001.0
  contact V01.0
  due to
    Vibrio
      cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        El Tor 001.1
  El Tor 001.1
  exposure to V01.0
  vaccination, prophylactic (against) V03.0
Cholerine *(see also* Cholera) 001.9
Cholestasis *(see also* Disease, gallbladder) 575.8
Cholesteatoma (ear) 385.30
  attic (primary) 385.31
  diffuse 385.35
  external ear (canal) 380.21
  marginal (middle ear) 385.32
    with involvement of mastoid cavity 385.33
    secondary (with middle ear involvement) 385.33
  mastoid cavity 385.30
  middle ear 385.30
    secondary 385.32
      with involvement of mastoid cavity 385.33
  postmastoidectomy cavity (recurrent) 383.32
  primary 385.31
  recurrent, postmastoidectomy cavity 383.32
  secondary (middle ear) 385.32
    with involvement of mastoid cavity 385.33
Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
  diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	129430	9.5	38	3	4	8	11	16	20	33

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.8	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.8	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	246520	3.2	8	1	2	3	4	5	6	12
20-34	153686	3.9	20	1	1	3	4	7	10	23
35-49	84629	5.5	32	1	1	4	7	11	15	28
50-64	56984	6.3	38	1	2	5	8	13	17	31
65+	55684	7.3	46	1	2	5	9	14	19	36
B. Operated										
0-19 YRS	99416	3.1	11	1	1	2	3	6	8	16
20-34	190831	3.9	12	1	1	3	5	7	9	17
35-49	91823	5.2	28	1	1	4	7	10	14	23
50-64	83843	6.3	35	1	2	4	8	13	17	28
65+	80698	7.6	54	2	2	5	10	17	21	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	139487	4.8	26	1	2	4	5	8	12	27
20-34	98504	5.5	36	1	2	4	7	11	15	30
35-49	109081	6.7	37	1	2	5	8	13	17	30
50-64	178229	7.7	45	1	2	6	9	15	19	36
65+	315222	9.4	64	2	3	7	12	18	24	42
B. Operated										
0-19 YRS	58869	5.2	64	1	1	3	5	10	17	47
20-34	169582	5.6	36	1	2	4	7	10	14	32
35-49	115539	7.6	56	1	2	6	9	14	20	40
50-64	125827	9.8	91	2	2	7	12	20	27	52
65+	159304	12.7	131	2	3	10	16	26	35	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	597503	4.4	22	1	1	3	5	8	12	24
B. Operated	546611	4.9	26	1	1	3	6	10	14	25
2. MULTIPLE DX										
A. Not Operated	840523	7.5	50	2	2	5	9	15	20	36
B. Operated	629121	8.6	85	1	2	6	10	18	26	50
1. SINGLE DX	1144114	4.6	24	1	1	3	5	9	13	24
2. MULTIPLE DX	1469644	7.9	65	1	2	6	10	16	22	43
A. NOT OPERATED	1438026	6.2	40	1	2	4	7	13	17	32
B. OPERATED	1175732	6.9	61	1	2	4	8	15	21	41
TOTAL 0-19 YRS	544292	3.8	19	1	1	3	4	6	9	22
20-34	612603	4.6	25	1	1	3	5	9	13	26
35-49	401072	6.4	40	1	2	5	8	12	17	31
50-64	444883	7.8	57	2	2	6	10	15	21	39
65+	610908	9.8	82	2	3	7	12	20	28	48
GRAND TOTAL	2613758	6.5	50	1	2	4	8	14	19	36

339 Hospitals, Southern Region, January-December 1981

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100660	3.6	17	1	1	3	4	6	9	21
20-34	153686	3.9	20	1	1	3	4	7	10	23
35-49	64629	5.5	32	1	1	4	7	11	15	28
50-64	56984	6.3	38	1	2	5	8	13	17	31
65+	55684	7.3	46	1	2	5	9	14	19	35
B. *Operated*										
0-19 YRS	99323	3.1	11	1	1	2	3	6	8	16
20-34	190831	3.9	12	1	1	3	5	7	9	17
35-49	91823	5.2	24	1	1	4	7	10	14	23
50-64	83843	6.3	35	1	2	4	8	13	17	28
65+	80698	7.6	54	2	2	5	10	17	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80109	4.6	26	1	1	3	5	8	12	27
20-34	98504	5.5	34	1	2	4	7	11	15	30
35-49	109081	6.7	37	1	2	5	8	13	17	30
50-64	178229	7.7	45	2	2	6	9	15	19	35
65+	315222	9.4	64	2	3	7	12	18	24	42
B. *Operated*										
0-19 YRS	56527	4.6	42	1	1	3	5	9	14	36
20-34	169582	5.6	36	1	2	4	7	10	14	32
35-49	115539	7.6	56	1	2	6	9	14	20	40
50-64	125827	9.8	91	2	2	7	12	20	27	52
65+	159304	12.7	131	2	3	10	16	26	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	431643	4.8	28	1	1	3	6	10	14	27
B. *Operated*	546518	4.9	26	1	1	3	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	781145	7.6	51	1	2	6	9	15	20	37
B. *Operated*	626779	8.5	84	1	2	6	10	18	25	49
1. SINGLE DX	978161	4.9	27	1	1	3	6	10	14	26
2. MULTIPLE DX	1407924	8.0	66	1	2	6	10	16	23	43
A. NOT OPERATED	1212788	6.6	45	1	2	5	8	14	18	34
B. OPERATED	1173297	6.8	60	1	2	4	8	15	21	40
TOTAL 0-19 YRS	336619	3.8	22	1	1	3	4	7	10	24
20-34	612603	4.6	25	1	1	3	5	8	12	26
35-49	381072	6.4	40	1	2	5	8	12	17	31
50-64	444883	7.8	57	2	2	6	10	16	21	39
65+	610908	9.8	82	2	2	7	12	20	26	48
GRAND TOTAL	2386085	6.7	52	1	2	5	8	14	19	37

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2486	3.4	6	1	1	3	4	6	7	12
20-34	1126	3.4	5	1	1	3	4	6	7	11
35-49	409	3.9	9	1	1	3	5	7	8	12
50-64	306	4.2	9	1	2	3	5	8	10	17
65+	243	5.0	19	1	2	4	6	9	12	22
B. *Operated*										
0-19 YRS	34	4.5	8	1	2	4	5	7	11	15
20-34	43	6.4	104	2	2	5	6	8	10	70
35-49	13	9.8	53	3	4	7	11	20	28	30
50-64	7	6.1	10	3	3	6	8	11	12	12
65+	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2578	3.8	6	1	2	3	5	6	8	13
20-34	1120	3.8	7	1	2	3	5	7	8	14
35-49	646	4.8	9	2	2	4	6	8	10	16
50-64	729	5.6	16	2	2	5	7	10	13	20
65+	1210	6.8	31	2	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	35	6.4	13	2	2	6	8	12	15	15
20-34	68	8.0	30	3	3	6	11	16	18	27
35-49	52	8.9	24	3	4	8	10	16	20	25
50-64	76	14.3	148	4	4	10	18	32	42	63
65+	79	13.4	103	4	5	11	16	23	37	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4570	3.6	7	1	1	3	4	6	8	12
B. *Operated*	99	6.1	57	2	2	5	7	10	12	50
2. MULTIPLE DX										
A. *Not Operated*	6283	4.7	14	1	2	4	6	8	11	19
B. *Operated*	310	10.9	83	3	3	8	13	20	27	48
1. SINGLE DX	4669	3.6	8	1	1	3	4	6	8	12
2. MULTIPLE DX	6593	5.0	19	1	2	4	6	9	12	22
A. NOT OPERATED	10853	4.2	11	1	2	3	5	8	10	17
B. OPERATED	409	9.7	81	2	3	7	12	19	24	48
TOTAL 0-19 YRS	5133	3.6	6	1	1	3	4	6	8	12
20-34	2357	3.8	9	1	1	3	5	7	8	14
35-49	1120	4.7	12	1	2	4	6	8	11	18
50-64	1118	5.8	29	2	2	4	7	11	15	25
65+	1534	6.9	35	2	2	5	8	13	17	30
GRAND TOTAL	**11262**	**4.4**	**15**	**1**	**2**	**3**	**5**	**8**	**11**	**19**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	8.7	131	1	2	5	10	18	38	52
20-34	57	9.5	38	2	3	8	13	19	20	29
35-49	52	12.0	93	<1	3	10	15	24	30	52
50-64	58	10.8	69	2	3	9	14	24	30	38
65+	47	11.4	82	2	3	8	15	25	29	44
B. *Operated*										
0-19 YRS	4	8.5	27	1	1	10	12	13	13	13
20-34	21	10.7	57	3	3	9	15	21	26	32
35-49	32	11.2	37	2	4	11	15	19	22	27
50-64	37	12.1	77	2	3	9	16	26	30	38
65+	48	13.2	59	3	4	12	17	25	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	10.0	35	4	4	8	14	19	21	21
20-34	38	11.9	60	3	4	10	15	19	21	48
35-49	97	12.7	129	2	3	10	17	24	29	68
50-64	114	13.5	157	2	4	10	16	27	31	72
65+	196	15.8	148	3	4	13	20	34	41	56
B. *Operated*										
0-19 YRS	4	7.8	10	3	3	9	10	10	10	10
20-34	25	16.3	318	2	6	11	16	29	64	84
35-49	61	15.9	151	3	4	13	21	33	39	63
50-64	85	18.5	257	4	6	15	21	32	60	90
65+	142	18.3	211	4	5	14	24	37	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	10.7	74	2	3	8	14	20	29	45
B. *Operated*	142	11.9	57	2	3	11	16	22	27	35
2. MULTIPLE DX										
A. *Not Operated*	453	14.1	138	3	4	12	18	26	38	63
B. *Operated*	317	17.6	218	4	5	14	22	34	44	85
1. SINGLE DX	376	11.2	68	2	3	9	15	22	27	38
2. MULTIPLE DX	770	15.6	174	3	4	13	19	30	40	70
A. NOT OPERATED	687	13.0	119	2	3	10	16	25	34	56
B. OPERATED	459	15.9	175	3	4	13	20	31	39	70
TOTAL 0-19 YRS	36	8.9	82	1	2	7	10	15	23	52
20-34	141	11.5	100	3	3	9	15	19	24	60
35-49	242	13.1	116	2	3	10	17	24	33	64
50-64	294	14.2	165	2	4	11	17	27	35	76
65+	433	15.9	156	3	4	13	20	32	40	58
GRAND TOTAL	**1146**	**14.1**	**143**	**3**	**4**	**11**	**18**	**27**	**37**	**63**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	11.0	200	1	1	11	21	21	21	21
20-34	9	7.7	26	<1	2	7	9	16	19	19
35-49	7	7.4	18	2	2	7	10	13	14	14
50-64	2	12.0	162	3	3	12	21	21	21	21
65+	9	15.7	751	1	1	6	13	60	87	87
B. *Operated*										
0-19 YRS	6	6.0	24	1	1	6	6	14	15	15
20-34	9	8.1	70	<1	1	5	10	23	24	24
35-49	10	5.3	14	2	2	4	7	11	14	14
50-64	11	14.1	198	1	3	7	19	36	49	50
65+	6	10.8	64	<1	<1	10	14	23	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	29.8	293	5	5	35	41	43	43	43
20-34	8	7.8	19	1	2	8	10	14	15	15
35-49	11	6.9	30	<1	1	4	11	16	16	16
50-64	9	10.4	59	3	3	9	15	64	99+	99+
65+	11	14.5	218	3	4	10	18	35	54	56
B. *Operated*										
0-19 YRS	3	11.7	114	5	5	6	19	24	24	24
20-34	15	20.3	360	4	6	15	20	60	67	69
35-49	12	14.2	117	2	3	11	21	32	33	33
50-64	18	20.3	234	5	6	16	33	44	50	53
65+	21	27.9	267	5	7	25	43	56	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	10.6	252	1	1	7	11	20	24	87
B. *Operated*	42	9.1	88	1	2	6	13	22	25	50
2. MULTIPLE DX										
A. *Not Operated*	43	11.9	137	2	3	9	15	33	47	99+
B. *Operated*	69	21.2	260	4	5	17	31	47	60	94
1. SINGLE DX	71	9.7	153	1	2	6	12	21	24	79
2. MULTIPLE DX	112	17.6	232	3	4	13	25	43	56	99+
A. NOT OPERATED	72	11.4	181	1	2	8	13	23	42	97
B. OPERATED	111	16.6	228	2	3	12	23	42	53	81
TOTAL 0-19 YRS	15	14.1	203	1	1	6	23	39	42	43
20-34	41	12.4	185	1	3	8	15	22	42	69
35-49	40	8.8	60	2	2	6	13	19	26	33
50-64	40	16.0	187	3	4	10	25	42	51	99+
65+	47	20.3	351	2	3	14	28	52	64	99+
GRAND TOTAL	**183**	**14.5**	**215**	**2**	**3**	**9**	**20**	**37**	**51**	**95**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	253	2.8	2	1	1	3	3	4	5	7
20-34	124	3.5	2	2	2	3	4	6	6	8
35-49	36	4.4	4	2	2	4	6	7	8	9
50-64	20	4.8	4	2	2	5	6	7	9	11
65+	9	5.8	9	3	3	5	6	11	13	13
B. *Operated*										
0-19 YRS	15	2.3	1	2	2	2	2	4	4	4
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	375	3.2	3	1	2	3	4	5	6	11
20-34	161	3.9	4	1	2	4	5	6	8	10
35-49	80	4.8	12	2	2	4	5	8	10	21
50-64	55	5.7	7	2	3	5	7	9	11	14
65+	27	8.1	16	4	5	6	10	13	18	18
B. *Operated*										
0-19 YRS	17	3.6	5	2	2	3	4	7	10	11
20-34	12	7.3	65	2	2	5	7	16	30	32
35-49	4	5.8	11	2	2	6	8	9	9	9
50-64	2	19.0	450	4	4	19	34	34	34	34
65+	3	9.7	17	5	5	11	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	442	3.3	3	1	2	3	4	6	6	8
B. *Operated*	16	2.3	1	2	2	2	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	698	3.9	7	1	2	3	5	7	9	14
B. *Operated*	38	6.3	49	2	2	4	7	11	24	34
1. SINGLE DX	458	3.2	3	1	2	3	4	5	6	8
2. MULTIPLE DX	736	4.1	9	1	2	3	5	7	9	15
A. NOT OPERATED	1140	3.7	5	1	2	3	4	6	7	13
B. OPERATED	54	5.1	38	2	2	3	5	9	13	34
TOTAL 0-19 YRS	660	3.0	3	1	2	3	4	5	6	8
20-34	297	3.8	6	2	2	4	5	6	7	10
35-49	121	4.7	9	2	2	4	6	8	9	21
50-64	77	5.8	17	2	3	5	6	9	12	29
65+	39	7.7	15	3	4	6	10	13	16	18
GRAND TOTAL	**1194**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	342	5.8	13	2	2	5	7	10	12	19
20-34	34	7.1	48	2	2	5	7	16	26	28
35-49	19	6.9	7	3	4	7	8	10	12	14
50-64	32	11.5	55	3	4	9	15	25	27	27
65+	82	10.4	51	3	4	8	14	19	22	39
B. *Operated*										
0-19 YRS	9	6.8	18	1	1	8	8	13	15	15
20-34	2	14.0	98	7	7	14	21	21	21	21
35-49	5	15.2	89	4	4	11	24	26	26	26
50-64	1	58.0		58	58	58	58	58	58	58
65+	4	28.3	622	7	7	21	44	64	64	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	379	7.2	24	2	3	6	9	13	15	28
20-34	100	11.7	86	2	3	9	15	25	31	44
35-49	106	11.5	68	3	4	9	15	23	25	45
50-64	256	12.7	77	3	5	11	15	23	30	56
65+	997	14.2	106	4	5	12	17	26	34	60
B. *Operated*										
0-19 YRS	28	13.9	77	2	3	13	17	29	32	34
20-34	30	20.6	245	4	5	16	26	47	48	65
35-49	26	22.2	354	5	5	16	27	42	70	84
50-64	97	24.1	352	5	6	18	33	55	67	97
65+	176	24.4	270	8	9	20	33	49	61	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	509	7.0	28	2	2	6	9	13	17	27
B. *Operated*	21	16.0	280	2	3	9	22	39	61	64
2. MULTIPLE DX										
A. *Not Operated*	1838	12.3	89	3	4	10	15	23	29	51
B. *Operated*	357	23.0	287	5	7	18	31	47	61	94
1. SINGLE DX	530	7.4	40	2	2	6	9	14	19	27
2. MULTIPLE DX	2195	14.0	137	3	4	11	17	28	38	67
A. NOT OPERATED	2347	11.1	80	3	3	9	14	21	28	46
B. OPERATED	378	22.6	288	5	7	17	30	47	61	94
TOTAL 0-19 YRS	758	6.8	23	2	2	6	9	12	15	27
20-34	166	12.4	123	2	3	9	16	28	33	48
35-49	156	12.8	127	3	4	9	15	24	31	66
50-64	386	15.6	173	4	5	12	19	32	44	78
65+	1259	15.4	141	4	6	12	18	29	39	69
GRAND TOTAL	**2725**	**12.7**	**125**	**3**	**4**	**10**	**15**	**25**	**35**	**63**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	8.2	23	2	3	8	11	14	17	22
20-34	70	6.7	14	2	3	6	9	12	14	17
35-49	47	6.9	16	2	3	6	10	13	14	16
50-64	28	9.8	32	3	4	8	13	19	21	22
65+	25	8.2	31	3	4	6	10	19	21	22
B. *Operated*										
0-19 YRS	12	9.9	160	1	1	4	13	27	42	45
20-34	4	11.8	215	2	2	6	21	33	33	33
35-49	7	22.7	411	4	4	19	42	51	52	52
50-64	8	15.0	152	4	5	11	18	36	42	42
65+	12	12.3	166	<1	2	7	19	33	39	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	185	7.4	23	2	2	6	11	14	16	21
20-34	60	6.9	26	2	2	5	9	12	15	31
35-49	57	8.8	122	3	3	6	10	14	28	74
50-64	99	9.8	51	3	4	8	12	18	25	38
65+	165	11.7	104	3	4	10	13	22	27	66
B. *Operated*										
0-19 YRS	17	10.8	28	1	3	12	15	16	19	21
20-34	18	11.9	59	5	5	8	17	23	29	32
35-49	16	16.5	135	2	3	14	25	34	37	38
50-64	43	15.4	150	3	4	11	20	31	40	60
65+	47	21.9	242	8	8	16	28	45	54	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	7.9	22	2	3	7	11	14	17	22
B. *Operated*	43	13.8	204	1	2	9	20	40	45	52
2. MULTIPLE DX										
A. *Not Operated*	566	9.2	65	2	3	7	11	16	21	38
B. *Operated*	141	16.7	166	4	5	13	21	33	44	70
1. SINGLE DX	421	8.5	43	2	3	7	11	15	19	41
2. MULTIPLE DX	707	10.7	94	2	3	8	13	20	29	53
A. NOT OPERATED	944	8.7	48	2	3	7	11	15	19	33
B. OPERATED	184	16.0	175	2	4	12	21	33	45	66
TOTAL 0-19 YRS	422	8.0	27	2	2	8	11	15	16	22
20-34	152	7.5	30	2	3	6	9	14	18	32
35-49	127	9.8	114	2	3	6	11	19	32	58
50-64	178	11.4	81	3	4	9	14	22	31	44
65+	249	13.3	143	3	4	10	15	26	38	70
GRAND TOTAL	**1128**	**9.9**	**76**	**2**	**3**	**8**	**12**	**18**	**25**	**46**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	685	3.8	6	1	2	3	5	6	9	13
20-34	366	4.5	6	2	2	4	6	8	9	12
35-49	82	6.4	18	2	2	6	7	11	17	21
50-64	11	6.7	22	2	2	4	9	15	16	16
65+	7	8.4	42	2	2	7	15	17	17	17
B. *Operated*										
0-19 YRS	10	5.6	5	3	3	6	7	8	9	9
20-34	5	6.6	19	2	2	7	9	13	13	13
35-49	3	7.0	21	2	2	8	10	11	11	11
50-64	2	12.5	25	9	9	12	16	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	234	4.9	11	2	2	4	6	9	11	14
20-34	120	6.3	40	2	2	5	7	11	15	40
35-49	43	5.8	17	1	2	5	7	11	16	19
50-64	22	8.8	31	3	3	7	12	16	20	24
65+	9	13.3	151	7	7	8	14	33	45	45
B. *Operated*										
0-19 YRS	6	8.7	19	4	4	7	13	15	15	15
20-34	6	10.5	103	4	4	7	8	29	31	31
35-49	4	8.3	33	3	3	7	12	16	16	16
50-64	4	11.3	3	9	9	11	12	13	13	13
65+	3	16.0	43	10	10	15	21	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1151	4.2	8	1	2	4	5	8	10	15
B. *Operated*	20	6.8	14	2	2	7	9	12	14	16
2. MULTIPLE DX										
A. *Not Operated*	428	5.7	25	2	2	4	7	11	13	28
B. *Operated*	23	10.5	43	3	4	9	13	17	26	31
1. SINGLE DX	1171	4.3	8	1	2	4	5	8	10	15
2. MULTIPLE DX	451	6.0	27	2	2	4	7	11	14	31
A. NOT OPERATED	1579	4.6	13	1	2	4	6	8	11	17
B. OPERATED	43	8.7	32	2	3	8	11	15	19	31
TOTAL 0-19 YRS	935	4.1	7	1	2	3	5	7	10	13
20-34	497	5.0	16	2	2	4	6	9	11	18
35-49	132	6.3	18	2	2	5	8	11	17	20
50-64	39	8.6	26	2	3	8	12	15	17	24
65+	19	11.9	94	2	3	9	16	21	35	45
GRAND TOTAL	**1622**	**4.8**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**17**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	394	3.7	15	1	1	3	4	6	7	13
20-34	100	4.8	6	2	2	4	6	8	10	12
35-49	32	5.7	27	2	2	4	6	13	14	27
50-64	91	5.9	15	2	2	5	8	11	13	21
65+	232	7.2	27	2	2	6	9	13	17	24
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	5.3	24	2	2	3	10	13	13	13
35-49	8	4.0	13	1	1	3	6	10	10	10
50-64	3	6.3	4	4	4	7	8	8	8	8
65+	17	11.2	118	2	2	8	12	27	39	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	575	4.1	7	1	2	3	5	7	9	12
20-34	110	5.6	18	2	2	5	7	10	13	24
35-49	72	7.3	28	2	2	6	10	12	18	29
50-64	223	7.5	33	2	3	6	9	14	20	33
65+	786	10.3	70	3	3	8	13	19	25	48
B. *Operated*										
0-19 YRS	12	13.9	184	2	4	9	28	53	91	99+
20-34	13	11.3	258	2	3	6	9	26	56	63
35-49	5	12.6	44	6	6	12	16	23	23	23
50-64	21	12.7	91	2	3	11	14	27	37	39
65+	62	15.2	190	2	3	11	20	36	55	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	849	5.1	20	1	2	4	6	10	12	22
B. *Operated*	35	8.0	72	1	2	5	10	13	26	44
2. MULTIPLE DX										
A. *Not Operated*	1766	7.5	47	2	2	5	9	15	19	35
B. *Operated*	113	14.0	169	2	3	10	18	36	51	99+
1. SINGLE DX	884	5.2	22	1	2	4	6	10	13	23
2. MULTIPLE DX	1879	7.9	57	2	2	6	10	15	21	41
A. NOT OPERATED	2615	6.7	40	2	2	5	8	13	18	32
B. OPERATED	148	12.6	152	2	2	9	14	32	41	99+
TOTAL 0-19 YRS	982	4.0	13	1	2	3	5	7	9	16
20-34	229	5.6	27	2	2	4	7	10	12	21
35-49	117	6.8	29	2	2	5	10	12	17	28
50-64	338	7.4	33	2	3	6	9	13	18	34
65+	1097	9.9	72	2	3	8	12	19	25	49
GRAND TOTAL	**2763**	**7.0**	**47**	**2**	**2**	**5**	**9**	**14**	**19**	**39**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	6.1	12	2	2	6	8	10	12	20
20-34	615	7.2	18	2	3	6	9	12	14	23
35-49	165	8.2	35	2	3	7	10	15	18	35
50-64	77	7.3	24	2	3	6	9	12	19	26
65+	35	9.0	39	2	4	7	10	18	20	34
B. *Operated*										
0-19 YRS	6	3.3	6	<1	<1	3	3	8	8	8
20-34	22	6.8	26	1	2	5	10	13	17	21
35-49	12	15.6	158	1	2	10	23	34	42	43
50-64	10	10.9	21	3	5	11	13	17	20	20
65+	7	15.4	150	2	2	14	26	33	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	7.4	27	1	2	6	9	14	19	26
20-34	239	7.4	18	2	3	7	10	12	14	24
35-49	117	9.4	60	3	4	8	11	16	20	46
50-64	115	9.9	48	3	3	9	12	17	24	39
65+	102	11.2	53	4	5	9	14	20	24	41
B. *Operated*										
0-19 YRS	3	12.3	33	9	9	9	17	19	19	19
20-34	29	9.7	29	2	4	10	12	18	21	24
35-49	19	13.8	127	2	3	11	18	28	40	48
50-64	18	12.0	75	2	2	11	16	21	30	36
65+	29	11.3	45	2	2	11	14	23	24	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1091	7.2	21	2	3	6	9	12	15	25
B. *Operated*	57	10.1	80	1	2	8	13	22	30	42
2. MULTIPLE DX										
A. *Not Operated*	650	8.8	39	3	3	7	11	15	19	34
B. *Operated*	98	11.5	61	2	3	10	15	21	25	42
1. SINGLE DX	1148	7.4	24	2	3	6	9	12	16	29
2. MULTIPLE DX	748	9.2	43	2	3	8	11	16	21	35
A. NOT OPERATED	1741	7.8	28	2	3	7	10	13	17	29
B. OPERATED	155	11.0	68	2	2	9	14	21	25	43
TOTAL 0-19 YRS	285	6.5	17	2	2	6	8	11	14	22
20-34	905	7.3	18	2	3	7	9	12	14	23
35-49	313	9.2	57	2	3	8	11	17	23	39
50-64	220	9.2	42	2	3	8	11	17	22	36
65+	173	10.9	53	3	4	9	14	20	24	39
GRAND TOTAL	**1896**	**8.1**	**32**	**2**	**3**	**7**	**10**	**14**	**18**	**30**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	532	4.3	6	1	2	4	5	7	9	12
20-34	184	5.2	11	2	2	4	6	9	11	19
35-49	25	6.8	17	2	4	6	8	11	15	21
50-64	6	2.8	4	1	1	2	4	6	6	6
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	6	3.7	3	1	1	4	5	6	6	6
20-34	6	8.5	17	2	2	10	11	13	13	13
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	464	4.7	7	2	2	4	6	8	9	12
20-34	129	5.6	10	2	2	5	7	10	12	14
35-49	26	7.0	30	1	2	5	10	14	16	25
50-64	8	6.0	4	2	3	6	7	8	9	9
65+	7	7.0	11	2	2	7	10	11	11	11
B. *Operated*										
0-19 YRS	15	9.1	44	3	3	8	11	15	26	30
20-34	9	11.2	46	2	2	12	15	20	24	24
35-49	2	13.0	72	7	7	13	19	19	19	19
50-64	2	11.0	98	4	4	11	18	18	18	18
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	749	4.6	8	1	2	4	6	8	10	13
B. *Operated*	14	6.4	15	1	2	5	10	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	634	5.0	9	2	2	4	6	9	11	14
B. *Operated*	28	10.2	45	3	3	9	14	19	25	30
1. SINGLE DX	763	4.6	8	1	2	4	6	8	10	13
2. MULTIPLE DX	662	5.3	11	2	2	4	7	9	11	18
A. NOT OPERATED	1383	4.8	8	2	2	4	6	8	10	14
B. OPERATED	42	8.9	37	2	3	7	11	16	21	30
TOTAL 0-19 YRS	1017	4.5	7	2	2	4	6	8	9	12
20-34	328	5.6	13	2	2	5	7	10	12	18
35-49	55	7.2	24	2	2	6	10	14	18	25
50-64	16	5.4	17	1	1	5	7	9	15	18
65+	9	6.2	11	2	2	6	9	11	11	11
GRAND TOTAL	**1425**	**4.9**	**10**	**2**	**2**	**4**	**6**	**9**	**11**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	11	2.0	1	<1	<1	2	2	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	301	2.1	2	<1	<1	2	3	4	5	7
20-34	641	2.3	2	<1	1	2	3	4	5	8
35-49	174	2.9	5	<1	1	2	3	5	8	12
50-64	57	2.8	2	1	1	3	4	5	5	8
65+	13	3.0	2	2	2	2	3	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.9	29	1	1	3	7	12	19	20
20-34	13	3.2	3	<1	1	3	4	5	6	6
35-49	8	6.6	22	2	2	5	10	14	15	15
50-64	4	13.5	111	3	3	13	22	24	24	24
65+	3	7.0	13	4	4	6	10	11	11	11
B. *Operated*										
0-19 YRS	64	2.9	4	<1	1	2	3	5	6	13
20-34	195	3.4	7	1	1	3	4	6	9	15
35-49	82	4.5	19	1	1	3	5	8	12	24
50-64	59	7.1	84	1	1	4	8	17	27	50
65+	21	7.0	61	1	2	5	9	13	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.9	1	<1	<1	2	2	4	4	4
B. *Operated*	1186	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	40	5.7	31	1	1	4	7	13	20	24
B. *Operated*	421	4.2	24	1	1	3	5	8	12	26
1. SINGLE DX	1204	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	461	4.4	25	1	1	3	5	8	12	26
A. NOT OPERATED	58	4.5	25	<1	1	3	5	10	18	24
B. OPERATED	1607	2.9	9	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	382	2.3	3	<1	<1	2	3	4	5	9
20-34	860	2.6	3	<1	1	2	3	4	6	10
35-49	265	3.5	11	1	1	3	4	7	10	21
50-64	121	5.3	51	1	1	3	5	10	19	43
65+	37	5.6	39	2	2	4	6	11	14	37
GRAND TOTAL	**1665**	**2.9**	**10**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1708	3.1	4	1	1	3	4	5	6	9
20-34	460	3.8	5	1	2	3	5	7	8	11
35-49	183	4.4	9	1	2	4	6	7	9	13
50-64	139	4.7	10	1	2	4	6	8	11	18
65+	120	4.7	9	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	41	3.4	5	1	1	3	4	7	8	9
20-34	35	4.7	15	1	1	3	6	11	13	17
35-49	12	5.4	27	1	2	4	6	11	20	21
50-64	6	5.8	7	1	1	6	8	8	8	8
65+	2	6.0	18	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1462	3.4	7	1	1	3	4	6	7	13
20-34	667	4.4	11	1	2	4	5	8	10	14
35-49	418	5.1	12	2	2	4	6	9	11	17
50-64	480	6.1	24	2	2	5	7	10	15	27
65+	779	7.1	27	2	3	6	9	13	16	28
B. *Operated*										
0-19 YRS	42	5.8	47	1	2	4	6	11	18	41
20-34	34	6.4	18	2	2	5	9	11	21	99+
35-49	39	8.5	32	2	3	7	10	19	21	22
50-64	38	9.5	33	2	3	9	11	15	22	31
65+	47	14.0	85	3	5	12	18	25	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2610	3.5	5	1	1	3	4	6	7	11
B. *Operated*	96	4.3	12	1	1	3	6	9	10	19
2. MULTIPLE DX										
A. *Not Operated*	3806	4.9	17	1	2	4	6	9	12	21
B. *Operated*	200	9.0	54	2	3	7	11	20	24	47
1. SINGLE DX	2706	3.5	6	1	1	3	4	6	8	12
2. MULTIPLE DX	4006	5.1	19	1	2	4	6	10	12	24
A. NOT OPERATED	6416	4.3	13	1	2	3	5	8	10	18
B. OPERATED	296	7.5	45	1	2	5	10	15	22	36
TOTAL 0-19 YRS	3253	3.3	6	1	1	3	4	5	7	11
20-34	1196	4.2	9	1	2	4	5	8	9	14
35-49	652	5.1	13	2	2	4	6	9	11	21
50-64	663	6.0	23	2	2	5	7	11	14	26
65+	948	7.1	30	2	2	6	9	13	17	28
GRAND TOTAL	**6712**	**4.4**	**14**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	4.4	5	2	2	4	5	7	9	11
20-34	117	4.4	4	1	2	4	6	7	8	10
35-49	42	5.6	5	2	3	5	7	10	10	10
50-64	22	5.9	6	2	3	6	8	9	10	11
65+	13	7.5	9	4	4	7	10	12	12	12
B. *Operated*										
0-19 YRS	5	7.2	17	4	4	5	11	13	13	13
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	4.0	7	2	2	3	6	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	5.1	6	2	2	4	6	9	10	11
20-34	49	5.9	16	2	2	5	6	14	14	16
35-49	26	6.5	12	2	3	5	8	11	14	17
50-64	44	8.9	63	3	4	6	10	17	29	40
65+	24	11.5	51	5	6	9	14	20	27	35
B. *Operated*										
0-19 YRS	3	26.7	849	6	6	14	48	60	60	60
20-34	8	8.6	20	3	3	8	11	15	17	17
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	8	17.4	68	7	8	16	25	29	29	29
65+	4	26.5	350	8	8	26	42	45	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	413	4.7	5	2	2	4	6	8	9	11
B. *Operated*	9	5.8	13	2	2	4	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	197	7.1	32	2	3	6	8	13	17	36
B. *Operated*	25	16.3	198	4	6	11	18	40	49	60
1. SINGLE DX	422	4.7	5	2	2	4	6	8	9	12
2. MULTIPLE DX	222	8.1	58	2	3	6	9	15	21	42
A. NOT OPERATED	610	5.5	15	2	2	5	6	9	11	20
B. OPERATED	34	13.5	170	3	4	9	15	30	44	60
TOTAL 0-19 YRS	281	4.8	16	2	2	4	5	8	10	14
20-34	174	5.0	9	2	2	4	6	8	12	16
35-49	71	5.9	7	2	3	5	8	10	10	16
50-64	77	8.7	55	3	3	6	10	17	27	39
65+	41	11.7	86	4	5	9	12	21	37	45
GRAND TOTAL	**644**	**5.9**	**26**	**2**	**2**	**5**	**7**	**10**	**13**	**29**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	5.6	11	2	2	5	7	9	13	18
20-34	163	4.8	8	2	2	4	6	8	10	16
35-49	26	7.5	32	2	3	5	9	16	21	23
50-64	10	6.8	36	1	1	6	8	15	22	22
65+	14	5.8	39	1	1	2	9	17	19	19
B. *Operated*										
0-19 YRS	25	3.1	9	<1	1	2	3	7	9	14
20-34	106	3.4	23	<1	1	2	3	5	8	33
35-49	27	3.4	10	1	1	2	4	9	11	13
50-64	12	3.0	2	2	2	3	4	5	7	7
65+	9	9.4	60	<1	1	6	15	21	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	5.8	22	1	2	5	7	9	12	30
20-34	170	5.9	12	2	3	5	7	10	13	20
35-49	40	7.1	16	2	3	6	10	13	14	17
50-64	17	9.8	31	3	4	9	16	18	19	20
65+	39	9.3	52	1	2	7	14	21	24	26
B. *Operated*										
0-19 YRS	15	4.0	16	<1	1	2	5	11	13	14
20-34	49	6.0	39	1	2	4	8	11	18	34
35-49	23	4.7	13	<1	1	4	7	11	12	13
50-64	22	9.0	70	2	2	5	12	22	27	33
65+	26	12.8	154	2	3	9	18	25	34	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326	5.4	14	1	2	4	6	9	13	21
B. *Operated*	179	3.6	21	<1	1	2	4	7	12	30
2. MULTIPLE DX										
A. *Not Operated*	353	6.6	22	2	2	5	8	12	17	22
B. *Operated*	135	7.3	67	1	2	4	10	18	24	38
1. SINGLE DX	505	4.8	17	1	1	4	6	9	13	22
2. MULTIPLE DX	488	6.8	34	1	2	5	9	13	18	27
A. NOT OPERATED	679	6.0	18	2	2	5	7	11	15	22
B. OPERATED	314	5.2	44	1	1	3	6	12	18	33
TOTAL 0-19 YRS	240	5.3	16	1	2	5	7	9	13	21
20-34	488	5.0	17	1	2	4	6	9	11	22
35-49	116	5.9	20	1	2	4	9	12	15	21
50-64	61	7.7	45	2	2	5	10	18	22	32
65+	88	9.8	84	1	1	7	15	22	25	47
GRAND TOTAL	**993**	**5.7**	**26**	**1**	**2**	**4**	**7**	**11**	**16**	**25**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	5.7	43	1	2	4	7	10	19	36
20-34	12	5.9	43	2	2	4	6	13	24	26
35-49	17	10.2	117	1	2	5	18	20	35	43
50-64	17	12.9	148	2	3	8	15	29	44	51
65+	11	10.6	27	3	4	10	13	19	20	20
B. *Operated*										
0-19 YRS	5	8.6	135	<1	<1	4	12	29	29	29
20-34	15	5.2	18	<1	1	4	8	12	14	15
35-49	21	13.3	331	2	3	6	12	30	63	80
50-64	21	16.4	399	2	2	10	21	37	64	87
65+	12	9.7	55	2	3	8	14	21	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	5.5	41	2	2	4	5	9	14	44
20-34	44	9.5	156	1	2	6	10	20	32	74
35-49	42	8.0	36	1	2	7	12	15	17	32
50-64	52	15.3	392	2	2	7	16	46	58	87
65+	71	11.7	91	3	4	9	15	22	28	50
B. *Operated*										
0-19 YRS	10	20.9	659	1	1	10	26	67	75	75
20-34	22	16.2	349	1	2	11	17	47	61	78
35-49	36	11.9	152	2	2	8	15	23	32	68
50-64	38	12.8	230	1	2	9	16	27	52	71
65+	49	20.2	548	2	2	10	25	67	73	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	8.5	80	1	2	5	10	19	26	48
B. *Operated*	74	11.6	236	1	2	7	13	26	42	85
2. MULTIPLE DX										
A. *Not Operated*	275	10.0	147	2	2	6	11	20	29	70
B. *Operated*	155	15.9	360	2	2	10	17	45	69	81
1. SINGLE DX	165	9.9	151	1	2	6	12	20	31	76
2. MULTIPLE DX	430	12.1	232	2	2	7	14	25	49	79
A. NOT OPERATED	366	9.6	131	2	2	6	11	19	28	58
B. OPERATED	229	14.5	323	1	2	9	16	35	65	81
TOTAL 0-19 YRS	115	7.0	111	1	2	4	7	13	25	65
20-34	93	9.9	176	1	2	6	11	19	37	76
35-49	116	10.5	137	2	2	7	13	19	30	72
50-64	128	14.4	308	1	2	8	16	32	55	87
65+	143	14.3	254	2	3	9	16	28	53	81
GRAND TOTAL	**595**	**11.5**	**210**	**2**	**2**	**7**	**13**	**24**	**45**	**79**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.6	2	1	1	2	4	5	6	6
20-34	7	4.4	6	2	2	3	6	8	9	9
35-49	4	5.3	18	1	1	4	8	11	11	11
50-64	6	4.0	7	1	1	3	4	9	9	9
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	12	4.1	8	1	2	3	5	8	11	12
20-34	13	4.4	1	2	3	4	5	6	6	6
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.1	9	1	1	3	6	8	9	15
20-34	11	5.2	9	1	2	5	8	9	9	9
35-49	10	8.2	20	2	3	7	12	14	15	15
50-64	9	6.4	9	2	2	7	8	10	12	12
65+	11	7.5	19	3	4	7	10	14	18	18
B. *Operated*										
0-19 YRS	15	6.2	49	2	3	4	6	8	25	31
20-34	9	12.2	96	2	3	9	21	27	29	29
35-49	5	6.2	7	3	3	6	8	10	10	10
50-64	6	14.8	37	8	8	13	21	23	23	23
65+	7	13.9	90	6	6	11	16	31	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	3.4	6	1	1	3	4	6	9	11
B. *Operated*	29	4.3	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	70	5.7	14	1	2	5	7	11	13	17
B. *Operated*	42	10.0	68	2	3	7	12	23	30	34
1. SINGLE DX	68	3.8	5	1	1	4	5	6	9	12
2. MULTIPLE DX	112	7.3	38	2	2	6	9	15	21	32
A. NOT OPERATED	109	4.9	12	1	1	4	7	9	12	16
B. OPERATED	71	7.7	50	2	2	5	9	18	24	33
TOTAL 0-19 YRS	77	4.1	16	1	1	3	5	7	9	27
20-34	40	6.4	34	2	2	5	7	11	22	29
35-49	21	7.1	14	2	3	7	10	13	14	15
50-64	23	7.7	34	1	2	7	10	16	22	23
65+	19	9.6	53	3	4	7	11	18	27	34
GRAND TOTAL	**180**	**6.0**	**28**	**1**	**2**	**4**	**7**	**12**	**16**	**30**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.6	8	1	1	4	7	9	10	11
20-34	75	5.2	18	1	1	4	7	11	13	22
35-49	38	5.2	12	1	2	4	8	11	12	13
50-64	11	6.2	30	1	1	5	10	14	19	19
65+	9	10.9	36	3	3	9	16	19	20	20
B. *Operated*										
0-19 YRS	22	4.5	9	1	2	3	7	9	11	12
20-34	245	5.8	20	2	2	4	8	11	14	23
35-49	93	6.8	114	2	2	4	8	11	19	67
50-64	39	6.0	14	1	2	5	8	11	13	17
65+	11	9.5	30	2	3	9	12	17	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	4.2	8	1	2	3	5	8	8	16
20-34	153	6.9	35	2	2	5	8	13	17	37
35-49	98	7.5	35	2	2	6	8	18	22	27
50-64	60	9.5	40	2	3	8	12	18	22	32
65+	40	11.4	143	3	3	8	14	21	29	73
B. *Operated*										
0-19 YRS	14	9.6	60	2	2	6	11	22	27	28
20-34	160	8.3	38	2	2	7	11	16	20	34
35-49	102	11.2	88	2	3	9	14	25	31	81
50-64	56	12.3	101	2	3	9	17	29	39	96
65+	27	16.1	111	6	7	12	21	31	39	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	5.5	18	1	1	4	8	11	14	20
B. *Operated*	410	6.1	41	2	2	4	8	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	401	7.5	46	2	2	6	9	15	21	31
B. *Operated*	359	10.4	73	2	3	8	12	22	29	49
1. SINGLE DX	563	5.9	35	1	2	4	8	11	14	23
2. MULTIPLE DX	760	8.9	61	2	2	7	11	19	24	40
A. NOT OPERATED	554	7.0	39	1	2	5	8	14	19	28
B. OPERATED	769	8.1	60	2	2	6	10	16	22	40
TOTAL 0-19 YRS	106	5.1	17	1	2	4	7	10	11	24
20-34	633	6.6	29	2	2	5	8	13	17	26
35-49	331	8.2	75	2	2	6	10	18	23	40
50-64	166	9.4	59	2	2	8	11	20	28	40
65+	87	12.6	111	3	4	9	15	22	30	64
GRAND TOTAL	**1323**	**7.6**	**52**	**2**	**2**	**6**	**10**	**15**	**21**	**35**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	8.0	13	4	4	9	10	11	11	11
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	17.5	13	15	15	17	20	20	20	20
35-49	3	4.3	5	3	3	3	6	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	16.6	121	2	3	17	24	31	34	34
50-64	7	5.6	2	4	4	6	7	7	7	7
65+	7	14.9	178	5	5	12	14	38	44	44
B. *Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	7	5.7	6	3	3	5	7	10	10	10
35-49	7	9.3	26	3	3	9	13	16	17	17
50-64	6	8.3	14	3	3	8	10	14	14	14
65+	5	13.6	48	3	3	15	17	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	7.3	11	4	4	7	10	11	11	11
B. *Operated*	6	8.7	51	3	3	5	15	19	20	20
2. MULTIPLE DX										
A. *Not Operated*	23	12.1	114	3	4	7	15	27	37	44
B. *Operated*	27	8.7	26	3	3	8	12	16	18	22
1. SINGLE DX	10	8.1	33	3	3	6	11	17	20	20
2. MULTIPLE DX	50	10.3	68	3	3	8	14	21	25	44
A. NOT OPERATED	27	11.4	101	3	4	7	14	25	35	44
B. OPERATED	33	8.7	29	3	3	8	12	16	20	22
TOTAL 0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	13	7.8	26	3	3	6	10	16	19	20
35-49	19	11.4	80	2	3	9	16	24	30	34
50-64	14	6.6	9	3	4	6	8	10	13	14
65+	12	14.3	115	3	4	13	16	29	42	44
GRAND TOTAL	**60**	**9.9**	**62**	**3**	**3**	**7**	**13**	**20**	**24**	**43**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	5	4.4	19	2	2	2	6	12	12	12
35-49	25	4.6	11	<1	1	4	6	11	11	12
50-64	80	6.0	79	1	1	3	6	10	28	49
65+	90	5.6	20	1	1	4	8	10	14	24
B. *Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	31	6.5	66	1	2	4	6	13	24	42
35-49	117	6.7	42	1	1	4	9	16	20	30
50-64	305	7.3	87	1	2	4	8	18	26	54
65+	386	6.1	45	1	2	4	7	14	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.3	95	2	2	5	7	26	30	30
20-34	6	7.8	53	3	3	5	9	21	22	22
35-49	54	7.4	80	1	2	4	7	20	25	50
50-64	165	9.3	117	1	2	6	11	24	31	58
65+	158	10.0	124	1	2	6	12	24	35	55
B. *Operated*										
0-19 YRS	5	4.2	9	2	2	3	6	9	9	9
20-34	20	14.0	420	1	2	6	11	40	63	83
35-49	97	13.9	234	2	2	10	17	31	42	81
50-64	422	13.9	185	2	2	10	18	32	42	69
65+	506	12.7	196	2	2	8	16	30	41	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	5.5	42	1	1	4	7	10	14	40
B. *Operated*	842	6.6	61	1	2	4	8	16	22	42
2. MULTIPLE DX										
A. *Not Operated*	390	9.3	113	1	2	6	11	22	31	54
B. *Operated*	1050	13.3	199	2	2	9	17	31	42	73
1. SINGLE DX	1044	6.4	57	1	2	4	7	14	21	42
2. MULTIPLE DX	1440	12.2	178	2	2	7	16	28	40	70
A. NOT OPERATED	592	8.0	92	1	2	5	9	19	27	49
B. OPERATED	1892	10.3	148	2	2	6	13	24	36	63
TOTAL 0-19 YRS	17	5.6	44	1	2	4	5	9	23	30
20-34	62	8.9	182	1	2	5	8	23	39	78
35-49	293	9.0	121	1	2	5	12	20	27	57
50-64	972	10.4	144	1	2	6	13	25	36	60
65+	1140	9.5	131	1	2	5	12	22	33	61
GRAND TOTAL	**2484**	**9.8**	**136**	**1**	**2**	**5**	**12**	**23**	**34**	**60**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	39.0		39	39	39	39	39	39	39
20-34										
35-49	9	6.4	36	2	2	5	7	16	21	21
50-64	50	8.7	98	1	2	6	10	15	33	57
65+	60	8.4	68	2	2	6	11	17	25	47
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34										
35-49	12	16.2	41	8	8	15	19	27	28	28
50-64	82	16.0	226	2	2	12	25	39	46	63
65+	95	13.3	143	2	3	9	18	28	42	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	15	10.7	152	1	1	6	12	32	41	44
50-64	82	10.8	72	1	3	8	14	23	29	38
65+	112	10.9	153	1	2	7	13	24	31	68
B. *Operated*										
0-19 YRS	1	46.0		46	46	46	46	46	46	46
20-34	1	14.0		14	14	14	14	14	14	14
35-49	25	29.5	434	4	5	29	45	69	90	99+
50-64	167	18.3	218	3	4	15	24	40	48	81
65+	162	19.4	247	3	4	15	26	41	48	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	8.6	84	2	2	6	10	17	31	51
B. *Operated*	190	14.6	172	2	2	11	20	32	43	57
2. MULTIPLE DX										
A. *Not Operated*	210	10.8	119	1	2	7	14	23	31	94
B. *Operated*	356	19.7	253	3	4	15	26	43	50	89
1. SINGLE DX	310	12.3	147	2	2	7	17	29	41	53
2. MULTIPLE DX	566	16.4	221	2	3	12	23	36	47	84
A. NOT OPERATED	330	10.0	107	1	2	6	12	22	31	52
B. OPERATED	546	17.9	230	2	3	14	24	40	48	82
TOTAL 0-19 YRS	3	31.3	386	9	9	39	44	46	46	46
20-34	2	10.5	25	7	7	10	14	14	14	14
35-49	61	18.9	310	2	3	14	29	45	60	98
50-64	381	14.9	185	2	3	11	21	32	43	71
65+	429	14.3	191	2	3	10	19	31	43	65
GRAND TOTAL	**876**	**14.9**	**198**	**2**	**3**	**11**	**20**	**33**	**44**	**72**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.3	4	1	1	3	5	6	6	6
35-49	15	9.0	179	1	1	6	10	14	45	55
50-64	42	6.6	38	1	1	5	9	13	19	33
65+	60	7.7	44	1	2	6	9	20	22	29
B. *Operated*										
0-19 YRS										
20-34	5	16.2	11	11	11	16	19	19	19	19
35-49	16	18.6	128	5	11	16	20	39	46	48
50-64	75	15.4	130	2	5	14	18	26	34	67
65+	145	16.0	113	2	3	15	21	30	34	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	22	3	3	5	10	12	12	12
20-34	1	3.0		3	3	3	3	3	3	3
35-49	25	10.1	60	2	3	6	15	22	26	30
50-64	125	7.4	51	1	1	5	9	18	23	38
65+	298	10.3	93	1	2	7	13	23	30	48
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	7	15.9	112	1	3	12	23	31	33	33
35-49	56	19.1	198	2	3	17	24	33	39	76
50-64	208	18.4	122	6	8	16	22	31	41	59
65+	461	19.5	151	5	7	17	25	34	44	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	7.4	57	1	1	6	9	14	22	39
B. *Operated*	241	16.0	117	2	4	15	20	29	35	53
2. MULTIPLE DX										
A. *Not Operated*	452	9.4	80	1	2	7	13	22	27	46
B. *Operated*	733	19.1	145	4	7	17	24	33	43	63
1. SINGLE DX	362	13.1	113	1	2	11	18	27	33	52
2. MULTIPLE DX	1185	15.4	142	2	3	13	21	30	38	59
A. NOT OPERATED	573	9.0	76	1	2	6	12	21	26	45
B. OPERATED	974	18.3	140	3	6	16	23	32	41	60
TOTAL 0-19 YRS	4	9.8	53	3	3	8	15	19	19	19
20-34	17	12.2	82	1	2	11	19	23	30	33
35-49	112	15.7	171	1	3	14	21	30	40	71
50-64	450	13.7	122	2	2	12	18	27	35	56
65+	964	15.4	140	2	3	13	21	30	38	57
GRAND TOTAL	**1547**	**14.9**	**136**	**2**	**3**	**13**	**20**	**29**	**37**	**57**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+	3	5.7	14	3	3	4	8	10	10	10
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	10.0		10	10	10	10	10	10	10
35-49	6	27.2	695	5	6	12	60	62	62	62
50-64	8	23.4	162	12	12	20	28	44	50	50
65+	8	21.6	61	9	10	23	28	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	7.3	10	5	5	6	10	11	11	11
35-49	3	9.3	76	2	2	7	16	19	19	19
50-64	13	7.2	19	1	3	6	10	12	17	18
65+	13	6.9	29	2	2	4	10	17	18	18
B. *Operated*										
0-19 YRS										
20-34	2	20.5	41	16	16	20	25	25	25	25
35-49	15	12.2	30	6	6	10	18	19	22	23
50-64	34	18.9	124	9	10	16	22	28	42	65
65+	53	18.8	100	5	8	17	25	34	36	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.8	13	2	2	3	7	10	10	10
B. *Operated*	24	22.6	240	8	9	16	28	51	61	62
2. MULTIPLE DX										
A. *Not Operated*	32	7.3	25	2	2	6	10	17	18	19
B. *Operated*	104	17.9	100	6	8	16	23	32	36	56
1. SINGLE DX	28	20.0	246	3	4	14	27	44	60	62
2. MULTIPLE DX	136	15.4	102	4	5	13	20	28	35	50
A. NOT OPERATED	36	7.0	24	2	2	5	10	16	18	19
B. OPERATED	128	18.8	128	6	9	16	24	32	38	63
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	10.7	61	2	3	10	15	23	25	25
35-49	24	15.6	223	4	6	11	18	27	61	62
50-64	55	16.8	132	4	6	15	20	27	41	64
65+	77	16.6	106	3	4	14	24	31	35	45
GRAND TOTAL	**164**	**16.2**	**129**	**3**	**5**	**14**	**21**	**30**	**36**	**62**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	5.5	31	1	1	4	5	14	20	21
35-49	47	4.5	8	1	1	4	6	8	10	14
50-64	83	6.5	52	1	1	5	7	13	17	47
65+	152	7.4	57	1	2	5	8	15	27	35
B. *Operated*										
0-19 YRS	2	17.0	200	7	7	17	27	27	27	27
20-34	22	9.3	20	3	4	9	11	16	19	19
35-49	108	12.7	28	5	7	12	15	18	22	31
50-64	354	13.4	56	4	7	12	16	19	24	38
65+	796	15.4	54	6	9	14	18	23	28	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	16	7.1	50	1	2	5	8	17	25	28
35-49	90	7.1	35	1	2	5	10	13	20	31
50-64	316	8.7	69	2	3	6	11	18	22	42
65+	800	9.7	76	2	3	7	12	20	27	46
B. *Operated*										
0-19 YRS	4	15.5	124	3	3	14	23	30	30	30
20-34	51	15.2	90	6	7	12	20	30	35	47
35-49	216	15.1	61	5	8	13	19	25	28	46
50-64	897	17.2	102	6	9	15	20	28	36	56
65+	2440	19.9	129	8	10	17	24	34	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	6.6	48	1	2	5	7	13	20	35
B. *Operated*	1282	14.5	54	4	8	13	17	22	27	43
2. MULTIPLE DX										
A. *Not Operated*	1224	9.2	71	2	3	7	12	18	25	44
B. *Operated*	3608	18.9	120	7	9	17	23	32	39	65
1. SINGLE DX	1575	13.0	62	2	4	12	16	21	26	43
2. MULTIPLE DX	4832	16.4	125	3	5	15	21	29	37	60
A. NOT OPERATED	1517	8.7	68	2	2	6	11	18	25	43
B. OPERATED	4890	17.7	106	6	9	15	21	29	37	60
TOTAL 0-19 YRS	8	13.6	102	3	4	10	21	29	30	30
20-34	100	11.5	76	2	3	9	14	22	30	45
35-49	461	11.9	58	2	3	11	15	22	26	37
50-64	1650	14.2	97	3	4	13	18	24	31	53
65+	4188	16.7	121	3	5	15	21	30	37	60
GRAND TOTAL	**6407**	**15.6**	**112**	**3**	**4**	**14**	**20**	**28**	**35**	**56**

24: Malignant neoplasm of rectum, rectosigmoid junction, and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	8.2	13	4	4	7	12	13	13	13
35-49	20	5.1	28	1	1	3	5	13	19	21
50-64	52	5.8	30	2	2	4	6	11	19	29
65+	99	6.6	47	1	1	5	8	13	22	37
B. *Operated*										
0-19 YRS	2	13.5	25	10	10	13	17	17	17	17
20-34	13	14.1	86	4	4	11	17	30	34	35
35-49	85	12.7	36	2	4	12	15	21	24	29
50-64	296	14.3	52	3	5	14	17	23	27	37
65+	488	15.0	77	3	4	14	19	25	31	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	6.8	50	2	2	4	11	17	17	17
35-49	39	6.8	42	1	2	5	8	11	22	35
50-64	213	8.6	77	2	2	5	10	16	23	52
65+	385	10.6	104	2	3	7	14	22	31	54
B. *Operated*										
0-19 YRS	5	21.0	79	10	10	23	26	33	33	33
20-34	17	15.5	35	10	10	12	18	26	27	27
35-49	114	16.2	118	2	3	14	23	31	35	50
50-64	487	18.2	101	4	7	16	23	31	40	51
65+	1099	20.3	153	4	7	18	25	36	45	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	6.2	38	1	2	4	7	13	20	29
B. *Operated*	884	14.5	65	3	4	14	18	24	29	38
2. MULTIPLE DX										
A. *Not Operated*	641	9.7	92	2	3	6	11	20	29	53
B. *Operated*	1722	19.4	136	4	7	17	24	35	42	60
1. SINGLE DX	1062	13.1	70	2	3	13	17	23	28	38
2. MULTIPLE DX	2363	16.7	143	3	4	15	22	32	40	59
A. NOT OPERATED	819	8.9	82	2	2	6	11	19	27	50
B. OPERATED	2606	17.7	117	3	6	16	22	31	38	57
TOTAL 0-19 YRS	8	16.6	100	1	4	16	23	30	33	33
20-34	40	13.1	57	3	4	12	17	26	28	35
35-49	258	12.8	87	2	3	12	17	25	31	43
50-64	1048	14.5	96	2	4	13	19	27	34	49
65+	2071	16.6	140	3	4	15	22	31	39	60
GRAND TOTAL	**3425**	**15.6**	**123**	**2**	**4**	**14**	**21**	**29**	**37**	**56**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	17	6.9	14	2	3	6	9	13	14	15
35-49	18	7.9	134	<1	1	3	6	24	37	45
50-64	34	7.2	44	<1	1	5	8	15	23	30
65+	50	11.5	192	2	2	8	12	26	35	87
B. *Operated*										
0-19 YRS	2	13.5	25	10	10	13	17	17	17	17
20-34	10	13.3	129	4	4	10	17	30	42	42
35-49	21	12.2	38	4	6	11	15	19	25	31
50-64	60	14.5	56	4	6	13	18	24	30	36
65+	98	18.4	217	3	4	15	21	39	51	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	4	2	2	5	6	6	6	6
20-34	15	7.3	89	1	1	5	8	16	32	38
35-49	15	8.1	67	2	2	4	9	27	27	27
50-64	84	8.9	110	1	2	6	11	15	23	69
65+	177	11.3	87	2	3	9	14	25	31	48
B. *Operated*										
0-19 YRS	2	19.0	8	17	17	19	21	21	21	21
20-34	23	19.0	153	5	7	17	24	34	46	56
35-49	41	14.6	75	4	6	13	17	30	32	39
50-64	149	18.8	164	5	6	16	25	35	44	74
65+	305	21.9	219	7	9	18	25	45	54	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	9.0	116	1	2	5	11	20	28	57
B. *Operated*	191	16.2	144	3	5	14	19	32	42	65
2. MULTIPLE DX										
A. *Not Operated*	295	10.1	93	2	2	7	13	22	29	51
B. *Operated*	520	20.3	192	6	8	17	24	39	50	74
1. SINGLE DX	312	13.4	145	2	3	11	17	27	36	64
2. MULTIPLE DX	815	16.6	180	3	4	14	22	32	45	71
A. NOT OPERATED	416	9.8	100	1	2	7	12	22	29	50
B. OPERATED	711	19.2	182	5	7	16	23	36	50	71
TOTAL 0-19 YRS	10	8.8	50	2	2	6	17	19	21	21
20-34	65	12.3	123	2	2	9	16	29	39	54
35-49	95	11.8	83	2	2	9	16	25	31	42
50-64	327	14.3	139	2	3	12	19	29	36	71
65+	630	17.5	202	3	4	14	22	35	50	70
GRAND TOTAL	**1127**	**15.7**	**172**	**2**	**4**	**13**	**20**	**31**	**43**	**68**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34										
35-49	23	9.7	77	3	4	5	13	22	32	35
50-64	68	6.7	33	1	2	5	8	14	17	33
65+	89	8.4	69	1	2	6	10	18	21	50
B. *Operated*										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	2	11.5	61	6	6	11	17	17	17	17
35-49	5	21.8	340	1	1	19	33	50	50	50
50-64	53	15.2	65	2	5	14	19	27	33	98
65+	99	19.9	91	7	9	19	25	30	37	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	35	6.4	20	1	1	5	9	13	16	17
50-64	172	7.2	33	1	2	5	10	15	19	27
65+	306	10.3	77	2	2	8	14	21	28	48
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	1	16.0		16	16	16	16	16	16	16
35-49	55	21.4	170	7	9	18	27	42	51	60
50-64	247	20.4	146	6	9	17	27	36	44	60
65+	483	23.0	180	7	10	20	28	40	51	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	7.9	57	1	2	6	9	16	21	35
B. *Operated*	160	18.3	93	5	8	17	23	30	36	61
2. MULTIPLE DX										
A. *Not Operated*	517	8.9	61	1	2	7	12	19	25	42
B. *Operated*	787	22.1	169	7	9	19	27	39	48	68
1. SINGLE DX	342	12.8	101	2	3	10	19	27	31	51
2. MULTIPLE DX	1304	16.9	167	2	4	14	22	34	43	63
A. NOT OPERATED	699	8.7	60	1	2	6	11	18	24	39
B. OPERATED	947	21.4	158	7	9	19	27	38	46	67
TOTAL 0-19 YRS	5	11.4	126	2	2	5	20	28	28	28
20-34	6	8.7	38	3	3	6	16	17	17	17
35-49	118	14.7	159	1	3	12	19	31	46	57
50-64	540	13.9	127	2	3	11	19	30	36	56
65+	977	17.4	168	2	4	15	23	33	42	67
GRAND TOTAL	**1646**	**16.0**	**156**	**2**	**3**	**13**	**22**	**32**	**41**	**62**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	12.3	39	4	4	13	17	18	18	18
20-34	14	3.6	4	<1	1	4	5	6	7	7
35-49	137	5.0	33	<1	1	3	6	12	14	31
50-64	555	6.0	41	1	1	4	8	13	19	33
65+	644	7.7	61	1	2	5	10	17	23	36
B. *Operated*										
0-19 YRS	2	24.0	392	10	10	24	38	38	38	38
20-34	12	10.6	73	1	2	9	17	24	25	25
35-49	213	12.3	65	2	4	12	15	20	27	37
50-64	989	11.9	58	2	3	11	16	22	26	35
65+	1107	12.7	91	2	3	11	17	23	29	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	16.0	453	1	1	3	30	50	50	50
20-34	26	7.0	69	1	1	5	9	11	20	43
35-49	379	7.7	58	1	2	5	10	15	24	42
50-64	1746	8.8	72	1	2	6	11	18	25	41
65+	2245	10.4	88	2	2	8	14	22	30	46
B. *Operated*										
0-19 YRS	6	12.7	66	7	7	9	15	27	28	28
20-34	19	15.1	108	3	4	13	22	25	37	47
35-49	427	13.9	82	3	4	12	18	27	32	43
50-64	2171	15.3	123	3	4	13	19	28	35	63
65+	2727	15.4	126	3	4	13	20	29	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1354	6.7	51	1	1	4	8	15	21	36
B. *Operated*	2323	12.3	75	2	3	11	16	22	27	41
2. MULTIPLE DX										
A. *Not Operated*	4401	9.5	80	1	2	7	12	20	27	44
B. *Operated*	5350	15.2	121	3	4	13	19	28	36	59
1. SINGLE DX	3677	10.3	73	1	2	8	14	21	26	40
2. MULTIPLE DX	9751	12.7	111	2	3	10	17	26	32	53
A. NOT OPERATED	5755	8.9	75	1	2	6	11	19	26	43
B. OPERATED	7673	14.4	109	3	4	12	18	27	33	56
TOTAL 0-19 YRS	17	14.9	180	1	2	11	19	36	46	50
20-34	71	9.1	82	1	2	6	11	23	25	46
35-49	1156	10.5	76	1	2	9	14	21	28	41
50-64	5461	11.7	98	2	2	9	16	23	29	51
65+	6723	12.6	109	2	3	10	17	25	32	51
GRAND TOTAL	**13428**	**12.0**	**102**	**2**	**2**	**10**	**16**	**24**	**31**	**50**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.3	3	<1	<1	3	4	5	5	5
35-49	8	3.1	10	1	1	2	3	9	11	11
50-64	60	5.3	21	1	1	4	7	11	14	23
65+	40	6.0	39	1	2	3	8	13	19	32
B. *Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	16	4.9	21	1	1	3	8	13	14	14
35-49	72	9.2	123	1	1	6	15	19	22	68
50-64	301	7.6	55	1	1	4	12	18	23	31
65+	308	7.1	67	1	1	3	11	17	24	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	5.6	5	2	2	6	7	8	8	8
35-49	12	6.0	22	2	2	5	6	15	16	16
50-64	73	9.3	76	1	2	6	11	21	29	45
65+	82	11.7	219	2	2	7	13	32	50	93
B. *Operated*										
0-19 YRS	4	15.0	31	8	8	16	19	20	20	20
20-34	12	16.7	110	2	2	16	23	32	35	36
35-49	72	12.7	204	2	2	9	16	27	37	86
50-64	250	15.9	200	2	2	12	23	36	43	66
65+	296	14.8	137	2	2	13	21	30	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	5.3	26	1	1	3	7	11	15	26
B. *Operated*	699	7.5	67	1	1	3	12	18	23	37
2. MULTIPLE DX										
A. *Not Operated*	173	10.1	140	2	2	6	11	22	34	78
B. *Operated*	634	15.1	168	2	2	12	21	31	40	66
1. SINGLE DX	811	7.2	62	1	1	3	11	17	23	36
2. MULTIPLE DX	807	14.0	166	2	2	10	20	30	39	70
A. NOT OPERATED	285	8.2	101	1	2	5	9	18	30	65
B. OPERATED	1333	11.1	129	1	2	8	16	25	33	52
TOTAL 0-19 YRS	7	10.6	48	3	3	8	17	20	20	20
20-34	37	8.6	75	1	1	6	14	22	28	36
35-49	164	10.2	151	1	2	7	15	22	27	76
50-64	684	10.6	124	1	2	7	15	25	33	52
65+	726	10.7	124	1	2	7	16	25	33	57
GRAND TOTAL	**1618**	**10.6**	**125**	**1**	**2**	**7**	**15**	**25**	**32**	**53**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	4.2	5	1	1	4	5	8	9	10
20-34	17	6.1	85	1	1	4	6	9	30	41
35-49	11	3.9	3	<1	1	4	5	6	7	7
50-64	25	4.9	11	1	1	4	6	11	12	13
65+	37	6.0	24	1	1	4	7	14	17	21
B. *Operated*										
0-19 YRS	34	5.8	22	1	2	4	8	14	15	19
20-34	58	7.3	27	2	2	6	10	13	17	25
35-49	58	7.9	43	2	2	6	10	15	21	36
50-64	86	9.3	85	2	2	8	13	19	24	88
65+	141	10.1	89	1	2	7	13	24	28	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	3.9	7	1	1	4	5	7	7	16
20-34	31	7.6	60	2	2	5	9	17	18	40
35-49	23	6.9	37	1	2	6	7	14	22	27
50-64	62	10.2	198	1	2	5	13	24	41	79
65+	99	9.8	67	1	2	7	14	20	28	36
B. *Operated*										
0-19 YRS	15	11.1	57	2	3	11	15	24	27	28
20-34	20	9.1	41	2	2	8	13	19	22	23
35-49	29	12.2	142	1	2	10	15	30	45	47
50-64	87	16.5	149	2	2	12	26	38	42	78
65+	132	14.9	177	3	4	10	20	33	43	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	5.2	24	1	1	4	6	10	13	29
B. *Operated*	377	8.7	67	2	2	7	12	18	25	47
2. MULTIPLE DX										
A. *Not Operated*	253	8.5	90	1	2	5	11	18	27	43
B. *Operated*	283	14.5	152	2	3	11	20	33	42	53
1. SINGLE DX	489	7.9	59	1	2	5	11	16	23	41
2. MULTIPLE DX	536	11.7	132	2	2	8	15	28	38	51
A. NOT OPERATED	365	7.5	72	1	2	5	8	16	23	41
B. OPERATED	660	11.2	111	2	2	8	14	25	36	50
TOTAL 0-19 YRS	109	5.5	23	1	2	4	7	12	15	26
20-34	126	7.5	45	2	2	5	10	16	19	40
35-49	121	8.4	66	1	2	6	10	17	23	46
50-64	260	11.5	140	2	2	8	15	29	39	80
65+	409	11.2	113	1	2	8	14	25	32	49
GRAND TOTAL	**1025**	**9.9**	**101**	**1**	**2**	**7**	**13**	**23**	**31**	**48**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	85	3	3	9	16	16	16	16
20-34	20	7.1	181	1	1	3	7	12	37	62
35-49	28	4.1	17	<1	1	3	5	12	14	15
50-64	54	4.8	12	1	1	4	6	7	14	16
65+	32	4.9	6	2	3	4	5	8	11	13
B. *Operated*										
0-19 YRS	8	5.9	68	1	1	2	7	20	25	25
20-34	128	6.1	18	1	2	5	9	11	13	21
35-49	175	5.6	17	2	2	4	8	11	12	20
50-64	204	7.1	30	2	2	6	9	14	18	26
65+	182	6.9	29	2	2	6	9	13	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	24	6.7	17	2	2	6	8	12	16	19
35-49	38	5.6	16	1	1	5	6	13	15	16
50-64	46	7.7	63	2	2	6	9	12	17	52
65+	78	9.1	59	2	3	6	11	18	22	45
B. *Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	46	8.0	43	2	2	6	10	16	23	35
35-49	72	6.6	23	1	2	6	9	12	15	24
50-64	119	9.7	103	2	2	8	11	23	31	57
65+	173	10.9	83	2	2	9	15	23	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	5.1	37	1	1	4	6	11	14	23
B. *Operated*	697	6.5	25	2	2	5	9	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	187	7.7	47	2	2	6	10	15	19	44
B. *Operated*	412	9.5	76	2	2	7	12	20	26	47
1. SINGLE DX	833	6.2	27	1	2	5	8	12	15	25
2. MULTIPLE DX	599	8.9	67	2	2	7	11	19	24	46
A. NOT OPERATED	323	6.6	44	1	1	5	8	14	16	36
B. OPERATED	1109	7.6	46	2	2	6	10	15	21	36
TOTAL 0-19 YRS	13	5.9	50	1	1	3	6	18	24	25
20-34	218	6.7	38	1	2	6	9	12	16	28
35-49	313	5.7	18	1	2	4	8	11	14	22
50-64	423	7.6	54	1	2	6	9	14	21	38
65+	465	8.6	57	2	2	7	11	18	23	39
GRAND TOTAL	**1432**	**7.4**	**46**	**1**	**2**	**6**	**10**	**15**	**19**	**36**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	7	7.3	85	2	2	5	5	23	28	28
50-64	7	4.9	8	2	2	4	7	9	9	9
65+	22	5.9	106	1	1	3	6	10	27	50
B. *Operated*										
0-19 YRS	7	3.7	7	<1	<1	3	6	8	8	8
20-34	51	3.7	14	<1	1	2	4	9	13	18
35-49	149	3.1	11	<1	1	2	3	6	9	18
50-64	427	3.5	14	<1	1	2	4	7	9	19
65+	794	3.7	14	1	1	2	4	8	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	11.7	114	5	5	8	11	31	33	33
50-64	23	3.8	6	1	1	4	6	7	7	7
65+	78	9.9	123	1	1	6	11	26	34	56
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	28	4.0	18	<1	<1	2	5	9	13	19
35-49	106	4.8	24	1	1	3	6	10	15	26
50-64	354	5.2	43	1	1	3	5	11	19	37
65+	964	6.2	44	1	2	4	8	14	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	5.8	79	1	1	4	6	9	22	50
B. *Operated*	1428	3.6	13	<1	1	2	4	7	11	19
2. MULTIPLE DX										
A. *Not Operated*	107	8.7	103	1	1	5	10	23	33	49
B. *Operated*	1454	5.8	42	1	2	3	7	13	18	33
1. SINGLE DX	1465	3.6	15	<1	1	2	4	8	11	20
2. MULTIPLE DX	1561	6.0	46	1	2	4	7	13	19	35
A. NOT OPERATED	144	8.0	98	1	1	5	9	19	32	51
B. OPERATED	2882	4.7	29	1	1	3	5	10	15	28
TOTAL 0-19 YRS	10	3.0	6	<1	<1	2	3	7	8	8
20-34	79	3.8	15	<1	1	2	4	9	13	19
35-49	268	4.1	22	<1	1	2	5	9	12	28
50-64	811	4.3	27	1	1	2	4	9	14	29
65+	1858	5.3	37	1	1	3	6	12	16	32
GRAND TOTAL	**3026**	**4.9**	**33**	**1**	**1**	**3**	**5**	**10**	**15**	**31**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	19	3.7	6	<1	<1	4	5	8	9	10
35-49	118	4.1	15	1	1	3	6	9	11	20
50-64	212	6.8	66	1	2	4	8	15	22	34
65+	159	6.9	70	1	1	4	8	17	25	36
B. *Operated*										
0-19 YRS	6	4.0	2	2	2	4	5	6	6	6
20-34	174	7.2	14	2	2	7	9	11	15	20
35-49	811	7.4	14	2	3	7	9	11	13	20
50-64	1346	8.2	17	2	4	8	10	13	15	22
65+	1349	8.7	19	3	4	8	10	14	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	39	2	2	3	9	15	15	15
20-34	58	6.9	31	1	2	5	9	14	19	26
35-49	323	7.9	77	1	1	6	10	15	24	47
50-64	728	8.9	92	1	2	6	11	19	26	51
65+	840	10.2	106	1	2	7	14	22	28	55
B. *Operated*										
0-19 YRS	5	10.2	18	6	6	9	14	16	16	16
20-34	147	9.3	31	3	5	8	10	15	20	36
35-49	746	9.3	39	3	4	8	10	15	20	35
50-64	1488	10.9	62	3	5	9	12	18	24	43
65+	1833	12.7	85	4	5	10	15	22	28	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	508	6.1	55	1	1	4	7	13	21	34
B. *Operated*	3686	8.2	17	2	4	8	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	1953	9.2	95	1	2	6	12	20	27	54
B. *Operated*	4219	11.3	68	3	5	9	13	20	26	45
1. SINGLE DX	4194	7.9	22	2	3	7	10	13	15	24
2. MULTIPLE DX	6172	10.6	78	2	3	9	13	20	26	48
A. NOT OPERATED	2461	8.6	88	1	1	6	11	19	26	50
B. OPERATED	7905	9.9	47	3	4	8	11	16	21	37
TOTAL 0-19 YRS	15	6.5	22	2	2	5	8	15	16	16
20-34	398	7.8	24	2	2	7	9	13	16	27
35-49	1998	8.0	35	1	2	7	10	13	17	32
50-64	3774	9.3	54	2	3	8	11	16	21	38
65+	4181	10.7	71	2	3	9	13	19	25	45
GRAND TOTAL	**10366**	**9.5**	**57**	**2**	**3**	**8**	**11**	**17**	**22**	**40**

33: Malignant neoplasm of cervix uteri, excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	74	3.4	4	1	1	3	4	5	6	12
35-49	147	3.5	3	2	2	3	4	5	6	10
50-64	172	3.9	6	2	2	3	4	6	9	17
65+	127	4.5	9	2	2	4	5	7	10	19
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	227	6.0	27	2	2	5	8	13	16	24
35-49	189	6.8	30	2	2	5	9	14	16	29
50-64	168	6.2	30	2	2	4	8	13	15	29
65+	116	6.3	23	2	2	4	9	13	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	46	6.3	40	1	2	4	8	11	14	41
35-49	103	5.6	39	1	2	4	7	11	14	37
50-64	186	7.3	101	1	2	4	8	14	24	58
65+	163	9.3	102	2	3	6	10	22	33	54
B. *Operated*										
0-19 YRS	4	7.8	41	3	3	5	12	17	17	17
20-34	132	6.9	29	2	2	6	8	12	18	29
35-49	231	11.5	166	2	3	8	13	20	33	75
50-64	215	11.0	89	2	3	9	14	20	30	51
65+	199	11.6	122	3	3	8	14	25	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	520	3.9	6	1	2	4	4	6	8	16
B. *Operated*	702	6.3	28	2	2	4	8	13	16	28
2. MULTIPLE DX										
A. *Not Operated*	499	7.5	84	1	2	4	8	14	24	54
B. *Operated*	781	10.6	112	2	3	8	12	20	30	55
1. SINGLE DX	1222	5.3	20	2	2	4	6	10	15	23
2. MULTIPLE DX	1280	9.4	103	2	2	7	11	19	28	55
A. NOT OPERATED	1019	5.6	47	1	2	4	6	10	15	40
B. OPERATED	1483	8.6	77	2	2	6	10	17	23	46
TOTAL 0-19 YRS	7	6.1	25	3	3	4	6	15	17	17
20-34	479	5.9	26	1	2	4	7	11	16	25
35-49	670	7.5	82	2	2	4	9	15	19	51
50-64	741	7.3	66	2	2	4	9	15	20	41
65+	605	8.5	81	2	3	5	10	19	25	45
GRAND TOTAL	**2502**	**7.4**	**67**	**2**	**2**	**5**	**9**	**15**	**20**	**41**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	4.7	2	3	3	5	6	6	6	6
35-49	25	3.9	6	1	2	3	4	6	9	14
50-64	121	3.8	8	1	2	3	4	5	8	19
65+	141	5.0	35	1	2	3	5	10	15	34
B. *Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	15	6.9	29	2	2	5	9	14	20	22
35-49	80	6.5	14	1	2	7	8	10	12	23
50-64	373	6.4	20	1	2	6	9	10	13	17
65+	351	7.6	32	2	2	8	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	12	8.7	112	2	2	4	8	27	36	37
50-64	110	8.8	155	1	1	4	10	20	31	68
65+	206	9.0	107	2	2	6	10	19	33	56
B. *Operated*										
0-19 YRS	3	7.3	22	2	2	9	10	11	11	11
20-34	19	9.0	56	3	4	7	10	17	28	35
35-49	134	8.8	94	2	2	7	9	13	17	59
50-64	553	8.7	40	2	2	8	10	14	19	30
65+	687	12.3	107	2	3	10	15	24	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	4.4	21	1	2	3	4	6	12	30
B. *Operated*	821	6.9	25	1	2	7	9	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	330	8.9	122	1	2	5	10	20	32	53
B. *Operated*	1396	10.4	81	2	2	9	12	19	27	52
1. SINGLE DX	1112	6.3	25	1	2	5	8	11	14	26
2. MULTIPLE DX	1726	10.1	89	2	2	8	11	19	28	51
A. NOT OPERATED	621	6.8	80	1	2	4	7	14	23	43
B. OPERATED	2217	9.1	63	2	2	8	11	16	22	44
TOTAL 0-19 YRS	6	7.0	10	2	2	7	9	11	11	11
20-34	39	7.6	40	2	3	6	9	13	21	35
35-49	251	7.6	63	2	2	7	9	12	15	48
50-64	1157	7.4	43	1	2	7	9	13	17	35
65+	1385	9.9	87	2	2	8	12	20	28	50
GRAND TOTAL	**2838**	**8.6**	**68**	**2**	**2**	**7**	**10**	**16**	**22**	**44**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.3	5	<1	1	3	5	6	7	7
20-34	54	3.0	6	1	1	2	4	6	7	14
35-49	164	2.3	7	1	1	2	2	4	6	19
50-64	473	2.4	7	1	1	2	2	4	6	12
65+	268	3.6	27	1	1	2	3	8	15	24
B. *Operated*										
0-19 YRS	9	8.3	11	4	4	9	9	13	15	15
20-34	41	8.6	16	3	4	8	11	13	17	20
35-49	68	9.9	34	4	5	9	11	16	18	39
50-64	120	12.7	82	5	6	11	14	22	27	51
65+	88	12.6	41	4	6	11	15	21	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	3	2	2	5	6	6	6	6
20-34	39	5.3	41	1	2	3	6	13	19	33
35-49	147	4.1	36	1	1	2	4	9	13	32
50-64	441	4.6	52	1	1	2	4	11	18	35
65+	362	6.5	57	1	1	3	8	15	22	39
B. *Operated*										
0-19 YRS	3	8.0	52	2	2	6	13	16	16	16
20-34	34	9.6	37	3	4	8	13	15	26	29
35-49	149	13.2	80	6	6	11	16	21	26	70
50-64	318	14.7	69	6	7	13	18	26	32	47
65+	323	18.6	127	8	9	16	22	33	42	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	976	2.7	13	1	1	2	3	5	8	21
B. *Operated*	326	11.5	53	4	6	10	13	19	25	40
2. MULTIPLE DX										
A. *Not Operated*	993	5.2	51	1	1	2	6	13	20	35
B. *Operated*	827	15.7	98	6	7	13	19	28	35	61
1. SINGLE DX	1302	4.9	37	1	1	2	7	12	17	27
2. MULTIPLE DX	1820	10.0	100	1	1	8	14	22	29	47
A. NOT OPERATED	1969	4.0	34	1	1	2	4	9	15	30
B. OPERATED	1153	14.5	89	5	7	12	18	26	33	50
TOTAL 0-19 YRS	33	5.2	14	1	1	5	7	9	14	16
20-34	168	6.3	29	1	1	5	8	13	15	29
35-49	528	6.9	60	1	1	4	10	16	20	34
50-64	1352	6.9	69	1	1	3	10	17	23	40
65+	1041	10.0	108	1	1	7	14	23	30	49
GRAND TOTAL	**3122**	**7.9**	**80**	**1**	**1**	**4**	**11**	**19**	**25**	**42**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.8	8	1	1	2	4	7	7	7
35-49	7	4.4	4	1	1	5	6	7	7	7
50-64	23	4.9	80	1	1	3	4	7	22	45
65+	25	5.8	15	2	2	5	7	11	15	16
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	8	6.1	10	1	2	6	8	10	11	11
35-49	20	10.2	173	1	2	5	12	31	45	47
50-64	42	5.7	23	1	2	4	8	9	19	22
65+	71	9.7	81	2	3	7	12	22	26	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	6.4	26	2	2	5	7	15	17	17
35-49	8	5.1	6	2	2	5	7	9	9	9
50-64	21	6.3	65	1	1	3	6	19	27	31
65+	57	8.3	37	2	2	6	12	16	21	27
B. *Operated*										
0-19 YRS	3	43.3	358	30	30	35	57	65	65	65
20-34	13	15.5	247	1	3	7	26	42	50	52
35-49	30	13.8	250	2	2	8	13	40	53	65
50-64	64	17.8	284	2	3	13	22	46	57	73
65+	110	15.6	166	3	3	13	22	32	45	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	5.1	38	1	1	4	5	10	13	42
B. *Operated*	143	8.3	75	2	2	6	9	18	25	47
2. MULTIPLE DX										
A. *Not Operated*	94	7.4	40	1	2	5	11	16	21	29
B. *Operated*	220	16.4	226	2	3	11	22	38	53	70
1. SINGLE DX	202	7.3	66	1	2	5	8	16	23	46
2. MULTIPLE DX	314	13.7	187	2	3	9	18	31	46	66
A. NOT OPERATED	153	6.5	40	1	2	4	8	15	17	31
B. OPERATED	363	13.2	182	2	2	8	17	31	45	65
TOTAL 0-19 YRS	6	23.2	634	1	1	18	35	62	65	65
20-34	32	9.6	130	1	1	6	9	26	38	52
35-49	65	10.6	179	2	2	6	9	27	45	63
50-64	150	10.8	183	1	2	5	14	25	45	64
65+	263	11.5	113	2	3	8	15	24	34	62
GRAND TOTAL	**516**	**11.2**	**149**	**2**	**2**	**7**	**15**	**26**	**39**	**64**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	4.3	16	1	1	3	7	11	11	11
50-64	79	5.4	42	1	1	3	6	13	17	37
65+	263	6.4	34	1	1	5	9	14	17	30
B. *Operated*										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	2	8.0	18	5	5	8	11	11	11	11
35-49	24	9.8	38	2	3	9	15	18	20	22
50-64	539	8.3	38	2	2	7	10	17	20	30
65+	1974	8.2	33	2	3	7	10	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	13.2	89	3	3	12	18	28	28	28
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	16	7.9	40	1	2	7	10	15	23	27
50-64	263	8.2	87	1	2	6	10	16	22	54
65+	1374	9.8	80	2	2	7	13	20	27	49
B. *Operated*										
0-19 YRS	4	8.8	22	4	4	8	12	15	15	15
20-34	5	8.4	20	5	5	6	12	15	15	15
35-49	23	9.8	79	2	3	7	13	24	31	34
50-64	635	11.3	88	2	3	9	14	22	30	47
65+	3315	12.0	89	3	4	9	15	22	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	350	6.1	35	1	1	4	8	14	16	31
B. *Operated*	2541	8.2	34	2	3	7	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	1660	9.5	81	2	2	7	12	19	26	49
B. *Operated*	3982	11.8	89	3	4	9	15	22	29	49
1. SINGLE DX	2891	8.0	34	2	2	7	10	15	19	29
2. MULTIPLE DX	5642	11.2	88	2	3	9	14	21	28	49
A. NOT OPERATED	2010	8.9	75	1	2	7	11	18	25	45
B. OPERATED	6523	10.4	70	2	3	8	13	19	25	45
TOTAL 0-19 YRS	11	11.1	48	3	4	9	14	20	27	28
20-34	9	8.0	17	3	4	6	11	14	15	15
35-49	71	8.7	50	1	2	7	11	18	22	33
50-64	1516	9.4	70	2	2	7	12	19	25	42
65+	6926	10.3	72	2	3	8	13	19	25	45
GRAND TOTAL	**8533**	**10.1**	**72**	**2**	**3**	**8**	**13**	**19**	**25**	**45**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.9	5	1	1	3	5	7	8	8
20-34	32	4.6	7	1	1	5	6	8	10	10
35-49	13	2.8	6	1	1	2	3	7	9	9
50-64	10	8.5	18	1	3	8	12	14	15	15
65+	3	6.3	14	2	2	8	9	9	9	9
B. *Operated*										
0-19 YRS	16	6.3	13	1	2	5	8	11	14	15
20-34	131	7.3	22	3	3	6	9	14	17	24
35-49	32	7.5	24	2	3	6	10	14	19	21
50-64	29	7.6	18	2	2	7	10	13	15	19
65+	17	7.5	31	2	3	6	11	15	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	5.9	18	1	2	5	6	9	17	19
20-34	57	4.7	13	1	1	5	5	7	8	27
35-49	13	11.7	345	2	3	6	10	27	64	72
50-64	8	4.5	5	3	3	3	6	8	9	9
65+	3	5.0	12	1	1	7	7	7	7	7
B. *Operated*										
0-19 YRS	4	9.8	37	4	4	10	15	15	15	15
20-34	37	7.8	16	2	3	7	11	14	15	18
35-49	21	10.0	85	2	2	7	13	24	31	37
50-64	27	13.2	176	3	3	9	17	37	46	49
65+	35	12.1	69	4	5	9	15	24	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	4.8	11	1	1	5	7	9	11	15
B. *Operated*	225	7.3	22	2	3	6	9	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	95	5.8	61	1	2	5	6	8	12	52
B. *Operated*	124	10.6	80	3	3	8	13	21	32	47
1. SINGLE DX	291	6.7	20	2	2	5	9	13	15	23
2. MULTIPLE DX	219	8.5	77	2	3	6	9	17	27	47
A. NOT OPERATED	161	5.4	40	1	1	5	6	9	11	27
B. OPERATED	349	8.5	45	2	3	7	10	16	21	37
TOTAL 0-19 YRS	42	6.0	16	1	2	5	8	12	15	19
20-34	257	6.4	19	2	3	5	8	12	16	24
35-49	79	8.1	93	1	2	6	9	16	22	62
50-64	74	9.4	82	2	3	7	10	18	28	48
65+	58	10.1	57	2	3	8	13	20	28	35
GRAND TOTAL	**510**	**7.5**	**45**	**2**	**2**	**5**	**9**	**14**	**18**	**36**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.0	8	1	1	2	5	7	7	7
50-64	38	3.4	8	1	1	2	4	8	11	13
65+	93	6.8	76	1	1	4	7	18	28	44
B. *Operated*										
0-19 YRS	3	6.7	8	5	5	5	9	10	10	10
20-34	32	5.4	28	1	2	5	6	8	17	29
35-49	149	5.5	21	1	2	4	6	12	14	23
50-64	724	5.7	29	1	2	4	7	12	16	33
65+	1537	6.4	38	2	2	5	8	13	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	13	5	5	7	10	10	10	10
35-49	7	10.0	60	<1	<1	13	15	20	21	21
50-64	88	7.0	63	1	2	4	8	18	25	39
65+	338	8.8	63	1	2	7	12	19	24	38
B. *Operated*										
0-19 YRS	5	7.4	37	3	3	6	9	18	18	18
20-34	10	12.3	669	1	1	2	7	49	85	85
35-49	64	9.6	117	1	2	6	10	22	30	60
50-64	505	9.3	82	2	2	7	11	19	26	56
65+	1819	10.7	99	2	3	8	13	22	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	5.7	57	1	1	3	6	13	24	41
B. *Operated*	2445	6.1	34	2	2	4	7	12	17	31
2. MULTIPLE DX										
A. *Not Operated*	435	8.4	63	1	2	6	11	19	24	39
B. *Operated*	2403	10.4	98	2	3	7	13	22	29	55
1. SINGLE DX	2581	6.1	36	1	2	4	7	12	17	32
2. MULTIPLE DX	2838	10.1	93	2	2	7	12	21	28	52
A. NOT OPERATED	571	7.8	63	1	2	5	10	18	24	39
B. OPERATED	4848	8.2	70	2	2	6	10	18	23	44
TOTAL 0-19 YRS	8	7.1	24	3	3	5	8	16	18	18
20-34	45	7.0	166	1	1	5	6	10	21	85
35-49	224	6.8	53	1	2	4	8	14	22	34
50-64	1355	7.1	53	2	2	5	8	15	21	38
65+	3787	8.7	75	2	2	6	11	19	25	45
GRAND TOTAL	**5419**	**8.2**	**70**	**2**	**2**	**6**	**10**	**18**	**23**	**42**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	3	<1	<1	4	4	5	5	5
20-34	2	12.5	61	7	7	12	18	18	18	18
35-49	9	3.0	9	1	1	2	4	8	10	10
50-64	37	3.1	6	1	1	3	4	6	8	12
65+	38	6.5	54	1	2	4	7	17	28	29
B. *Operated*										
0-19 YRS	8	12.1	71	6	6	9	13	27	32	32
20-34	11	9.4	11	5	6	8	12	14	16	16
35-49	51	11.8	26	4	6	11	15	18	21	29
50-64	163	13.5	53	4	7	12	16	19	30	40
65+	177	13.1	54	2	4	12	16	22	26	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.1	6	2	3	4	6	9	9	9
20-34	16	6.8	57	1	2	4	7	18	27	30
35-49	42	6.3	35	1	1	5	7	15	21	25
50-64	108	8.8	94	1	1	5	11	24	31	46
65+	172	10.4	105	2	2	7	13	20	30	54
B. *Operated*										
0-19 YRS	4	12.5	59	8	8	9	17	24	24	24
20-34	12	14.8	76	3	6	14	19	29	32	33
35-49	54	14.8	71	2	6	13	19	24	34	40
50-64	263	15.1	83	3	5	13	18	26	32	46
65+	432	16.3	102	4	6	15	20	29	34	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	4.7	30	1	1	3	5	9	17	29
B. *Operated*	410	13.0	50	3	5	12	16	21	27	38
2. MULTIPLE DX										
A. *Not Operated*	347	9.1	90	1	2	6	11	19	28	49
B. *Operated*	765	15.7	93	3	6	14	20	27	33	48
1. SINGLE DX	503	11.4	56	2	2	11	15	19	26	36
2. MULTIPLE DX	1112	13.7	101	2	3	12	18	26	32	48
A. NOT OPERATED	440	8.2	81	1	1	5	10	18	27	48
B. OPERATED	1175	14.8	80	3	6	13	18	26	31	47
TOTAL 0-19 YRS	28	7.6	45	<1	1	6	9	13	25	32
20-34	41	10.1	58	2	2	8	14	20	28	33
35-49	156	10.8	58	1	2	10	15	20	24	38
50-64	571	12.7	83	2	3	12	16	24	31	45
65+	819	13.9	98	2	3	12	18	26	31	49
GRAND TOTAL	**1615**	**13.0**	**88**	**2**	**3**	**12**	**17**	**24**	**31**	**47**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.5		4	4	4	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	4.5	1	4	4	4	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	4	3.0	5	1	1	2	4	6	6	6
20-34	4	5.8	39	2	2	3	9	15	15	15
35-49	8	3.4	7	<1	<1	3	4	8	9	9
50-64	17	4.4	5	1	2	5	6	7	8	9
65+	18	3.8	2	<1	1	4	5	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	9.8	104	5	5	5	11	28	28	28
35-49										
50-64	4	10.8	220	3	3	4	18	33	33	33
65+	13	8.2	29	2	3	7	10	15	21	22
B. *Operated*										
0-19 YRS	3	15.0	196	5	5	9	25	31	31	31
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	14	14.0	169	2	3	8	24	36	41	43
65+	21	6.7	31	1	2	5	9	10	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.4		4	4	4	5	5	5	5
B. *Operated*	51	4.0	6	<1	1	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	23	8.7	68	2	3	6	10	23	30	33
B. *Operated*	41	9.7	96	2	2	7	10	27	33	43
1. SINGLE DX	58	4.1	6	<1	1	4	5	6	8	15
2. MULTIPLE DX	64	9.3	85	2	2	6	10	27	32	42
A. NOT OPERATED	30	7.7	55	2	3	5	9	17	28	33
B. OPERATED	92	6.5	54	1	2	5	7	11	26	40
TOTAL 0-19 YRS	8	7.4	98	1	1	4	7	24	31	31
20-34	14	7.1	47	2	2	5	6	16	25	28
35-49	11	3.4	5	<1	<1	3	4	7	9	9
50-64	37	8.7	103	2	2	5	8	26	34	43
65+	52	6.0	23	1	2	5	8	10	13	27
GRAND TOTAL	**122**	**6.8**	**54**	**1**	**2**	**5**	**7**	**12**	**27**	**37**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	6.7	116	<1	1	3	6	15	34	49
20-34	23	9.3	118	<1	1	4	11	25	33	45
35-49	44	8.5	66	2	2	6	10	22	33	99+
50-64	84	11.5	152	1	2	7	15	30	38	53
65+	54	14.3	180	3	3	9	19	33	54	98
B. *Operated*										
0-19 YRS	41	15.0	89	4	6	14	18	21	33	53
20-34	43	13.5	35	5	7	13	16	23	26	28
35-49	77	18.3	145	6	8	16	22	33	50	57
50-64	116	16.6	132	4	7	14	19	30	35	65
65+	85	21.9	173	8	10	18	27	38	44	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	10.1	199	1	2	6	9	26	47	66
20-34	26	7.6	45	1	2	5	10	21	24	25
35-49	48	15.1	246	2	3	9	20	36	51	77
50-64	89	11.6	115	2	3	8	14	28	34	49
65+	107	17.4	300	3	3	10	23	45	62	89
B. *Operated*										
0-19 YRS	26	20.2	234	5	6	17	24	41	56	66
20-34	21	30.5	386	8	11	26	43	57	73	82
35-49	40	25.3	429	6	10	17	29	55	78	92
50-64	79	22.9	242	5	6	20	32	46	80	99+
65+	86	28.0	423	5	9	22	40	62	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	10.9	139	1	2	7	14	29	38	72
B. *Operated*	362	17.7	134	5	7	15	21	32	41	58
2. MULTIPLE DX										
A. *Not Operated*	301	13.7	213	2	3	8	17	33	48	75
B. *Operated*	252	25.4	348	5	8	20	33	54	78	99+
1. SINGLE DX	588	15.1	147	2	3	12	20	30	40	58
2. MULTIPLE DX	553	19.0	308	2	3	14	26	46	62	99
A. NOT OPERATED	527	12.5	183	2	2	8	15	31	46	75
B. OPERATED	614	20.8	236	5	7	16	25	42	54	92
TOTAL 0-19 YRS	119	13.4	172	1	2	9	18	26	47	66
20-34	113	14.4	180	2	2	11	18	27	45	71
35-49	209	16.8	233	3	3	13	22	35	51	87
50-64	368	15.6	174	2	3	13	21	33	46	86
65+	332	20.8	302	3	5	16	28	46	62	99+
GRAND TOTAL	**1141**	**17.0**	**228**	**2**	**3**	**13**	**22**	**38**	**50**	**87**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	7	1	1	2	5	7	7	7
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	3	9.0	169	1	1	2	18	24	24	24
50-64	4	16.8	12	13	13	16	19	21	21	21
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	9	16.0	402	2	3	10	14	48	68	68
20-34	6	11.8	18	7	7	11	14	18	19	19
35-49	1	3.0		3	3	3	3	3	3	3
50-64	7	22.9	425	2	4	16	52	87	99+	99+
65+	3	13.7	36	8	8	13	18	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	4.7	14	2	2	3	7	9	9	9
50-64	7	19.1	180	4	4	18	28	39	41	41
65+	6	5.5	11	2	2	5	8	10	10	10
B. *Operated*										
0-19 YRS	3	11.0	49	3	3	14	15	16	16	16
20-34	7	10.3	75	3	3	9	10	25	29	29
35-49	2	30.5	1405	4	4	30	57	57	57	57
50-64	7	30.6	737	14	14	21	27	78	91	91
65+	16	28.1	412	6	8	23	45	68	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	8.8	64	1	1	6	15	21	23	24
B. *Operated*	26	16.1	262	2	4	12	18	54	73	99+
2. MULTIPLE DX										
A. *Not Operated*	21	9.4	108	2	2	5	11	25	35	41
B. *Operated*	35	23.7	442	3	5	18	29	64	84	99+
1. SINGLE DX	40	13.6	202	1	2	10	18	34	61	99+
2. MULTIPLE DX	56	18.3	361	2	3	13	24	54	68	99
A. NOT OPERATED	35	9.2	88	1	2	5	14	21	29	41
B. OPERATED	61	20.5	374	3	5	14	25	60	77	99+
TOTAL 0-19 YRS	20	10.1	213	1	2	6	12	17	43	68
20-34	16	9.9	44	2	3	9	11	18	26	29
35-49	9	11.7	341	1	1	3	13	44	57	57
50-64	25	23.0	365	4	5	18	28	55	93	99+
65+	26	20.3	357	3	4	13	27	64	74	99+
GRAND TOTAL	**96**	**16.3**	**297**	**2**	**2**	**12**	**21**	**46**	**67**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.8	7	2	2	5	6	7	10	12
20-34	19	2.3	1	1	1	2	3	3	4	4
35-49	25	3.8	48	1	2	2	3	3	13	37
50-64	17	4.7	36	1	1	3	4	7	20	27
65+	22	5.2	25	1	2	3	6	9	17	24
B. *Operated*										
0-19 YRS	15	4.8	5	1	3	4	6	8	9	9
20-34	83	5.4	13	3	3	4	6	9	12	24
35-49	83	5.7	18	2	3	5	6	8	13	28
50-64	54	7.3	39	3	3	5	9	14	17	39
65+	43	10.5	157	3	4	8	12	17	21	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.4	6	1	2	4	5	8	9	10
20-34	21	2.9	2	1	1	3	4	5	5	5
35-49	32	7.2	141	1	2	4	7	11	22	68
50-64	16	8.4	28	1	3	7	13	17	17	17
65+	43	8.7	57	1	2	7	13	16	22	37
B. *Operated*										
0-19 YRS	9	10.9	37	4	5	8	15	21	21	21
20-34	62	8.1	53	3	3	6	9	13	24	41
35-49	84	8.0	63	3	3	6	8	16	22	50
50-64	73	13.0	166	3	4	8	16	28	44	66
65+	84	16.2	232	4	5	11	20	32	50	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	4.2	25	1	2	3	4	7	10	32
B. *Operated*	278	6.6	44	3	3	5	7	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	129	6.8	62	1	2	5	8	14	17	43
B. *Operated*	312	11.5	141	3	4	7	13	24	36	66
1. SINGLE DX	378	6.0	40	2	2	4	6	11	16	31
2. MULTIPLE DX	441	10.1	122	2	3	7	12	21	31	64
A. NOT OPERATED	229	5.6	47	1	2	3	6	12	16	37
B. OPERATED	590	9.2	101	3	3	6	10	18	26	62
TOTAL 0-19 YRS	58	5.6	15	2	2	5	7	9	13	21
20-34	185	5.7	28	2	2	4	6	9	13	33
35-49	224	6.6	57	2	2	5	7	11	18	43
50-64	160	9.7	104	3	3	6	12	19	28	50
65+	192	12.0	167	2	3	8	15	23	35	77
GRAND TOTAL	**819**	**8.2**	**88**	**2**	**2**	**5**	**9**	**17**	**24**	**54**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	6.4	64	1	2	4	5	16	28	34
20-34	29	6.6	53	2	2	4	7	12	19	39
35-49	89	6.9	48	1	1	5	8	15	18	41
50-64	311	6.5	51	1	1	4	7	16	22	39
65+	347	8.2	64	1	2	5	10	17	25	37
B. *Operated*										
0-19 YRS	12	7.5	45	1	1	5	11	18	21	22
20-34	45	8.1	37	2	2	6	11	17	20	26
35-49	148	8.8	78	1	2	7	11	19	26	39
50-64	335	9.2	99	2	2	7	11	19	25	54
65+	501	9.1	66	2	2	7	13	18	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.7	25	1	2	5	6	13	15	23
20-34	201	6.1	36	1	2	5	7	12	17	47
35-49	537	7.5	55	1	1	5	9	17	21	36
50-64	1833	8.2	71	1	2	5	10	18	25	44
65+	2563	10.5	92	2	2	7	14	22	30	45
B. *Operated*										
0-19 YRS	20	16.5	310	2	3	12	16	50	60	64
20-34	135	12.5	123	2	3	9	16	27	35	58
35-49	483	12.1	115	2	3	9	15	24	32	57
50-64	1439	14.2	137	2	3	11	18	28	37	64
65+	2134	14.7	138	2	3	12	19	30	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	794	7.3	57	1	2	5	9	16	23	38
B. *Operated*	1041	9.0	77	2	2	7	12	18	24	44
2. MULTIPLE DX										
A. *Not Operated*	5163	9.2	80	1	2	6	12	20	28	44
B. *Operated*	4211	14.2	136	2	3	11	18	29	38	63
1. SINGLE DX	1835	8.3	69	1	2	6	11	18	23	40
2. MULTIPLE DX	9374	11.4	111	2	2	8	15	24	32	52
A. NOT OPERATED	5957	8.9	77	1	2	6	11	20	27	43
B. OPERATED	5252	13.2	128	2	3	10	17	27	35	60
TOTAL 0-19 YRS	79	8.8	125	1	2	5	11	19	29	62
20-34	410	8.5	74	2	2	6	10	18	26	51
35-49	1257	9.4	85	1	2	7	12	20	27	48
50-64	3918	10.4	105	1	2	7	14	22	30	51
65+	5545	11.8	111	2	3	9	16	25	33	52
GRAND TOTAL	**11209**	**10.9**	**106**	**2**	**2**	**8**	**14**	**23**	**31**	**51**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.5	5	1	1	2	3	5	8	10
20-34	96	3.5	16	1	1	2	4	7	10	25
35-49	54	3.6	8	<1	1	3	5	8	9	13
50-64	34	4.2	28	1	1	3	5	9	13	28
65+	19	7.0	36	1	1	6	9	14	21	25
B. *Operated*										
0-19 YRS	51	8.5	57	1	2	7	11	17	19	42
20-34	160	8.2	39	1	2	7	10	16	20	33
35-49	48	10.0	47	2	2	9	15	19	22	29
50-64	35	12.5	166	2	2	7	17	36	43	50
65+	37	9.9	49	2	3	9	12	19	26	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	4.4	38	1	1	4	5	6	14	32
20-34	50	6.4	40	1	1	5	7	12	21	37
35-49	48	4.9	20	<1	1	4	6	11	15	22
50-64	60	6.3	32	1	1	4	9	15	18	22
65+	59	8.4	39	2	2	8	11	16	21	32
B. *Operated*										
0-19 YRS	11	11.0	92	3	3	9	13	24	36	37
20-34	75	11.0	77	1	2	9	15	20	27	48
35-49	27	12.3	63	2	2	12	17	25	26	32
50-64	44	13.6	175	2	3	10	16	28	40	68
65+	51	18.8	251	3	8	14	22	35	69	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	3.9	17	1	1	3	5	8	11	26
B. *Operated*	331	9.1	59	2	2	7	12	18	24	42
2. MULTIPLE DX										
A. *Not Operated*	241	6.4	35	1	1	5	8	14	18	32
B. *Operated*	208	13.6	147	2	3	11	16	27	34	70
1. SINGLE DX	552	7.0	49	1	1	5	9	15	21	36
2. MULTIPLE DX	449	9.7	100	1	1	7	13	21	28	53
A. NOT OPERATED	462	5.2	28	1	1	4	6	11	15	28
B. OPERATED	539	10.9	97	2	2	8	14	22	29	50
TOTAL 0-19 YRS	104	6.8	54	1	1	4	8	15	19	39
20-34	381	7.3	47	1	1	5	9	16	21	33
35-49	177	7.0	41	1	1	5	10	16	21	28
50-64	173	9.0	108	1	1	5	11	21	28	50
65+	166	11.8	127	2	3	9	14	25	30	71
GRAND TOTAL	**1001**	**8.2**	**73**	**1**	**1**	**6**	**11**	**17**	**25**	**42**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	6.6	27	1	1	4	9	15	17	18
20-34	10	7.3	14	1	2	7	11	12	12	12
35-49	3	4.7	22	<1	<1	3	8	10	10	10
50-64	29	5.8	17	1	1	5	9	12	14	16
65+	48	6.6	38	1	2	5	8	13	19	29
B. *Operated*										
0-19 YRS	26	7.8	104	1	2	4	10	15	30	50
20-34	12	14.0	103	4	5	10	22	30	32	32
35-49	6	9.7	79	3	3	5	16	24	25	25
50-64	20	7.8	30	2	2	6	13	15	18	21
65+	40	8.9	108	2	2	5	11	18	28	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.3	19	1	1	4	8	10	13	22
20-34	12	12.3	202	1	1	8	15	30	50	53
35-49	11	4.7	19	1	1	3	6	12	16	16
50-64	94	8.1	57	1	1	6	10	16	19	41
65+	316	10.4	135	2	2	7	13	22	28	79
B. *Operated*										
0-19 YRS	15	13.7	266	<1	2	8	15	38	55	61
20-34	6	13.0	172	3	3	10	11	36	39	39
35-49	8	13.8	73	5	6	11	19	27	29	29
50-64	72	9.4	58	2	3	7	13	17	24	89
65+	157	14.1	153	2	4	10	17	32	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	6.4	27	1	1	5	9	14	16	29
B. *Operated*	104	9.1	90	2	2	6	12	18	28	54
2. MULTIPLE DX										
A. *Not Operated*	483	9.4	110	1	2	6	12	19	26	55
B. *Operated*	258	12.7	133	2	3	9	15	27	38	61
1. SINGLE DX	247	7.6	55	1	2	5	10	16	19	33
2. MULTIPLE DX	741	10.5	120	1	2	7	13	23	31	61
A. NOT OPERATED	626	8.7	92	1	2	6	11	18	24	47
B. OPERATED	362	11.7	123	2	3	8	14	25	36	61
TOTAL 0-19 YRS	144	7.1	67	1	1	5	9	15	18	51
20-34	40	11.7	118	1	3	9	13	28	35	53
35-49	28	8.4	58	1	1	5	12	22	25	29
50-64	215	8.2	51	1	2	6	11	16	19	46
65+	561	11.0	134	2	2	7	14	24	32	61
GRAND TOTAL	**988**	**9.8**	**105**	**1**	**2**	**7**	**12**	**21**	**29**	**57**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	5.0	28	<1	<1	4	6	11	17	23
20-34	39	7.4	71	1	1	4	9	23	27	29
35-49	40	7.3	54	<1	1	5	9	18	23	34
50-64	107	7.1	91	<1	1	4	7	18	30	49
65+	157	5.8	48	1	1	4	7	12	20	39
B. *Operated*										
0-19 YRS	18	14.4	273	1	2	5	18	44	51	56
20-34	27	16.6	207	3	4	8	30	36	39	50
35-49	28	11.8	179	2	2	8	12	27	34	66
50-64	51	14.0	156	2	2	8	19	35	39	46
65+	70	14.8	221	2	3	10	21	33	50	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.2	7	<1	1	4	6	8	9	11
20-34	36	8.4	209	1	1	4	9	17	23	86
35-49	54	9.4	106	1	2	7	9	18	25	68
50-64	107	8.0	84	1	1	4	11	19	31	41
65+	333	7.8	52	1	1	6	10	16	22	34
B. *Operated*										
0-19 YRS	10	25.6	105	11	12	25	36	39	41	41
20-34	26	21.5	379	1	2	15	34	41	59	84
35-49	49	24.6	452	4	5	18	36	51	71	90
50-64	85	18.6	318	2	4	12	26	42	65	99
65+	157	19.3	339	3	4	13	24	43	56	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	6.4	61	<1	1	4	8	16	24	38
B. *Operated*	194	14.4	198	2	3	8	21	35	44	62
2. MULTIPLE DX										
A. *Not Operated*	556	7.9	71	1	1	5	10	16	25	41
B. *Operated*	327	20.3	348	3	4	14	28	43	59	93
1. SINGLE DX	572	9.1	122	1	1	5	10	25	34	50
2. MULTIPLE DX	883	12.5	209	1	2	7	15	31	41	82
A. NOT OPERATED	934	7.3	68	1	1	5	9	16	25	39
B. OPERATED	521	18.1	300	2	3	12	26	41	52	90
TOTAL 0-19 YRS	89	9.0	127	<1	1	5	10	24	37	51
20-34	128	12.5	229	1	1	6	19	34	40	84
35-49	171	13.6	252	1	2	8	16	32	48	79
50-64	350	11.2	175	1	1	6	15	31	39	70
65+	717	10.6	156	1	1	7	13	25	35	59
GRAND TOTAL	**1455**	**11.1**	**178**	**1**	**1**	**7**	**13**	**28**	**38**	**70**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.6	19	1	1	4	8	13	13	13
20-34	75	3.3	14	1	1	2	4	9	12	16
35-49	116	4.8	21	1	1	4	7	11	16	20
50-64	299	5.7	47	1	1	3	7	11	20	34
65+	402	6.8	57	1	1	4	8	17	23	36
B. *Operated*										
0-19 YRS	21	7.7	36	1	1	6	11	17	19	21
20-34	68	10.0	80	1	2	7	13	22	30	39
35-49	143	8.4	62	1	2	6	12	17	21	31
50-64	358	8.7	47	2	2	7	12	17	22	34
65+	429	10.0	68	2	3	8	13	21	27	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.6	10	1	1	3	7	9	11	11
20-34	42	5.9	47	<1	1	3	7	14	22	31
35-49	110	7.7	56	1	1	6	10	16	21	40
50-64	516	8.4	78	1	1	6	10	19	27	42
65+	992	9.8	98	1	2	7	12	20	28	48
B. *Operated*										
0-19 YRS	10	10.3	64	3	4	7	11	25	25	25
20-34	41	14.2	132	2	3	10	21	31	37	44
35-49	134	12.8	106	2	4	10	16	23	31	56
50-64	407	14.7	158	3	4	11	19	29	41	99
65+	722	15.9	156	3	4	13	21	33	43	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	904	5.9	46	1	1	4	7	14	20	33
B. *Operated*	1019	9.3	60	2	2	7	12	19	24	39
2. MULTIPLE DX										
A. *Not Operated*	1675	9.1	88	1	1	7	12	19	27	43
B. *Operated*	1314	15.1	151	3	4	12	20	30	41	71
1. SINGLE DX	1923	7.7	56	1	1	5	10	17	23	36
2. MULTIPLE DX	2989	11.7	124	1	2	9	15	25	35	61
A. NOT OPERATED	2579	8.0	75	1	1	5	10	18	25	41
B. OPERATED	2333	12.6	120	2	3	10	16	25	35	62
TOTAL 0-19 YRS	58	6.9	33	1	1	6	9	15	19	25
20-34	226	7.8	76	1	1	4	10	19	30	38
35-49	503	8.6	71	1	1	6	12	17	22	41
50-64	1580	9.6	96	1	2	7	12	21	28	48
65+	2545	11.1	113	1	2	8	15	24	32	55
GRAND TOTAL	4912	10.2	102	1	2	7	13	22	30	52

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	10	2	2	7	8	8	8	8
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	42	3.0	21	1	1	2	3	4	8	29
20-34	139	3.1	2	1	1	3	4	5	5	7
35-49	157	3.6	3	1	2	3	4	5	7	13
50-64	189	3.6	4	1	2	3	4	6	7	11
65+	156	4.0	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	9.5	1	9	9	9	10	10	10	10
65+	3	3.7	14	<1	<1	2	6	8	8	8
B. *Operated*										
0-19 YRS	11	4.1	27	<1	<1	2	3	14	16	16
20-34	26	3.0	3	1	2	3	4	5	6	9
35-49	44	4.8	9	1	2	4	6	10	11	14
50-64	105	4.8	12	1	2	4	5	10	13	16
65+	88	5.8	20	2	2	4	7	12	17	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.4	9	1	1	4	7	8	8	8
B. *Operated*	683	3.6	5	1	2	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	8	5.1	14	<1	<1	5	8	10	10	10
B. *Operated*	274	4.9	14	1	2	4	6	10	14	18
1. SINGLE DX	688	3.6	5	1	2	3	4	6	7	12
2. MULTIPLE DX	282	4.9	14	1	2	4	6	10	14	18
A. NOT OPERATED	13	4.8	11	<1	1	4	8	9	10	10
B. OPERATED	957	3.9	8	1	2	3	4	7	9	16
TOTAL 0-19 YRS	56	3.4	21	1	1	2	3	7	13	28
20-34	167	3.1	2	1	1	3	4	5	5	9
35-49	203	3.9	5	1	2	3	4	6	8	13
50-64	297	4.1	7	1	2	3	5	7	10	16
65+	247	4.6	11	2	2	4	5	8	10	18
GRAND TOTAL	970	4.0	8	1	2	3	5	7	9	16

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.5	2	1	1	2	3	5	5	5
20-34	22	2.6	5	1	1	2	2	7	8	8
35-49	51	2.5	4	1	1	2	3	5	7	11
50-64	90	2.9	7	1	1	2	4	5	9	15
65+	114	3.1	6	1	1	2	4	6	9	13
B. *Operated*										
0-19 YRS	59	3.4	6	1	1	2	5	7	7	13
20-34	80	4.7	15	<1	1	3	7	10	13	17
35-49	207	3.9	13	1	1	2	5	9	12	16
50-64	489	4.1	21	1	1	2	4	10	13	24
65+	567	5.4	34	1	1	3	7	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.7	8	1	1	3	5	9	9	9
20-34	27	5.7	34	1	2	4	7	9	18	30
35-49	57	4.4	13	1	1	3	6	8	11	18
50-64	153	4.3	12	1	1	3	5	9	11	18
65+	267	5.4	33	1	2	4	6	11	13	35
B. *Operated*										
0-19 YRS	30	4.7	11	1	1	4	7	9	11	14
20-34	96	7.1	23	2	2	6	10	16	17	20
35-49	279	6.7	28	1	2	5	10	13	17	25
50-64	735	6.6	38	1	2	5	9	14	18	29
65+	1173	8.4	59	1	2	6	12	19	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	2.9	6	1	1	2	4	5	8	13
B. *Operated*	1402	4.6	24	1	1	2	6	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	515	4.9	24	1	1	3	6	10	13	27
B. *Operated*	2313	7.5	47	1	2	5	10	16	21	31
1. SINGLE DX	1693	4.3	22	1	1	2	5	11	14	23
2. MULTIPLE DX	2828	7.1	44	1	2	5	9	15	20	31
A. NOT OPERATED	806	4.2	19	1	1	3	5	9	11	20
B. OPERATED	3715	6.4	41	1	1	4	9	14	19	30
TOTAL 0-19 YRS	114	3.7	7	1	1	3	5	7	9	13
20-34	225	5.6	22	1	1	4	8	12	16	19
35-49	594	5.1	21	1	1	3	7	11	14	22
50-64	1467	5.3	29	1	1	3	7	12	15	25
65+	2121	7.0	49	1	1	4	10	16	21	32
GRAND TOTAL	4521	6.0	38	1	1	4	8	14	18	30

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	4	1	1	2	4	5	5	5
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	6	3.3	1	2	2	3	4	5	5	5
50-64	7	2.3	2	<1	<1	2	3	5	5	5
65+	3	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	67	2.3	9	<1	1	2	2	3	7	18
20-34	56	2.3	4	1	1	2	2	4	7	13
35-49	78	3.9	15	<1	1	2	5	9	9	21
50-64	91	5.3	27	1	1	3	8	13	18	23
65+	60	6.3	59	1	1	3	8	17	21	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	22	4	4	6	10	14	14	14
20-34										
35-49										
50-64	4	4.0	5	1	1	4	5	6	6	6
65+	7	5.1	16	1	1	5	7	11	12	12
B. *Operated*										
0-19 YRS	23	3.3	12	1	1	2	2	11	12	12
20-34	16	4.9	28	<1	1	3	6	14	17	18
35-49	23	5.6	20	1	1	3	8	13	15	17
50-64	61	8.4	66	1	2	5	13	18	32	92
65+	71	11.4	140	2	2	8	15	28	32	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.5	2	<1	1	2	3	5	5	5
B. *Operated*	352	4.1	25	1	1	2	5	9	14	22
2. MULTIPLE DX										
A. *Not Operated*	15	5.4	14	1	1	5	7	12	13	14
B. *Operated*	194	8.3	85	1	2	5	12	16	30	57
1. SINGLE DX	374	4.0	23	1	1	2	4	9	14	22
2. MULTIPLE DX	209	8.1	81	1	1	5	11	18	29	52
A. NOT OPERATED	37	3.7	9	<1	1	3	5	7	11	14
B. OPERATED	546	5.6	50	1	1	2	7	14	19	35
TOTAL 0-19 YRS	98	2.8	11	1	1	2	2	6	11	18
20-34	74	2.9	10	<1	1	2	2	6	11	17
35-49	107	4.2	15	1	1	2	5	9	12	20
50-64	163	6.3	42	1	1	3	9	14	19	38
65+	141	8.7	103	1	1	5	12	21	30	44
GRAND TOTAL	583	5.5	48	1	1	2	7	14	19	34

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	35	<1	<1	1	3	14	17	17
20-34	9	3.7	11	<1	<1	3	4	9	12	12
35-49	14	3.1	6	1	1	2	3	6	9	10
50-64	14	3.4	19	<1	1	2	3	6	15	18
65+	11	2.5	4	1	1	2	3	6	8	8
B. *Operated*										
0-19 YRS	612	3.0	4	1	1	3	3	5	6	11
20-34	906	2.8	4	1	1	2	3	5	7	10
35-49	926	3.0	7	<1	1	2	3	5	7	12
50-64	868	3.2	8	1	1	2	3	6	8	15
65+	377	3.8	15	1	2	3	4	6	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.9	23	<1	<1	3	6	13	15	15
20-34	10	3.1	5	1	1	2	5	6	7	7
35-49	20	4.9	12	1	2	4	6	8	12	17
50-64	20	3.6	9	<1	1	3	4	6	10	14
65+	34	5.8	22	1	2	4	8	13	17	18
B. *Operated*										
0-19 YRS	79	4.0	13	1	1	3	4	8	10	22
20-34	261	4.0	19	1	1	3	4	7	10	18
35-49	474	4.6	22	1	2	3	5	9	12	25
50-64	562	4.7	15	1	2	3	6	9	12	20
65+	343	6.0	34	2	2	4	7	13	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.2	12	<1	1	2	3	5	11	18
B. *Operated*	3689	3.1	7	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	91	4.7	16	1	1	3	6	10	14	18
B. *Operated*	1719	4.8	22	1	2	3	6	9	13	24
1. SINGLE DX	3744	3.1	7	1	1	2	3	5	8	14
2. MULTIPLE DX	1810	4.8	21	1	2	3	6	9	13	24
A. NOT OPERATED	146	4.2	15	1	1	3	5	8	14	18
B. OPERATED	5408	3.6	12	1	1	3	4	7	9	19
TOTAL 0-19 YRS	705	3.1	5	1	1	3	4	5	7	14
20-34	1186	3.1	7	1	1	2	3	5	8	13
35-49	1434	3.6	13	1	1	3	4	7	10	17
50-64	1464	3.8	12	1	1	3	4	7	10	19
65+	765	4.9	25	1	2	3	5	10	15	26
GRAND TOTAL	5554	3.6	12	1	1	3	4	7	10	18

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.5	3	<1	<1	2	4	5	6	7
20-34	9	2.9	4	<1	<1	2	4	6	7	7
35-49	9	4.0	8	<1	<1	3	6	8	9	9
50-64	8	3.5	5	1	1	3	4	7	8	8
65+	9	5.3	17	1	1	3	7	12	13	13
B. *Operated*										
0-19 YRS	619	2.3	6	<1	1	2	3	4	5	10
20-34	338	2.8	7	<1	1	2	3	5	7	13
35-49	267	3.2	17	<1	1	2	4	6	8	15
50-64	263	3.4	12	<1	1	2	4	6	11	18
65+	140	4.0	20	<1	1	3	4	7	9	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.4	12	<1	<1	2	4	8	12	15
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	6	2.5	2	1	1	2	3	5	5	5
50-64	15	5.0	16	1	1	3	7	13	13	13
65+	23	5.7	16	1	2	4	8	13	14	16
B. *Operated*										
0-19 YRS	125	2.8	14	<1	1	2	3	5	7	24
20-34	175	4.1	39	<1	1	2	4	8	14	19
35-49	197	4.9	25	1	1	3	6	11	15	29
50-64	193	5.6	57	1	1	3	7	11	17	44
65+	168	7.6	98	1	2	4	8	17	30	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.4	7	<1	<1	3	5	7	9	13
B. *Operated*	1627	2.9	10	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	66	4.5	14	<1	1	3	6	8	13	16
B. *Operated*	858	5.1	50	1	1	3	6	11	16	36
1. SINGLE DX	1681	2.9	10	<1	1	2	3	5	7	15
2. MULTIPLE DX	924	5.1	47	1	1	3	6	11	16	35
A. NOT OPERATED	120	4.0	11	<1	1	3	5	8	13	15
B. OPERATED	2485	3.7	25	<1	1	2	4	7	11	25
TOTAL 0-19 YRS	782	2.4	7	<1	1	2	3	4	6	13
20-34	525	3.3	18	<1	1	2	3	6	10	18
35-49	479	3.9	20	<1	1	2	5	8	12	20
50-64	479	4.4	31	1	1	3	5	9	13	27
65+	340	5.9	61	1	1	4	7	12	18	43
GRAND TOTAL	2605	3.7	24	<1	1	2	4	7	11	24

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.0	2	<1	<1	1	2	5	5	5
35-49	5	2.2	5	1	1	1	3	6	6	6
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	619	2.0	2	<1	1	2	2	3	3	5
20-34	1062	2.0	2	<1	1	2	2	3	3	5
35-49	545	2.4	16	1	1	2	3	3	4	7
50-64	231	2.5	1	1	1	2	3	4	4	8
65+	133	3.1	4	2	2	2	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	8	7.8	50	1	1	6	11	19	22	22
50-64	4	4.0	10	1	1	3	6	8	8	8
65+	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*										
0-19 YRS	89	2.5	2	1	1	2	3	4	5	8
20-34	337	3.3	32	1	1	2	3	5	7	16
35-49	355	3.0	6	1	1	2	3	5	7	12
50-64	179	3.6	6	2	2	3	4	7	9	13
65+	118	4.2	10	2	2	3	5	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.1	2	<1	<1	1	2	5	6	6
B. *Operated*	2590	2.2	5	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	22	4.5	26	<1	1	3	5	11	16	22
B. *Operated*	1078	3.3	14	1	2	2	3	6	8	13
1. SINGLE DX	2606	2.2	5	<1	1	2	2	3	4	7
2. MULTIPLE DX	1100	3.3	14	1	2	2	3	6	8	13
A. NOT OPERATED	38	3.4	17	<1	<1	2	4	9	11	22
B. OPERATED	3668	2.5	8	1	1	2	3	4	5	10
TOTAL 0-19 YRS	713	2.0	2	<1	1	2	2	3	4	5
20-34	1408	2.3	9	<1	1	2	2	3	4	9
35-49	913	2.7	13	1	1	2	3	4	6	11
50-64	417	3.0	4	1	2	2	3	5	7	11
65+	255	3.6	7	2	2	3	4	7	9	17
GRAND TOTAL	3706	2.5	8	1	1	2	3	4	5	10

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	33	2.7	8	<1	<1	2	3	5	7	16
35-49	52	3.2	5	<1	1	3	5	7	7	9
50-64	9	3.4	5	<1	<1	3	4	7	8	8
65+	4	6.0	6	3	3	6	8	9	9	9
B. *Operated*										
0-19 YRS	6	6.3	9	3	3	6	9	10	10	10
20-34	745	6.0	6	1	2	6	7	9	9	13
35-49	1608	6.5	7	1	2	7	8	9	10	14
50-64	246	7.1	12	2	2	7	8	10	11	17
65+	25	6.9	7	2	3	8	9	9	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	76	3.7	7	<1	1	3	5	7	9	14
35-49	148	3.9	11	1	1	3	5	7	9	19
50-64	42	4.3	13	1	2	4	5	7	8	24
65+	21	7.1	13	2	3	6	10	13	13	13
B. *Operated*										
0-19 YRS	16	6.7	8	2	2	7	8	10	12	13
20-34	2157	6.7	8	2	3	7	8	10	11	15
35-49	7709	7.4	9	2	5	7	8	10	12	18
50-64	1418	8.0	16	2	4	7	9	12	15	21
65+	228	10.5	36	2	6	9	13	19	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	3.2	6	<1	<1	3	4	7	8	13
B. *Operated*	2630	6.4	7	2	2	7	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	287	4.1	11	1	1	3	6	7	9	18
B. *Operated*	11528	7.4	11	2	5	7	8	10	13	19
1. SINGLE DX	2728	6.3	7	1	2	6	8	9	10	14
2. MULTIPLE DX	11815	7.3	11	2	4	7	8	10	13	19
A. NOT OPERATED	385	3.9	10	<1	1	3	5	7	9	17
B. OPERATED	14158	7.2	10	2	4	7	8	10	12	18
TOTAL 0-19 YRS	22	6.6	8	2	3	7	8	10	11	13
20-34	3011	6.4	8	1	2	6	8	9	11	15
35-49	9517	7.1	9	2	4	7	8	10	12	18
50-64	1715	7.7	16	2	3	7	9	12	14	21
65+	278	9.9	33	2	4	9	12	17	21	29
GRAND TOTAL	14543	7.1	11	2	3	7	8	10	12	18

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	25	4.4	6	1	2	4	6	7	8	11
35-49	41	5.4	9	1	1	6	7	9	10	12
50-64	8	3.8	8	1	1	3	6	7	8	8
65+	5	5.6	15	2	2	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	6.7	30	1	1	7	11	12	12	12
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	36	6.7	21	2	3	6	8	9	12	29
35-49	110	6.7	10	2	2	7	8	11	12	16
50-64	42	5.3	11	1	1	5	8	10	11	13
65+	14	7.1	21	2	2	7	10	14	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	18	<1	<1	3	7	7	7	7
B. *Operated*	80	4.9	8	1	1	5	7	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	5	5.6	18	1	1	5	8	12	12	12
B. *Operated*	203	6.4	13	1	2	6	8	10	12	16
1. SINGLE DX	82	4.9	8	1	1	5	7	8	10	12
2. MULTIPLE DX	208	6.4	13	1	2	6	8	10	12	16
A. NOT OPERATED	7	5.1	15	<1	<1	5	7	11	12	12
B. OPERATED	283	6.0	12	1	2	6	8	10	11	16
TOTAL 0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	63	5.7	15	1	2	6	7	8	10	27
35-49	151	6.3	10	1	2	6	8	10	12	15
50-64	52	4.9	10	1	1	5	7	9	10	13
65+	22	6.7	19	1	2	7	10	13	15	16
GRAND TOTAL	**290**	**6.0**	**12**	**1**	**2**	**6**	**8**	**10**	**11**	**16**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	7	2.7	2	<1	<1	3	4	5	5	5
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64										
65+	3	10.3	234	1	1	2	21	28	28	28
B. *Operated*										
0-19 YRS	113	5.9	3	4	4	6	7	8	8	13
20-34	376	5.9	2	4	4	6	7	8	8	11
35-49	120	7.2	8	4	5	7	8	10	11	18
50-64	89	8.1	5	6	6	8	9	11	12	17
65+	60	9.8	21	5	6	9	11	14	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-19 YRS	68	6.0	3	4	4	6	7	8	9	13
20-34	413	6.9	9	4	5	6	8	9	11	19
35-49	290	7.9	9	5	5	7	9	11	14	19
50-64	221	9.7	16	5	6	9	11	15	17	26
65+	148	12.5	32	7	7	11	15	19	24	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	4.8	44	<1	1	3	5	6	23	28
B. *Operated*	758	6.7	6	4	5	6	8	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	5	7.6	61	3	3	3	11	21	21	21
B. *Operated*	1140	8.4	17	4	5	7	9	13	16	24
1. SINGLE DX	773	6.6	7	4	4	6	7	9	11	16
2. MULTIPLE DX	1145	8.4	17	4	5	7	9	13	16	24
A. NOT OPERATED	20	5.5	47	<1	1	3	5	14	24	28
B. OPERATED	1898	7.7	13	4	5	7	9	12	14	22
TOTAL 0-19 YRS	184	5.9	3	4	4	6	7	8	9	13
20-34	798	6.4	6	4	4	6	7	9	10	16
35-49	413	7.7	9	5	5	7	9	11	13	19
50-64	311	9.2	14	5	6	8	11	14	17	23
65+	212	11.7	33	6	7	10	13	18	23	32
GRAND TOTAL	**1918**	**7.7**	**14**	**4**	**5**	**7**	**9**	**12**	**14**	**22**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	12	2.8	6	<1	<1	2	4	6	9	9
20-34	21	3.1	6	<1	<1	2	4	6	8	10
35-49	26	3.6	5	1	1	3	5	7	8	9
50-64	16	3.1	5	<1	1	2	4	6	8	9
65+	10	4.1	15	1	1	2	6	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	29	5.4	30	1	2	5	6	8	11	31
35-49	16	3.6	5	<1	1	3	5	7	8	8
50-64	16	7.1	30	1	2	6	9	14	19	21
65+	11	9.2	51	2	2	8	13	19	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	85	3.3	6	<1	1	2	5	6	9	12
2. MULTIPLE DX										
A. *Not Operated*	3	2.3	5	1	1	1	4	5	5	5
B. *Operated*	73	5.9	30	1	2	5	7	12	15	30
1. SINGLE DX	87	3.3	6	<1	1	2	5	6	9	12
2. MULTIPLE DX	76	5.7	29	1	1	5	7	11	15	30
A. NOT OPERATED	5	2.4	4	1	1	1	4	5	5	5
B. OPERATED	158	4.5	18	<1	1	3	6	9	12	26
TOTAL 0-19 YRS	13	2.6	5	<1	<1	2	3	6	8	9
20-34	51	4.4	20	<1	1	4	6	7	10	31
35-49	44	3.6	5	<1	1	3	5	7	8	9
50-64	34	4.9	21	<1	1	3	6	11	14	21
65+	21	6.8	39	1	2	5	9	14	20	26
GRAND TOTAL	**163**	**4.4**	**18**	**<1**	**1**	**3**	**6**	**8**	**12**	**25**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.0	1	<1	<1	2	3	4	4	4
20-34	24	3.4	3	1	2	3	4	5	7	8
35-49	22	2.7	2	<1	1	3	3	4	5	7
50-64	17	3.0	1	1	2	3	4	4	5	6
65+	16	4.3	8	1	2	3	6	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	3.0	1	2	2	3	4	5	5	5
35-49	11	3.6	1	2	2	4	4	5	5	5
50-64	11	5.7	11	2	2	5	8	11	13	13
65+	15	4.7	13	1	1	4	6	10	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	87	3.2	3	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	47	4.4	8	2	2	4	5	9	11	13
1. SINGLE DX	88	3.2	3	1	1	3	4	6	7	11
2. MULTIPLE DX	47	4.4	8	2	2	4	5	9	11	13
A. NOT OPERATED	1	7.0		7	7	7	7	7	7	7
B. OPERATED	134	3.6	5	1	2	3	4	7	8	13
TOTAL 0-19 YRS	10	2.7	4	<1	<1	2	4	6	7	7
20-34	33	3.3	2	1	2	3	4	5	7	8
35-49	33	3.0	1	<1	2	3	4	4	5	7
50-64	28	4.1	7	2	2	3	5	7	9	13
65+	31	4.5	10	1	1	3	6	10	12	13
GRAND TOTAL	**135**	**3.6**	**5**	**1**	**2**	**3**	**4**	**7**	**8**	**13**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	13	3.2	10	1	1	2	3	6	12	13
35-49	23	4.7	13	1	1	3	7	10	12	14
50-64	33	4.0	11	1	2	3	4	10	12	14
65+	28	4.7	15	2	2	3	5	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	10.0	32	6	6	10	14	14	14	14
B. *Operated*										
0-19 YRS										
20-34	7	9.3	81	1	1	5	14	24	26	26
35-49	16	7.9	33	2	2	7	11	15	20	22
50-64	23	8.3	41	1	2	7	13	19	21	21
65+	59	6.3	26	2	2	4	9	15	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	100	4.2	12	1	1	3	4	9	13	15
2. MULTIPLE DX										
A. *Not Operated*	2	10.0	32	6	6	10	14	14	14	14
B. *Operated*	105	7.2	34	2	2	5	10	15	21	25
1. SINGLE DX	101	4.1	12	1	1	3	4	9	13	15
2. MULTIPLE DX	107	7.2	34	2	2	5	10	15	21	25
A. NOT OPERATED	3	7.0	43	1	1	6	12	14	14	14
B. OPERATED	205	5.7	25	1	2	4	8	14	15	23
TOTAL 0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	20	5.3	41	1	1	3	5	14	20	26
35-49	40	5.9	23	1	1	4	9	13	15	22
50-64	56	5.8	28	1	2	3	8	14	17	21
65+	89	5.9	23	2	2	4	8	14	15	23
GRAND TOTAL	208	5.7	25	1	2	4	8	14	15	23

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	28	1.8	1	1	1	2	2	3	3	5
20-34	10	2.2	2	<1	<1	2	3	4	5	5
35-49	6	2.0		2	2	2	2	2	2	2
50-64	10	3.4	7	<1	1	3	3	8	10	10
65+	9	6.7	99	1	1	4	5	22	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	1	12.0		12	12	12	12	12	12	12
35-49	2	5.0	32	<1	<1	4	9	9	9	9
50-64	2	9.0	32	5	5	9	13	13	13	13
65+	5	1.6		<1	<1	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.3	10	2	2	3	7	8	8	8
B. *Operated*	63	2.8	17	1	1	2	3	4	6	30
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	13	4.2	18	<1	<1	2	6	12	13	13
1. SINGLE DX	66	2.9	17	1	1	2	3	5	6	29
2. MULTIPLE DX	13	4.2	18	<1	<1	2	6	12	13	13
A. NOT OPERATED	3	4.3	10	2	2	3	7	8	8	8
B. OPERATED	76	3.0	18	<1	1	2	3	5	10	28
TOTAL 0-19 YRS	32	1.8	1	1	1	2	2	3	3	5
20-34	12	3.0	10	<1	<1	2	3	7	11	12
35-49	8	2.8	7	<1	<1	2	2	7	9	9
50-64	13	4.6	13	<1	1	3	6	11	13	13
65+	14	4.9	67	<1	1	3	4	8	27	33
GRAND TOTAL	79	3.1	17	<1	1	2	3	8	10	27

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	7	3.6	3	2	2	4	4	6	7	7
35-49	12	2.9	2	1	1	3	4	5	6	6
50-64	11	4.5	12	2	2	3	7	10	11	11
65+	15	4.1	5	1	2	4	5	7	9	10
B. *Operated*										
0-19 YRS	9	15.2	326	2	2	8	17	47	55	55
20-34	33	13.4	66	2	5	12	16	25	32	34
35-49	70	12.3	38	2	4	12	16	18	22	30
50-64	96	15.0	56	3	6	15	19	23	29	38
65+	74	17.0	179	3	3	14	23	30	36	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	13	8.0	90	2	2	5	7	18	34	38
50-64	27	12.5	352	1	1	6	10	41	60	80
65+	57	11.5	133	3	4	8	14	20	30	70
B. *Operated*										
0-19 YRS	5	13.8	35	7	7	14	19	21	21	21
20-34	19	18.9	118	4	6	20	24	36	42	43
35-49	35	17.3	127	4	6	14	22	32	51	99+
50-64	55	18.6	217	2	4	16	22	40	54	69
65+	78	27.9	278	7	11	24	37	54	59	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.7	6	1	2	3	4	7	10	11
B. *Operated*	282	14.7	95	2	4	13	19	26	31	50
2. MULTIPLE DX										
A. *Not Operated*	100	11.1	183	2	3	7	12	20	42	75
B. *Operated*	192	22.1	233	3	7	18	28	49	58	72
1. SINGLE DX	329	13.1	97	2	2	12	17	24	30	48
2. MULTIPLE DX	292	18.3	242	2	4	14	23	43	54	73
A. NOT OPERATED	147	8.7	137	2	2	5	9	16	25	71
B. OPERATED	474	17.7	163	3	6	15	22	34	48	63
TOTAL 0-19 YRS	17	12.5	197	1	2	8	15	33	48	55
20-34	61	13.7	95	2	3	11	20	26	33	43
35-49	130	12.3	79	2	2	11	16	22	30	60
50-64	189	15.1	151	2	3	13	19	26	39	66
65+	224	18.5	247	3	4	14	25	41	53	72
GRAND TOTAL	621	15.5	171	2	3	12	20	31	45	66

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.2	1	<1	<1	2	3	3	3	3
35-49	3	4.0	13	1	1	3	7	8	8	8
50-64	2	8.0	32	4	4	8	12	12	12	12
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	46	3.5	1	2	2	3	4	5	6	7
20-34	257	3.9	1	2	3	4	4	5	6	7
35-49	325	4.2	2	3	3	4	5	6	7	9
50-64	233	4.4	3	2	3	4	5	6	7	11
65+	113	5.1	6	3	3	4	6	8	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.3	17	<1	<1	3	7	9	9	9
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	8	7.4	37	2	3	5	11	17	18	18
65+	7	6.3	15	1	2	5	9	12	12	12
B. *Operated*										
0-19 YRS	4	5.8	5	3	3	6	7	8	8	8
20-34	66	4.7	7	2	3	4	5	7	12	14
35-49	165	5.3	9	3	3	5	6	8	11	18
50-64	154	6.2	13	3	3	5	7	10	14	21
65+	93	8.1	34	3	4	6	11	18	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.7	11	<1	1	3	4	10	12	12
B. *Operated*	974	4.3	3	3	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	20	6.3	22	<1	1	5	8	14	17	18
B. *Operated*	482	6.0	16	3	3	5	6	10	15	22
1. SINGLE DX	985	4.3	3	2	3	4	5	6	7	11
2. MULTIPLE DX	502	6.0	16	3	3	5	6	11	15	21
A. NOT OPERATED	31	5.4	19	<1	1	4	7	12	16	18
B. OPERATED	1456	4.8	8	3	3	4	5	7	9	18
TOTAL 0-19 YRS	50	3.7	2	2	2	3	4	6	7	8
20-34	331	4.0	2	2	3	4	4	5	6	12
35-49	495	4.6	5	3	3	4	5	7	8	14
50-64	397	5.2	8	3	3	4	6	8	10	18
65+	214	6.4	20	3	3	5	7	12	16	24
GRAND TOTAL	1487	4.9	8	3	3	4	5	7	10	18

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	3.9	4	1	1	4	6	7	7	7
35-49	5	7.0	46	3	3	4	8	19	19	19
50-64	12	8.3	49	3	3	6	9	17	27	29
65+	2	35.0	1800	5	5	35	65	65	65	65
B. *Operated*										
0-19 YRS	5	10.8	33	4	4	15	15	15	15	15
20-34	47	9.1	13	4	4	9	11	14	16	19
35-49	39	10.5	47	3	4	9	14	21	25	29
50-64	47	11.4	37	4	5	9	16	21	22	24
65+	39	11.3	79	4	4	8	15	18	33	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	15	4.8	39	1	2	3	4	6	22	27
35-49	8	10.8	135	3	3	5	14	31	36	36
50-64	20	6.4	18	1	2	5	10	12	14	16
65+	15	9.5	30	3	4	9	12	15	22	24
B. *Operated*										
0-19 YRS	4	22.3	741	7	7	9	37	63	63	63
20-34	23	9.0	40	2	3	8	10	21	23	27
35-49	42	11.1	93	4	4	9	12	21	32	51
50-64	81	11.3	56	3	4	9	16	21	27	34
65+	58	16.5	209	4	5	11	25	41	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	7.7	130	1	2	5	7	13	27	65
B. *Operated*	177	10.6	42	4	4	9	14	19	22	37
2. MULTIPLE DX										
A. *Not Operated*	59	7.4	44	2	2	5	10	14	22	35
B. *Operated*	208	12.6	121	4	4	9	15	27	36	79
1. SINGLE DX	211	10.1	57	3	4	8	13	19	22	42
2. MULTIPLE DX	267	11.5	109	3	3	8	13	25	35	65
A. NOT OPERATED	93	7.5	74	1	2	5	9	14	23	53
B. OPERATED	385	11.7	86	4	4	9	15	22	31	64
TOTAL 0-19 YRS	10	15.2	299	4	4	10	15	39	63	63
20-34	100	7.6	26	2	3	7	10	13	18	27
35-49	94	10.6	73	3	4	8	13	21	26	48
50-64	160	10.5	47	3	4	8	13	20	23	33
65+	114	14.1	168	4	5	9	17	36	44	99+
GRAND TOTAL	478	10.9	86	3	4	8	13	21	29	64

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.6	2	<1	<1	3	4	4	4	4
35-49	4	5.0	17	<1	<1	5	8	9	9	9
50-64	6	3.2	2	1	1	3	4	5	5	5
65+	4	6.0	13	3	3	5	8	11	11	11
B. *Operated*										
0-19 YRS	23	2.9	4	1	1	2	4	6	7	7
20-34	999	4.3	5	1	2	4	6	7	8	10
35-49	324	5.0	9	1	2	5	6	8	9	13
50-64	84	5.1	10	1	2	4	7	10	11	13
65+	49	5.7	11	2	2	5	8	10	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	2.1	5	1	1	1	2	6	7	7
35-49	5	4.2	6	1	1	4	6	7	7	7
50-64	2	5.5	1	5	5	5	6	6	6	6
65+	5	2.6	1	1	1	3	3	3	3	3
B. *Operated*										
0-19 YRS	9	3.8	7	1	1	3	4	8	10	10
20-34	635	5.5	9	2	2	6	7	8	10	14
35-49	367	6.8	11	2	3	7	8	10	12	16
50-64	114	7.4	27	2	2	7	8	12	14	32
65+	73	7.6	25	2	2	7	10	15	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.9	7	<1	1	3	5	8	10	11
B. *Operated*	1479	4.5	7	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	20	3.1	4	1	1	3	4	6	7	7
B. *Operated*	1198	6.2	13	2	2	6	8	10	12	17
1. SINGLE DX	1500	4.5	7	1	2	4	6	8	9	12
2. MULTIPLE DX	1218	6.2	13	2	2	6	8	10	12	17
A. NOT OPERATED	41	3.5	6	<1	1	3	4	7	8	11
B. OPERATED	2677	5.3	10	1	2	5	7	9	10	15
TOTAL 0-19 YRS	33	3.1	5	1	1	2	4	6	7	10
20-34	1648	4.8	7	1	2	5	6	8	9	12
35-49	700	5.9	11	2	2	6	7	9	11	15
50-64	206	6.3	20	2	2	6	8	11	13	30
65+	131	6.7	20	2	2	6	9	12	15	20
GRAND TOTAL	2718	5.3	10	1	2	5	7	9	10	15

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	2.8	4	1	1	2	4	6	6	6
50-64	4	3.5	2	2	2	3	4	5	5	5
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	32	3.8	9	<1	1	3	5	7	9	16
35-49	61	4.2	10	1	1	3	6	9	11	14
50-64	106	5.1	18	1	2	4	7	10	13	23
65+	125	5.6	22	1	2	4	7	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	2.8	2	2	2	2	4	5	5	5
65+	12	8.3	24	3	3	8	11	16	17	17
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	34	5.7	16	1	2	5	7	10	14	19
35-49	72	7.2	32	2	2	6	9	14	18	33
50-64	162	7.9	43	2	2	6	10	16	19	35
65+	199	8.9	66	2	2	6	12	18	25	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.8	2	1	1	3	4	5	6	6
B. *Operated*	327	5.0	17	1	2	4	7	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	20	6.5	21	2	2	5	10	13	16	17
B. *Operated*	468	8.0	49	2	2	6	10	17	22	35
1. SINGLE DX	340	4.9	17	1	2	3	6	10	14	20
2. MULTIPLE DX	488	7.9	48	2	2	6	10	17	20	35
A. NOT OPERATED	33	5.0	17	1	2	3	6	11	14	17
B. OPERATED	795	6.8	38	1	2	5	9	14	18	32
TOTAL 0-19 YRS	5	3.2	5	1	1	2	5	6	6	6
20-34	69	4.8	13	1	1	4	6	9	12	18
35-49	139	5.7	23	1	2	4	7	10	14	25
50-64	276	6.7	34	1	2	5	9	14	18	31
65+	339	7.6	50	2	2	5	10	16	22	33
GRAND TOTAL	**828**	**6.7**	**38**	**1**	**2**	**5**	**9**	**14**	**18**	**31**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.4	6	1	1	3	4	7	8	12
20-34	61	4.9	27	<1	1	3	7	8	11	32
35-49	64	3.9	12	1	1	3	5	8	10	19
50-64	82	4.[illegible]	9	1	1	3	5	8	11	15
65+	144	6.5	63	1	1	4	7	14	19	54
B. *Operated*										
0-19 YRS	151	3.5	12	<1	1	2	4	7	11	18
20-34	291	5.5	84	1	1	3	6	11	15	41
35-49	276	5.0	23	1	1	3	6	10	14	25
50-64	373	5.5	40	1	1	3	7	12	15	34
65+	376	6.3	38	1	1	4	8	14	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.6	8	<1	1	3	5	7	10	12
20-34	59	5.8	35	1	1	4	7	11	16	37
35-49	86	6.2	41	1	2	5	8	12	20	80
50-64	191	6.5	28	1	1	5	9	13	17	26
65+	492	8.3	72	1	2	6	11	16	21	40
B. *Operated*										
0-19 YRS	47	7.4	85	1	1	5	8	14	21	52
20-34	191	7.8	68	2	2	6	8	13	21	46
35-49	256	7.3	31	2	2	6	9	14	16	29
50-64	351	9.0	68	2	2	7	11	19	24	36
65+	627	11.0	89	2	3	9	15	22	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	396	5.0	33	1	1	3	6	9	14	29
B. *Operated*	1467	5.4	43	1	1	3	7	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	852	7.4	56	1	2	5	9	15	19	37
B. *Operated*	1472	9.3	73	2	2	7	12	19	25	42
1. SINGLE DX	1863	5.3	41	1	1	3	6	11	15	29
2. MULTIPLE DX	2324	8.6	66	1	2	6	11	17	23	39
A. NOT OPERATED	1248	6.6	50	1	1	5	8	14	18	36
B. OPERATED	2939	7.4	62	1	2	5	9	16	21	37
TOTAL 0-19 YRS	267	4.2	25	1	1	3	5	8	12	20
20-34	602	6.1	69	1	2	4	7	11	16	39
35-49	682	6.0	28	1	2	5	8	12	16	26
50-64	997	6.8	48	1	2	5	9	15	20	32
65+	1639	8.7	74	1	2	6	12	18	23	40
GRAND TOTAL	**4187**	**7.1**	**58**	**1**	**2**	**5**	**9**	**15**	**20**	**37**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	3	1	1	2	3	5	6	6
20-34	24	3.1	2	1	1	3	4	4	5	8
35-49	30	3.3	3	1	1	3	4	5	7	8
50-64	22	3.7	5	1	1	3	5	7	9	9
65+	24	3.3	8	1	1	3	4	7	9	13
B. *Operated*										
0-19 YRS	36	3.6	2	1	2	3	4	5	7	8
20-34	297	4.2	4	2	3	4	5	6	7	11
35-49	351	4.3	3	2	3	4	5	6	7	11
50-64	374	4.7	3	3	3	4	5	7	8	11
65+	159	6.1	17	3	3	5	7	10	11	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.4	5	1	1	3	5	7	7	7
20-34	55	3.8	6	1	1	4	4	6	8	15
35-49	62	5.0	10	2	2	4	7	10	11	14
50-64	72	5.3	12	1	2	5	7	10	13	19
65+	78	7.0	17	2	3	6	9	14	15	18
B. *Operated*										
0-19 YRS	8	4.9	6	3	3	4	6	9	10	10
20-34	111	5.7	8	3	3	5	7	9	10	19
35-49	191	5.6	8	3	3	5	6	9	11	17
50-64	248	7.4	45	3	3	5	8	13	17	38
65+	171	8.9	48	3	4	7	11	15	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	3.3	4	1	1	3	4	6	8	11
B. *Operated*	1217	4.6	5	2	3	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	278	5.4	13	1	2	4	7	11	13	17
B. *Operated*	729	7.0	31	3	3	5	8	12	15	35
1. SINGLE DX	1325	4.5	5	2	3	4	5	7	8	13
2. MULTIPLE DX	1007	6.5	27	2	3	5	7	11	15	30
A. NOT OPERATED	386	4.8	11	1	2	4	6	9	12	16
B. OPERATED	1946	5.5	16	3	3	4	6	9	11	24
TOTAL 0-19 YRS	63	3.6	3	1	2	3	4	6	7	10
20-34	487	4.5	5	2	3	4	5	7	9	15
35-49	634	4.7	6	2	3	4	5	7	9	14
50-64	716	5.6	20	3	3	5	6	9	12	26
65+	432	7.2	31	2	3	6	8	13	16	31
GRAND TOTAL	2332	5.4	16	2	3	4	6	9	12	21

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	4.9	68	1	1	3	5	8	9	60
20-34	200	4.7	9	1	2	4	6	8	10	16
35-49	162	4.8	9	2	2	4	6	8	11	16
50-64	103	5.8	16	2	3	5	8	10	14	23
65+	93	7.3	28	2	2	6	9	14	19	26
B. *Operated*										
0-19 YRS	43	5.9	49	2	3	4	5	10	11	48
20-34	292	5.4	13	3	3	5	6	8	13	22
35-49	231	4.8	7	3	3	4	5	7	10	17
50-64	151	5.1	10	3	3	4	6	8	11	13
65+	42	5.8	8	3	3	5	7	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	5.8	47	1	1	4	6	12	22	36
20-34	241	5.9	18	2	2	5	7	10	12	27
35-49	367	6.6	22	2	2	5	9	12	16	22
50-64	513	8.1	40	2	3	7	10	14	18	25
65+	573	9.6	68	3	3	8	11	16	23	44
B. *Operated*										
0-19 YRS	17	6.8	17	3	4	6	7	15	17	17
20-34	104	9.3	91	3	3	7	9	19	26	55
35-49	150	7.5	50	2	3	6	9	12	17	29
50-64	141	9.6	85	3	3	6	11	20	29	44
65+	138	13.4	129	3	4	11	17	26	38	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	616	5.3	19	1	2	4	7	9	13	20
B. *Operated*	759	5.2	12	3	3	4	6	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	1738	7.9	45	2	3	6	10	14	18	34
B. *Operated*	550	9.8	90	3	3	7	11	20	29	71
1. SINGLE DX	1375	5.3	15	2	2	4	6	9	12	20
2. MULTIPLE DX	2288	8.4	56	2	3	7	10	15	21	39
A. NOT OPERATED	2354	7.2	39	2	2	6	9	13	17	31
B. OPERATED	1309	7.1	50	3	3	5	8	13	20	38
TOTAL 0-19 YRS	162	5.6	51	1	2	4	6	9	14	47
20-34	837	5.9	25	2	2	5	7	10	13	27
35-49	910	6.0	22	2	2	5	7	11	14	22
50-64	908	7.5	42	2	3	6	9	14	18	32
65+	846	9.8	74	3	3	8	12	18	25	48
GRAND TOTAL	3663	7.2	43	2	3	5	8	13	18	34

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	402	6.6	24	2	3	6	8	10	13	23
20-34	415	6.1	28	2	2	5	7	10	13	31
35-49	537	6.3	13	2	3	6	8	11	12	19
50-64	620	6.5	13	2	3	6	8	11	14	18
65+	605	7.1	16	2	3	7	9	12	15	21
B. *Operated*										
0-19 YRS	3	5.7	25	1	1	5	9	11	11	11
20-34	4	6.0	45	2	2	3	10	16	16	16
35-49	6	7.7	21	3	3	7	10	14	15	15
50-64	15	12.5	96	3	3	11	14	31	33	34
65+	10	9.4	48	4	4	6	13	21	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	346	5.7	19	1	2	5	7	11	13	23
20-34	872	6.5	21	2	2	6	8	12	15	24
35-49	1854	7.4	23	2	3	6	9	12	16	22
50-64	3748	8.1	29	3	3	7	10	14	17	28
65+	4762	9.2	46	3	3	8	11	16	21	36
B. *Operated*										
0-19 YRS	26	10.7	237	1	2	7	11	43	75	99+
20-34	106	10.6	111	2	2	8	14	20	27	59
35-49	276	11.4	77	2	3	10	14	22	26	50
50-64	603	13.8	133	3	4	11	17	27	39	67
65+	618	15.3	150	3	4	12	19	30	41	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2579	6.6	18	2	3	6	8	11	13	21
B. *Operated*	38	9.7	62	2	3	7	13	21	28	34
2. MULTIPLE DX										
A. *Not Operated*	11582	8.2	35	2	3	7	10	14	18	31
B. *Operated*	1629	13.7	133	2	3	11	17	27	38	69
1. SINGLE DX	2617	6.6	19	2	3	6	8	11	14	22
2. MULTIPLE DX	13211	8.9	50	2	3	7	11	16	21	38
A. NOT OPERATED	14161	7.9	32	2	3	7	10	14	17	29
B. OPERATED	1667	13.6	132	2	3	11	17	27	37	68
TOTAL 0-19 YRS	777	6.3	30	1	2	5	8	11	13	29
20-34	1397	6.7	31	2	2	5	8	12	15	30
35-49	2673	7.6	28	2	3	6	9	13	17	27
50-64	4986	8.6	44	2	3	7	10	15	20	37
65+	5995	9.6	57	3	3	8	12	17	23	42
GRAND TOTAL	**15828**	**8.5**	**46**	**2**	**3**	**7**	**10**	**15**	**20**	**36**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	600	4.9	10	1	2	4	6	9	11	16
20-34	475	5.0	10	2	2	4	7	9	11	16
35-49	178	6.7	16	2	2	6	8	12	15	19
50-64	171	8.6	29	3	3	8	11	14	19	28
65+	111	8.9	38	2	3	8	11	15	21	33
B. *Operated*										
0-19 YRS	4	12.0	77	4	4	11	19	21	21	21
20-34	3	6.0	7	3	3	7	8	8	8	8
35-49	3	14.7	142	5	5	11	24	28	28	28
50-64	4	18.0	85	9	9	16	25	30	30	30
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	383	5.6	19	1	2	5	7	10	13	23
20-34	693	6.0	16	2	2	5	8	11	13	20
35-49	514	8.0	26	2	3	7	10	13	17	27
50-64	482	10.1	58	3	4	9	12	18	24	43
65+	503	12.2	83	3	4	10	15	22	28	49
B. *Operated*										
0-19 YRS	15	8.5	16	3	3	8	12	14	15	16
20-34	56	12.4	145	3	4	9	13	23	31	71
35-49	45	17.1	109	7	8	15	21	32	50	99+
50-64	45	17.4	149	8	8	14	19	38	80	99+
65+	36	22.2	356	6	9	16	28	41	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1535	5.8	17	2	2	5	8	11	14	20
B. *Operated*	15	12.9	75	3	4	11	19	28	29	30
2. MULTIPLE DX										
A. *Not Operated*	2575	8.3	46	2	3	7	10	15	20	33
B. *Operated*	197	16.1	179	4	6	12	18	34	51	99+
1. SINGLE DX	1550	5.9	18	2	2	5	8	11	14	21
2. MULTIPLE DX	2772	8.9	59	2	3	7	11	16	22	43
A. NOT OPERATED	4110	7.4	36	2	2	6	9	14	18	29
B. OPERATED	212	15.9	172	4	5	12	18	33	49	99+
TOTAL 0-19 YRS	1002	5.2	14	1	2	4	7	10	12	19
20-34	1227	5.9	22	2	2	5	7	11	13	22
35-49	740	8.2	34	2	3	7	10	15	18	33
50-64	702	10.2	61	3	4	9	13	18	24	46
65+	651	12.2	97	3	4	10	15	22	29	53
GRAND TOTAL	**4322**	**7.8**	**46**	**2**	**2**	**6**	**10**	**15**	**19**	**35**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	6.2	17	2	2	5	8	10	13	23
20-34	324	5.7	10	2	3	5	7	9	12	15
35-49	371	6.6	11	2	3	6	8	11	13	18
50-64	556	7.4	21	3	3	7	9	12	15	25
65+	556	7.5	26	3	3	7	9	13	15	23
B. *Operated*										
0-19 YRS										
20-34	19	5.9	21	1	2	5	7	12	16	19
35-49	35	6.2	42	1	1	5	7	11	23	30
50-64	83	6.8	62	1	2	5	8	14	18	48
65+	93	5.9	39	1	2	3	7	13	17	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	180	5.5	18	1	2	5	7	10	15	22
20-34	728	7.6	37	2	3	6	9	14	18	35
35-49	1431	8.0	29	2	3	7	10	14	18	29
50-64	2957	8.4	32	3	3	7	10	14	18	30
65+	3569	9.7	45	3	4	8	12	17	21	35
B. *Operated*										
0-19 YRS	16	11.9	73	3	4	10	16	34	78	99+
20-34	154	12.7	162	2	3	9	15	24	34	78
35-49	389	14.5	151	3	4	11	18	30	39	65
50-64	939	17.6	235	3	4	13	23	37	51	76
65+	1249	18.7	229	3	4	14	25	42	51	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2015	6.9	19	2	3	6	9	11	14	22
B. *Operated*	230	6.3	46	1	2	4	7	13	19	41
2. MULTIPLE DX										
A. *Not Operated*	8865	8.7	38	3	3	7	11	15	19	33
B. *Operated*	2747	17.4	218	3	4	13	22	38	50	77
1. SINGLE DX	2245	6.8	21	2	3	6	8	12	14	23
2. MULTIPLE DX	11612	10.8	94	3	3	8	13	21	29	54
A. NOT OPERATED	10880	8.4	35	3	3	7	10	15	18	32
B. OPERATED	2977	16.5	214	2	3	12	21	36	49	76
TOTAL 0-19 YRS	404	6.1	21	1	2	5	8	11	16	26
20-34	1225	7.7	49	2	3	6	9	14	19	36
35-49	2226	8.9	54	2	3	7	11	16	21	39
50-64	4535	10.2	88	3	3	8	12	19	27	52
65+	5467	11.4	101	3	4	9	14	22	31	56
GRAND TOTAL	13857	10.1	84	3	3	8	12	19	27	51

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.4	1	<1	1	2	3	4	4	4
20-34	23	4.0	22	<1	1	2	5	8	14	23
35-49	6	3.0	2	1	1	3	4	4	4	4
50-64	1	18.0		18	18	18	18	18	18	18
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	40	3.3	5	1	1	3	5	6	7	11
20-34	227	4.1	6	1	1	4	6	7	8	11
35-49	18	4.5	11	<1	1	3	7	10	11	11
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.0	2	2	2	4	5	6	6	6
20-34	28	4.0	5	1	2	3	5	8	9	10
35-49	10	4.7	12	2	2	4	5	10	14	14
50-64	5	4.8	7	2	2	5	6	9	9	9
65+										
B. *Operated*										
0-19 YRS	51	4.0	7	1	1	3	6	7	9	14
20-34	483	4.3	10	<1	1	3	6	8	10	15
35-49	75	6.3	13	1	1	6	8	10	12	19
50-64	7	12.7	150	6	6	8	11	34	40	40
65+	2	7.0	32	3	3	7	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.7	17	<1	1	3	4	7	11	23
B. *Operated*	286	4.0	6	1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	51	4.2	6	2	2	4	5	7	9	14
B. *Operated*	618	4.6	13	1	1	4	6	9	10	16
1. SINGLE DX	331	4.0	7	1	1	3	5	7	8	12
2. MULTIPLE DX	669	4.6	12	1	1	4	6	9	10	16
A. NOT OPERATED	96	4.0	11	1	1	3	5	7	9	21
B. OPERATED	904	4.4	11	1	1	4	6	8	10	15
TOTAL 0-19 YRS	113	3.5	5	1	1	3	5	6	7	12
20-34	761	4.2	9	1	1	4	6	8	9	15
35-49	109	5.7	12	1	1	6	8	10	11	18
50-64	14	9.4	96	1	2	7	10	20	30	40
65+	3	6.3	17	3	3	5	9	11	11	11
GRAND TOTAL	1000	4.4	11	1	1	4	6	8	10	16

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	3.8	17	1	1	3	4	8	11	26
20-34	216	4.4	15	1	2	3	5	8	12	22
35-49	165	4.8	23	1	2	4	6	8	9	29
50-64	131	5.4	31	1	2	4	7	10	12	29
65+	134	5.9	24	1	2	5	7	12	17	26
B. *Operated*										
0-19 YRS	16	4.2	5	2	2	4	5	8	9	10
20-34	28	7.9	135	2	2	5	8	11	17	65
35-49	33	8.5	34	3	3	6	12	17	21	25
50-64	44	8.6	47	2	3	6	11	17	22	37
65+	23	9.0	49	3	4	7	11	18	24	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	4.5	39	1	1	3	5	8	12	39
20-34	418	5.7	22	1	2	5	7	12	14	24
35-49	489	6.7	27	2	2	5	9	13	17	29
50-64	624	6.9	32	2	2	5	8	14	18	28
65+	1233	7.6	40	2	2	6	10	14	19	35
B. *Operated*										
0-19 YRS	17	7.7	65	2	2	5	9	15	28	35
20-34	73	11.6	112	2	3	9	15	23	28	61
35-49	83	10.4	63	2	3	8	14	20	26	41
50-64	133	12.8	102	4	4	9	17	29	34	44
65+	148	16.9	258	4	5	12	23	39	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	4.8	22	1	2	3	6	9	12	25
B. *Operated*	144	8.0	57	2	3	6	10	16	20	39
2. MULTIPLE DX										
A. *Not Operated*	2946	6.9	34	1	2	5	9	13	17	29
B. *Operated*	454	13.3	152	3	4	9	17	28	39	86
1. SINGLE DX	941	5.3	28	1	2	4	6	10	14	26
2. MULTIPLE DX	3400	7.7	55	2	2	6	9	15	21	39
A. NOT OPERATED	3743	6.4	32	1	2	5	8	12	17	29
B. OPERATED	598	12.0	135	3	3	8	15	25	35	71
TOTAL 0-19 YRS	366	4.4	30	1	1	3	5	8	11	32
20-34	735	6.0	37	1	2	4	7	12	17	29
35-49	770	6.8	32	2	2	5	8	13	18	30
50-64	932	7.6	47	2	2	5	9	16	21	35
65+	1538	8.4	67	2	2	6	10	16	23	43
GRAND TOTAL	4341	7.2	50	1	2	5	9	14	20	36

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.2	10	2	3	4	5	10	13	13
20-34	3	2.3		2	2	2	3	3	3	3
35-49	8	5.6	18	2	2	4	9	12	13	13
50-64	12	7.8	16	3	3	7	11	14	15	15
65+	21	5.9	6	2	2	6	8	9	10	10
B. *Operated*										
0-19 YRS	3	5.3	5	4	4	4	7	8	8	8
20-34	6	5.0	12	<1	<1	5	7	10	10	10
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	6.7	20	2	2	7	10	11	11	11
65+	4	8.0	7	4	4	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	8.7	101	1	2	7	8	18	32	50
20-34	32	9.8	50	2	3	8	11	20	27	31
35-49	45	10.2	47	3	3	8	14	21	25	27
50-64	88	10.0	56	3	3	8	13	22	25	33
65+	419	12.6	109	3	4	10	15	23	34	65
B. *Operated*										
0-19 YRS	4	16.5	54	7	7	17	21	25	25	25
20-34	10	13.8	150	3	5	9	17	33	45	45
35-49	14	9.9	25	3	5	9	13	22	80	99+
50-64	23	23.0	215	7	8	20	33	40	51	67
65+	81	20.2	326	4	7	15	22	45	63	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	6.0	11	2	2	5	8	11	13	15
B. *Operated*	19	5.4	12	<1	1	4	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	615	11.7	95	3	3	9	15	23	30	63
B. *Operated*	132	19.0	264	5	7	14	22	40	61	98
1. SINGLE DX	72	5.8	11	2	2	5	8	10	13	15
2. MULTIPLE DX	747	13.0	132	3	4	10	16	25	34	66
A. NOT OPERATED	668	11.2	91	3	3	8	14	22	29	63
B. OPERATED	151	17.3	252	3	4	13	21	36	53	98
TOTAL 0-19 YRS	47	8.5	80	2	2	6	8	17	26	50
20-34	51	9.5	68	2	2	8	11	20	28	45
35-49	70	9.2	41	2	2	8	13	19	25	85
50-64	126	12.1	106	3	3	9	16	25	34	48
65+	525	13.4	147	3	4	10	16	25	36	68
GRAND TOTAL	819	12.3	126	3	3	9	15	24	33	65

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	8.7	53	2	3	7	10	20	23	35
20-34	3	4.3	1	3	3	5	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. Operated										
0-19 YRS										
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	6	3.5	4	1	1	3	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	100	11.4	103	2	3	9	14	22	27	62
20-34	34	8.6	37	2	2	7	13	17	18	29
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	7	11.4	144	1	1	7	15	32	36	36
20-34	6	4.2	16	1	1	2	7	11	11	11
35-49	3	7.3	102	1	1	2	15	19	19	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	8.2	49	2	2	6	9	19	23	35
B. Operated	9	3.0	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	136	10.6	87	2	2	8	14	20	25	52
B. Operated	16	7.9	88	1	1	5	11	19	31	36
1. SINGLE DX	47	7.2	45	1	2	5	9	16	22	35
2. MULTIPLE DX	152	10.3	87	2	2	8	13	20	26	48
A. NOT OPERATED	174	10.1	80	2	2	8	13	20	24	45
B. OPERATED	25	6.1	62	1	1	3	7	16	23	36
TOTAL 0-19 YRS	141	10.7	93	2	3	8	13	21	27	50
20-34	46	7.3	34	1	2	6	10	15	17	29
35-49	12	4.4	24	1	1	3	5	10	18	19
50-64										
65+										
GRAND TOTAL	199	9.6	79	2	2	7	13	20	24	42

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	3.8	3	1	2	3	5	7	7	8
20-34	23	3.4	8	<1	1	3	6	8	38	99+
35-49	21	7.0	176	1	1	3	6	11	36	63
50-64	10	4.4	10	1	1	3	6	9	12	12
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	30	8.1	5	6	6	8	9	11	13	15
20-34	453	8.8	19	5	6	8	10	12	14	21
35-49	240	9.2	16	6	6	8	10	13	15	25
50-64	42	10.1	15	7	7	9	11	15	19	24
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	4.6	16	1	2	4	5	9	11	24
20-34	104	5.3	36	1	1	4	6	10	17	37
35-49	124	6.7	35	1	2	5	8	12	21	29
50-64	138	7.5	29	2	2	6	10	14	19	27
65+	47	7.5	27	2	3	6	10	14	19	26
B. Operated										
0-19 YRS	30	9.1	37	5	6	8	9	12	14	39
20-34	657	8.8	43	5	5	7	9	12	16	43
35-49	574	9.5	44	5	5	8	10	14	18	47
50-64	154	11.5	87	5	5	9	12	21	27	54
65+	14	14.0	185	2	2	10	19	37	39	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	4.6	52	1	1	3	5	8	11	89
B. Operated	765	9.0	18	5	6	8	10	12	14	22
2. MULTIPLE DX										
A. Not Operated	460	6.5	32	1	2	5	8	13	19	27
B. Operated	1429	9.4	50	5	5	8	10	14	18	45
1. SINGLE DX	844	8.6	22	3	5	8	10	12	14	24
2. MULTIPLE DX	1889	8.7	47	3	4	7	10	14	19	40
A. NOT OPERATED	539	6.2	35	1	2	4	8	12	18	29
B. OPERATED	2194	9.3	39	5	5	8	10	13	17	39
TOTAL 0-19 YRS	131	6.3	20	2	2	6	8	10	12	27
20-34	1237	8.4	34	3	5	7	9	12	15	36
35-49	959	9.0	40	3	5	8	10	14	17	38
50-64	344	9.5	57	2	3	8	11	17	24	34
65+	62	8.9	68	2	2	6	11	19	29	40
GRAND TOTAL	2733	8.7	39	3	4	8	10	13	17	37

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	4.3	18	1	1	3	5	8	9	28
20-34	60	5.1	16	1	2	4	6	9	12	23
35-49	64	4.5	11	1	1	4	6	9	11	16
50-64	48	5.3	24	1	1	3	7	13	15	23
65+	37	6.1	30	1	2	4	8	13	19	27
B. *Operated*										
0-19 YRS	41	4.0	9	1	1	3	5	8	11	14
20-34	60	4.7	13	1	2	4	6	9	11	22
35-49	65	4.5	11	1	2	3	5	10	12	14
50-64	62	3.7	12	1	1	3	4	7	12	19
65+	38	6.3	28	1	2	5	7	12	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	6.3	40	1	2	4	7	13	19	34
20-34	142	5.3	18	1	2	4	7	9	13	25
35-49	251	6.2	23	2	2	5	8	12	14	28
50-64	263	7.1	37	1	2	6	9	14	18	30
65+	265	9.2	45	3	3	8	12	17	24	44
B. *Operated*										
0-19 YRS	34	8.1	117	1	1	6	10	14	18	64
20-34	108	7.5	28	2	2	7	9	14	17	32
35-49	160	7.8	31	2	2	7	10	14	18	30
50-64	156	8.8	67	2	2	6	11	20	24	43
65+	102	13.0	104	2	3	10	17	27	34	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	4.9	19	1	1	4	6	9	13	24
B. *Operated*	266	4.5	14	1	2	4	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	1022	7.1	35	2	2	5	9	14	19	29
B. *Operated*	560	9.0	63	2	2	7	11	18	24	38
1. SINGLE DX	562	4.7	17	1	1	4	6	9	12	23
2. MULTIPLE DX	1582	7.8	45	2	2	6	10	15	21	36
A. NOT OPERATED	1318	6.6	32	1	2	5	8	13	17	29
B. OPERATED	826	7.6	51	2	2	5	10	16	22	36
TOTAL 0-19 YRS	263	5.5	39	1	1	4	7	10	16	30
20-34	370	5.8	21	1	2	5	7	10	14	25
35-49	540	6.3	24	2	2	5	8	12	14	28
50-64	529	7.0	44	1	2	5	9	15	20	36
65+	442	9.6	60	2	3	7	12	20	25	39
GRAND TOTAL	2144	7.0	40	1	2	5	9	14	19	31

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	20	3.4	4	1	1	3	4	7	8	8
35-49	46	4.8	13	2	2	4	6	8	10	22
50-64	62	5.7	26	2	2	4	6	10	13	31
65+	69	5.6	9	2	2	5	7	10	12	13
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	7	9.9	92	2	2	9	11	26	30	30
50-64	13	4.4	12	1	1	3	6	8	13	14
65+	10	5.3	11	2	2	4	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	20	5.6	20	1	2	4	7	11	16	20
35-49	110	5.8	12	2	3	5	7	10	12	21
50-64	220	7.1	20	3	3	6	9	13	15	23
65+	373	7.9	31	3	3	6	10	14	18	31
B. *Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	4	9.0	77	3	3	5	14	22	22	22
35-49	15	10.8	67	2	3	9	15	20	30	33
50-64	37	13.6	152	3	3	8	16	36	42	43
65+	54	11.7	71	2	4	9	16	22	36	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	5.2	15	2	2	4	6	9	11	25
B. *Operated*	32	5.8	31	2	2	4	7	11	14	30
2. MULTIPLE DX										
A. *Not Operated*	725	7.3	25	2	3	6	9	13	17	26
B. *Operated*	112	12.0	96	2	3	9	16	27	39	65
1. SINGLE DX	230	5.3	17	2	2	4	6	10	12	28
2. MULTIPLE DX	837	7.9	37	2	3	6	10	15	19	36
A. NOT OPERATED	923	6.8	24	2	3	5	8	12	16	26
B. OPERATED	144	10.6	88	2	2	8	14	22	35	47
TOTAL 0-19 YRS	5	3.8	8	1	1	3	6	8	8	8
20-34	46	4.8	18	1	2	3	6	8	14	22
35-49	178	6.1	22	2	2	5	7	10	16	28
50-64	332	7.5	40	2	3	6	9	14	17	37
65+	506	7.9	34	2	3	6	10	15	19	35
GRAND TOTAL	1067	7.3	34	2	3	6	9	14	18	35

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.9	7	1	1	2	3	5	7	17
20-34	69	3.7	6	1	1	3	5	8	8	11
35-49	55	4.5	16	<1	1	4	6	8	11	25
50-64	82	5.2	13	1	2	4	7	10	11	20
65+	221	7.4	45	2	2	6	9	14	18	32
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	5	4.4	7	1	1	4	7	7	7	7
65+	6	15.5	107	3	3	14	22	31	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	699	4.2	15	1	2	3	5	7	11	19
20-34	420	4.4	11	1	2	4	6	8	11	17
35-49	569	5.8	22	1	2	5	7	11	15	24
50-64	1105	7.8	58	2	2	6	9	15	19	38
65+	4048	10.2	74	3	3	8	13	19	26	47
B. *Operated*										
0-19 YRS	26	8.0	36	1	3	6	9	20	21	22
20-34	36	8.3	33	1	2	7	11	15	17	30
35-49	58	13.4	223	2	3	9	15	25	42	92
50-64	94	15.7	182	2	4	12	20	32	40	73
65+	305	19.3	231	4	6	15	25	36	53	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	525	5.4	28	1	1	4	7	10	14	26
B. *Operated*	15	9.4	71	1	2	7	12	22	29	32
2. MULTIPLE DX										
A. *Not Operated*	6841	8.5	63	2	2	6	11	16	22	42
B. *Operated*	519	16.7	211	3	4	13	21	34	44	95
1. SINGLE DX	540	5.6	30	1	1	4	7	11	15	27
2. MULTIPLE DX	7360	9.1	77	2	2	7	11	18	25	46
A. NOT OPERATED	7366	8.3	61	2	2	6	10	16	22	42
B. OPERATED	534	16.5	208	3	4	13	21	33	44	95
TOTAL 0-19 YRS	824	4.1	16	1	1	3	5	7	11	20
20-34	526	4.8	13	1	1	4	6	9	11	18
35-49	684	6.3	43	1	2	5	8	12	17	31
50-64	1286	8.2	69	2	2	6	10	16	21	41
65+	4580	10.7	89	3	3	8	13	21	29	51
GRAND TOTAL	7900	8.8	75	2	2	6	11	17	24	45

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.7	5	1	1	3	5	6	7	13
20-34	34	4.5	5	2	2	4	6	8	9	10
35-49	71	5.0	11	1	2	4	7	9	11	16
50-64	72	6.0	8	2	3	6	8	10	12	14
65+	164	5.2	13	1	2	4	7	10	11	19
B. *Operated*										
0-19 YRS	5	3.8	1	2	2	4	4	5	5	5
20-34	13	4.4	6	1	1	5	6	7	8	8
35-49	22	5.5	12	2	2	5	7	10	13	16
50-64	24	7.5	13	3	3	7	10	13	14	15
65+	37	8.1	29	3	4	7	9	16	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	4.8	10	1	2	4	6	8	12	15
20-34	130	4.9	7	1	2	4	6	8	10	12
35-49	242	6.0	22	2	2	5	7	11	16	24
50-64	383	6.3	18	2	2	5	8	11	14	25
65+	1405	7.5	31	2	2	6	9	14	17	27
B. *Operated*										
0-19 YRS	15	5.3	22	1	2	4	6	10	17	20
20-34	60	7.7	31	2	2	7	10	16	21	25
35-49	162	8.1	21	3	3	7	10	14	16	25
50-64	165	9.9	41	3	4	8	11	18	25	33
65+	476	11.1	45	4	5	9	14	20	25	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	389	5.1	10	1	2	4	7	9	11	15
B. *Operated*	101	6.7	19	2	3	6	8	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	2259	6.9	27	2	2	6	8	13	16	26
B. *Operated*	878	10.0	40	3	4	8	12	18	23	33
1. SINGLE DX	490	5.4	13	1	2	5	7	10	12	18
2. MULTIPLE DX	3137	7.8	32	2	3	6	9	14	18	28
A. NOT OPERATED	2648	6.6	25	2	2	5	8	12	15	24
B. OPERATED	979	9.7	39	3	4	8	12	18	22	33
TOTAL 0-19 YRS	167	4.5	9	1	2	4	6	8	10	15
20-34	237	5.5	14	2	2	5	7	10	11	22
35-49	497	6.5	21	2	2	5	8	12	16	23
50-64	644	7.2	25	2	3	6	9	12	17	28
65+	2082	8.2	36	2	3	7	10	15	19	31
GRAND TOTAL	3627	7.4	30	2	3	6	9	14	18	28

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	409	4.5	9	1	1	4	6	8	10	14
20-34	610	5.8	14	1	2	5	7	10	12	21
35-49	100	5.4	9	1	2	5	8	9	10	15
50-64	10	4.7	6	1	1	4	7	8	8	8
65+	3	6.0	7	3	3	7	8	8	8	8
B. *Operated*										
0-19 YRS	3	9.0	19	6	6	7	12	14	14	14
20-34	11	11.5	22	1	6	11	14	18	19	19
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	415	6.1	27	1	2	5	8	11	15	31
20-34	653	7.6	31	2	3	6	9	14	19	31
35-49	145	8.1	44	2	3	6	10	16	21	38
50-64	54	8.9	48	2	2	7	10	20	25	28
65+	16	10.9	108	3	5	7	13	19	38	46
B. *Operated*										
0-19 YRS	24	8.3	26	1	2	8	10	14	19	23
20-34	71	15.9	173	2	3	13	22	31	46	93
35-49	20	19.9	220	5	6	16	25	38	55	67
50-64	8	9.4	98	<1	1	7	11	26	32	32
65+	4	18.8	154	4	4	20	29	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1132	5.3	12	1	2	5	7	10	11	17
B. *Operated*	17	9.8	24	1	2	10	13	16	18	19
2. MULTIPLE DX										
A. *Not Operated*	1283	7.3	34	2	2	6	9	14	19	32
B. *Operated*	127	14.8	158	2	3	11	21	30	43	75
1. SINGLE DX	1149	5.3	12	1	2	5	7	10	12	17
2. MULTIPLE DX	1410	7.9	49	2	2	6	9	16	22	36
A. NOT OPERATED	2415	6.3	24	1	2	5	8	12	15	27
B. OPERATED	144	14.2	145	2	3	11	19	30	42	70
TOTAL 0-19 YRS	851	5.4	19	1	1	4	7	10	13	23
20-34	1345	7.2	36	2	2	6	9	13	18	31
35-49	266	8.0	56	2	2	6	9	16	21	39
50-64	72	8.4	48	2	2	7	10	19	26	31
65+	25	11.2	103	3	4	7	13	28	34	46
GRAND TOTAL	2559	6.8	34	1	2	5	8	12	17	31

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	2.3	9	<1	<1	1	3	5	7	17
20-34	69	4.1	10	1	1	4	6	8	9	14
35-49	61	4.4	10	1	1	4	6	9	10	14
50-64	130	4.7	16	<1	1	3	7	10	13	19
65+	477	4.5	20	1	1	3	6	9	12	20
B. *Operated*										
0-19 YRS	26	5.3	25	1	1	5	6	11	15	25
20-34	26	6.6	21	1	2	6	8	15	16	17
35-49	20	8.0	39	1	2	6	10	15	22	28
50-64	48	9.5	39	3	3	7	11	18	23	28
65+	131	9.8	77	3	3	7	12	18	24	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	4.5	21	1	1	3	5	10	13	25
20-34	172	5.6	34	1	1	4	7	11	17	33
35-49	235	6.4	27	1	2	5	9	13	16	24
50-64	620	6.4	32	1	1	5	8	13	18	29
65+	2277	7.6	49	1	2	6	10	15	20	33
B. *Operated*										
0-19 YRS	43	7.1	79	1	2	5	9	12	17	57
20-34	77	8.2	48	2	2	7	10	15	20	41
35-49	138	10.7	75	2	3	9	13	19	24	45
50-64	290	11.4	90	3	4	9	14	21	27	57
65+	815	12.8	92	3	4	10	16	24	31	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	915	4.1	16	<1	1	3	5	9	11	19
B. *Operated*	251	8.6	57	2	3	7	11	16	22	34
2. MULTIPLE DX										
A. *Not Operated*	3447	7.1	43	1	2	5	9	14	19	31
B. *Operated*	1363	11.8	89	3	4	9	15	23	30	53
1. SINGLE DX	1166	5.0	29	<1	1	3	7	10	14	27
2. MULTIPLE DX	4810	8.4	61	1	2	7	11	17	22	40
A. NOT OPERATED	4362	6.5	39	1	1	5	8	13	18	30
B. OPERATED	1614	11.3	86	2	3	9	14	22	28	51
TOTAL 0-19 YRS	390	3.9	24	<1	<1	2	5	8	12	25
20-34	344	6.0	33	1	1	4	8	12	16	33
35-49	454	7.5	44	1	2	6	9	14	19	38
50-64	1088	7.6	51	1	1	6	10	16	20	36
65+	3700	8.4	63	1	2	6	11	17	23	40
GRAND TOTAL	5976	7.8	56	1	1	6	10	16	22	37

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.1	4	<1	1	4	5	7	8	8
20-34	10	4.1	7	1	1	4	6	7	8	8
35-49	5	5.2	6	3	3	4	7	9	9	9
50-64	2	18.0	288	6	6	18	30	30	30	30
65+										
B. *Operated*										
0-19 YRS										
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.2	14	1	1	3	5	10	12	18
20-34	40	6.4	25	1	2	4	10	13	17	22
35-49	5	6.4	11	3	3	7	9	10	10	10
50-64	7	8.4	79	1	1	4	12	24	26	26
65+	7	7.0	11	2	2	8	9	11	11	11
B. *Operated*										
0-19 YRS	6	4.2	11	1	1	4	5	9	10	10
20-34	10	16.1	111	3	3	13	20	33	36	36
35-49	4	16.3	126	3	3	17	25	27	27	27
50-64	1	24.0		24	24	24	24	24	24	24
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	5.0	23	1	1	4	6	8	9	30
B. *Operated*	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	100	5.7	23	1	1	4	8	12	15	24
B. *Operated*	22	12.8	105	1	2	11	20	28	32	36
1. SINGLE DX	38	5.2	22	1	1	4	6	8	9	30
2. MULTIPLE DX	122	7.0	45	1	2	4	10	15	23	32
A. NOT OPERATED	136	5.5	23	1	1	4	7	12	14	27
B. OPERATED	24	12.5	97	[illegible]	3	10	19	27	32	36
TOTAL 0-19 YRS	66	4.2	11	1	1	3	5	8	12	17
20-34	62	7.6	48	1	2	5	11	17	21	35
35-49	14	8.8	58	3	3	6	10	24	26	27
50-64	10	11.9	119	1	2	7	24	28	30	30
65+	8	7.0	9	2	2	8	9	10	11	11
GRAND TOTAL	160	6.5	40	1	1	4	8	13	21	30

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	4.2	13	1	1	3	5	9	11	19
20-34	52	4.2	10	1	1	3	5	8	10	17
35-49	29	4.9	7	1	2	5	7	9	10	11
50-64	69	4.9	27	<1	<1	4	6	9	12	33
65+	96	5.6	19	1	1	4	8	13	15	18
B. *Operated*										
0-19 YRS	86	6.0	12	2	2	5	7	11	13	18
20-34	57	7.2	18	2	2	7	9	13	15	23
35-49	47	7.4	26	2	3	7	8	11	17	28
50-64	47	10.1	76	2	3	8	12	21	27	44
65+	81	8.8	31	1	2	8	12	16	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	4.4	12	1	1	4	6	8	11	17
20-34	122	5.2	15	2	2	4	6	9	11	22
35-49	116	5.9	16	2	2	5	8	11	14	20
50-64	312	6.0	26	<1	<1	5	8	13	16	22
65+	491	8.4	54	1	2	7	11	17	22	40
B. *Operated*										
0-19 YRS	62	6.8	17	2	2	7	8	13	15	20
20-34	92	10.2	125	2	3	7	14	18	25	73
35-49	94	9.6	34	3	3	8	13	18	22	27
50-64	191	11.6	85	2	3	9	14	22	31	47
65+	335	13.1	107	3	4	10	17	25	34	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	4.7	16	1	1	4	6	9	12	19
B. *Operated*	318	7.7	31	2	3	7	9	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	1184	6.7	36	1	1	5	9	14	18	30
B. *Operated*	774	11.4	91	2	3	9	14	22	28	48
1. SINGLE DX	722	6.0	25	1	1	5	8	12	15	25
2. MULTIPLE DX	1958	8.6	63	1	2	7	11	18	23	41
A. NOT OPERATED	1588	6.2	32	1	1	5	8	13	17	29
B. OPERATED	1092	10.4	76	2	3	8	13	20	26	45
TOTAL 0-19 YRS	449	5.0	14	1	1	4	6	9	12	19
20-34	323	6.8	51	1	2	5	8	14	17	31
35-49	286	7.2	26	2	2	6	9	14	17	26
50-64	619	7.9	55	<1	1	6	10	16	22	40
65+	1003	9.7	73	2	2	8	12	20	26	42
GRAND TOTAL	2680	7.9	84	1	2	6	10	16	21	39

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	559	2.2	2	1	1	2	3	4	5	7
20-34	138	2.5	2	1	1	2	3	5	6	8
35-49	23	2.2	2	1	1	2	3	4	5	5
50-64	10	4.2	7	2	2	3	5	8	11	11
65+										
B. *Operated*										
0-19 YRS	426	3.9	3	2	2	4	5	6	7	11
20-34	139	4.9	62	2	2	4	5	7	8	24
35-49	20	5.6	16	3	3	5	6	7	14	22
50-64	2	5.0		5	5	5	5	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	292	2.8	6	1	1	2	3	5	6	9
20-34	49	3.3	7	1	1	3	3	5	7	17
35-49	11	4.5	5	1	2	4	7	8	8	8
50-64	7	6.4	9	2	3	6	8	11	11	11
65+	5	6.0	19	1	1	6	9	12	12	12
B. *Operated*										
0-19 YRS	146	5.2	17	2	2	4	6	9	12	24
20-34	80	6.5	16	3	3	5	8	12	13	25
35-49	16	6.0	5	3	4	6	7	10	10	10
50-64	5	10.2	69	6	6	7	12	25	25	25
65+	2	35.0	1458	8	8	35	62	62	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	730	2.3	2	1	1	2	3	4	5	8
B. *Operated*	588	4.2	18	2	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	364	3.0	7	1	1	2	4	5	7	12
B. *Operated*	249	6.0	30	2	3	5	7	9	13	26
1. SINGLE DX	1318	3.2	10	1	1	3	4	5	6	10
2. MULTIPLE DX	613	4.2	18	1	1	3	5	8	9	23
A. NOT OPERATED	1094	2.5	4	1	1	2	3	4	5	9
B. OPERATED	837	4.8	22	2	2	4	5	7	9	19
TOTAL 0-19 YRS	1423	3.2	6	1	1	3	4	5	7	11
20-34	406	4.2	28	1	1	3	5	7	9	16
35-49	70	4.4	9	1	1	4	6	7	8	20
50-64	24	6.2	22	2	3	5	7	11	15	25
65+	8	13.0	404	1	2	7	10	47	62	62
GRAND TOTAL	1931	3.5	13	1	1	3	4	6	8	13

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	4.4	6	1	2	4	6	8	10	12
20-34	31	4.4	9	1	1	4	6	7	8	16
35-49	18	4.9	6	2	2	5	6	7	11	13
50-64	3	5.7	10	2	2	7	8	8	8	8
65+	5	6.8	5	4	4	6	8	10	10	10
B. *Operated*										
0-19 YRS	179	3.3	8	1	1	2	4	7	8	13
20-34	116	3.4	7	<1	1	3	4	7	9	16
35-49	61	3.8	8	1	1	3	4	9	11	12
50-64	35	3.5	5	2	2	3	3	7	9	12
65+	20	4.1	11	1	1	3	5	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	4.4	10	1	2	4	5	7	8	21
20-34	22	4.9	15	2	2	4	5	8	15	19
35-49	17	5.7	7	1	2	6	8	9	10	10
50-64	9	6.4	23	3	3	4	9	15	15	15
65+	20	7.0	26	<1	2	6	9	11	18	24
B. *Operated*										
0-19 YRS	102	4.2	10	1	1	3	5	9	12	14
20-34	50	5.2	14	1	2	4	7	10	15	15
35-49	36	6.4	62	1	2	4	7	14	21	43
50-64	34	7.4	49	2	2	5	10	16	24	33
65+	23	9.2	70	1	2	6	11	22	28	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	4.5	7	1	2	4	6	8	10	14
B. *Operated*	411	3.5	8	1	1	2	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	177	5.0	13	1	2	4	6	8	11	23
B. *Operated*	245	5.6	32	1	2	4	7	12	15	29
1. SINGLE DX	622	3.8	8	1	1	3	5	7	9	13
2. MULTIPLE DX	422	5.4	24	1	2	4	6	10	15	27
A. NOT OPERATED	388	4.7	10	1	2	4	6	8	10	17
B. OPERATED	656	4.3	18	1	1	3	5	9	12	22
TOTAL 0-19 YRS	544	4.0	9	1	1	3	5	8	9	14
20-34	219	4.1	10	1	1	3	5	8	10	16
35-49	132	4.9	23	1	2	4	6	9	11	26
50-64	81	5.5	29	2	2	3	6	13	15	31
65+	68	6.9	38	1	2	5	9	12	21	29
GRAND TOTAL	1044	4.4	15	1	1	3	5	9	11	20

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	7.7	42	<1	1	5	10	20	21	22
20-34	45	9.6	130	1	1	6	11	22	32	61
35-49	7	6.4	18	1	2	5	10	13	13	13
50-64	14	9.4	98	1	2	6	9	31	32	32
65+	22	11.6	341	<1	1	7	12	17	47	91
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	12.5	324	<1	1	8	13	28	59	75
20-34	42	9.7	83	1	2	7	12	21	31	42
35-49	25	9.6	94	1	2	6	13	18	33	43
50-64	50	12.3	48	2	4	12	16	21	26	32
65+	95	11.1	86	3	3	9	16	21	24	53
B. *Operated*										
0-19 YRS										
20-34	4	20.3	502	2	2	14	37	50	50	50
35-49	2	12.5	13	10	10	12	15	15	15	15
50-64										
65+	9	18.1	169	5	6	16	24	40	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	9.5	148	1	1	6	12	20	29	75
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	229	11.0	94	2	2	9	15	21	28	49
B. *Operated*	15	17.9	211	2	4	15	24	45	49	50
1. SINGLE DX	104	9.5	147	1	1	6	11	20	29	75
2. MULTIPLE DX	244	11.5	103	2	2	9	15	22	29	51
A. NOT OPERATED	332	10.6	111	1	2	8	14	21	28	63
B. OPERATED	16	17.1	207	3	4	13	23	44	48	50
TOTAL 0-19 YRS	32	10.2	192	<1	1	7	12	23	28	75
20-34	91	10.1	123	1	2	7	12	22	35	56
35-49	34	9.1	74	1	2	6	13	18	28	43
50-64	64	11.7	59	2	3	10	15	22	31	32
65+	127	11.6	135	2	3	9	16	21	26	76
GRAND TOTAL	348	10.9	117	1	2	8	14	22	29	61

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	3.1	18	1	1	2	3	5	11	41
20-34	148	5.0	51	1	1	3	6	9	15	50
35-49	79	5.5	21	<1	1	4	8	13	15	19
50-64	157	9.7	93	1	2	6	14	21	29	63
65+	833	12.3	148	2	3	8	16	25	37	64
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	7.3	24	4	4	5	11	13	13	13
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	11	8.5	38	3	3	6	11	19	22	22
65+	16	11.4	62	2	3	10	14	23	30	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	6.2	50	1	1	4	8	12	18	67
20-34	261	8.2	60	1	2	6	11	17	25	36
35-49	205	10.3	64	2	3	8	14	22	26	37
50-64	461	12.7	125	2	3	10	17	26	34	77
65+	3915	12.9	124	3	4	10	16	27	35	59
B. *Operated*										
0-19 YRS	5	22.0	637	8	8	12	26	67	67	67
20-34	13	8.0	79	1	2	6	10	41	87	99+
35-49	7	15.0	69	6	6	11	23	26	27	27
50-64	43	14.4	104	4	5	12	18	23	32	61
65+	286	22.2	262	4	7	18	29	49	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1347	9.9	122	1	2	6	13	21	33	61
B. *Operated*	33	9.5	47	3	3	8	13	18	24	32
2. MULTIPLE DX										
A. *Not Operated*	4967	12.4	119	2	3	9	16	26	34	58
B. *Operated*	354	20.6	248	4	6	16	27	47	61	99+
1. SINGLE DX	1380	9.9	120	1	2	6	13	21	32	61
2. MULTIPLE DX	5321	12.9	131	2	3	10	17	27	36	63
A. NOT OPERATED	6314	11.8	120	2	3	9	15	25	34	58
B. OPERATED	387	19.6	240	3	5	15	26	48	59	99+
TOTAL 0-19 YRS	261	4.9	51	1	1	3	6	11	17	66
20-34	425	7.1	59	1	1	4	9	16	24	42
35-49	293	9.0	57	1	2	7	12	20	25	36
50-64	672	12.0	116	2	3	9	17	25	33	70
65+	5050	13.3	140	3	3	10	17	28	37	65
GRAND TOTAL	6701	12.3	131	2	3	9	16	26	35	63

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	16.0		16	16	16	16	16	16	16
50-64	8	8.4	10	6	6	7	10	14	14	14
65+	28	9.1	27	3	4	8	12	18	20	21
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	16.0	18	13	13	16	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	14	12.6	87	3	5	9	16	30	34	35
65+	194	13.0	139	3	4	9	15	24	37	65
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	19.0	392	5	5	19	33	33	33	33
65+	13	15.5	130	5	5	11	23	31	41	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	9.2	24	3	4	7	12	16	20	21
B. *Operated*	2	16.0	18	13	13	16	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	208	13.0	135	3	4	9	15	24	36	63
B. *Operated*	15	15.9	141	5	5	11	26	33	40	43
1. SINGLE DX	39	9.5	25	3	4	8	13	18	20	21
2. MULTIPLE DX	223	13.2	135	3	4	10	16	27	36	60
A. NOT OPERATED	245	12.4	120	3	4	9	15	24	34	57
B. OPERATED	17	15.9	125	5	5	13	23	32	39	43
TOTAL 0-19 YRS										
20-34										
35-49	1	16.0		16	16	16	16	16	16	16
50-64	24	11.7	78	4	6	8	13	29	34	35
65+	237	12.7	126	3	4	10	15	24	35	58
GRAND TOTAL	262	12.6	121	3	4	9	15	24	34	56

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	119	3.8	8	1	1	3	5	7	10	14
35-49	239	4.3	25	1	1	3	5	8	11	23
50-64	133	4.8	15	1	2	4	6	9	12	23
65+	46	8.1	59	1	2	5	11	19	23	33
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.9	12	2	2	6	9	10	11	11
20-34	302	5.9	25	1	2	5	7	11	15	29
35-49	724	6.7	45	1	2	5	8	13	18	35
50-64	620	8.4	64	2	2	6	10	16	24	40
65+	274	9.3	58	2	3	7	12	18	25	36
B. *Operated*										
0-19 YRS										
20-34	9	10.6	26	3	4	9	14	18	20	20
35-49	32	12.4	88	3	3	10	17	27	33	39
50-64	31	14.4	83	4	5	11	20	30	33	35
65+	18	21.3	309	3	5	14	39	48	54	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	4.6	23	1	1	3	5	9	13	23
B. *Operated*	3	6.7	5	4	4	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1933	7.5	51	2	2	5	9	15	21	36
B. *Operated*	90	14.7	133	3	4	11	18	33	39	54
1. SINGLE DX	542	4.6	22	1	1	3	5	9	13	23
2. MULTIPLE DX	2023	7.8	57	2	2	6	10	16	22	39
A. NOT OPERATED	2472	6.9	46	1	2	5	8	14	19	35
B. OPERATED	93	14.4	130	3	4	11	18	33	39	54
TOTAL 0-19 YRS	15	5.4	13	1	2	4	9	10	11	11
20-34	431	5.4	23	1	1	4	7	11	14	23
35-49	996	6.3	44	1	2	4	8	12	18	35
50-64	784	8.0	59	2	2	6	10	16	22	37
65+	339	9.8	78	2	2	7	12	21	27	50
GRAND TOTAL	2565	7.1	51	1	2	5	9	14	20	36

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	6.1	63	<1	<1	3	8	12	24	36
20-34	39	6.4	62	1	1	4	6	18	23	39
35-49	17	3.5	4	1	1	3	4	7	8	8
50-64	17	4.9	8	1	1	5	6	9	10	11
65+	10	10.1	89	<1	1	7	16	24	32	32
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	16.0		16	16	16	16	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	7.8	32	1	1	8	12	16	18	18
20-34	82	7.1	37	1	2	5	9	14	23	27
35-49	30	9.6	69	2	2	7	12	23	29	31
50-64	62	10.0	65	2	3	8	13	19	29	38
65+	64	8.9	59	2	2	6	12	18	22	43
B. *Operated*										
0-19 YRS										
20-34	3	11.0	37	7	7	8	15	18	18	18
35-49	3	10.7	12	7	7	11	13	14	14	14
50-64	2	29.5	1013	7	7	29	52	52	52	52
65+	4	15.0	38	6	6	17	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	6.0	47	1	1	4	7	13	19	37
B. *Operated*	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	255	8.6	53	1	2	6	11	18	24	35
B. *Operated*	12	15.3	159	6	6	12	18	29	49	52
1. SINGLE DX	104	6.1	48	1	1	4	7	13	19	37
2. MULTIPLE DX	267	8.9	59	2	2	7	12	19	24	37
A. NOT OPERATED	358	7.8	53	1	2	5	10	17	23	36
B. OPERATED	13	15.4	146	6	7	14	18	26	47	52
TOTAL 0-19 YRS	37	6.9	48	<1	1	5	10	14	18	36
20-34	124	7.0	45	1	1	5	9	17	23	31
35-49	50	7.6	52	1	2	5	9	19	24	31
50-64	82	9.5	78	2	2	7	12	17	29	48
65+	78	9.4	62	2	2	6	13	19	22	41
GRAND TOTAL	371	8.1	58	1	2	6	10	18	23	38

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	16.7	265	2	2	12	23	52	63	99+
20-34	1190	11.8	122	1	2	9	16	25	32	56
35-49	619	11.7	80	1	2	10	16	23	29	41
50-64	250	13.8	131	2	2	11	18	27	35	61
65+	44	13.0	82	2	2	11	20	27	30	32
B. *Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	2	21.0	8	19	19	21	23	23	23	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	21.9	445	2	4	14	30	57	75	77
20-34	325	13.8	174	1	2	11	18	27	39	71
35-49	276	12.7	108	2	3	10	18	25	31	43
50-64	181	15.9	114	3	5	13	21	33	38	49
65+	55	18.9	176	7	8	17	22	35	41	80
B. *Operated*										
0-19 YRS										
20-34	22	17.8	95	4	6	19	21	34	67	99+
35-49	16	20.3	161	7	8	15	31	39	46	49
50-64	7	22.7	175	7	7	20	34	41	42	42
65+	8	26.5	167	12	12	29	39	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2188	12.2	117	1	2	10	16	25	32	57
B. *Operated*	3	18.0	31	12	12	19	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	878	14.6	158	2	3	12	19	29	38	69
B. *Operated*	53	20.5	137	6	8	19	29	42	51	99+
1. SINGLE DX	2191	12.2	117	1	2	10	16	25	32	57
2. MULTIPLE DX	931	15.0	158	2	3	12	20	30	39	75
A. NOT OPERATED	3066	12.9	130	1	2	10	17	27	34	58
B. OPERATED	56	20.4	131	6	8	19	29	41	50	99+
TOTAL 0-19 YRS	126	18.4	327	2	3	12	25	53	73	99+
20-34	1538	12.3	133	1	2	10	16	26	33	58
35-49	913	12.2	91	1	2	10	17	24	30	43
50-64	438	14.8	126	2	3	12	20	29	37	52
65+	107	17.0	149	2	5	14	23	32	40	89
GRAND TOTAL	3122	13.0	131	1	2	10	18	27	34	59

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	14.9	138	3	4	12	19	28	35	61
20-34	125	8.6	72	1	2	6	10	19	22	70
35-49	23	7.3	22	2	3	6	9	16	17	18
50-64	7	14.1	96	4	5	10	19	30	33	33
65+	3	8.7	6	6	6	9	10	11	11	11
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	30.2	1009	4	4	23	34	84	90	90
20-34	29	11.3	83	2	2	8	20	24	28	31
35-49	13	10.5	42	3	4	10	14	22	22	22
50-64	5	13.2	32	5	5	14	17	20	20	20
65+	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-19 YRS										
20-34	3	19.3	302	6	6	13	32	39	39	39
35-49	1	19.0		19	19	19	19	19	19	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	190	9.7	83	1	3	7	13	20	26	61
B. Operated										
2. MULTIPLE DX										
A. Not Operated	54	13.4	187	2	2	10	20	25	31	88
B. Operated	4	19.3	202	6	6	16	29	39	39	39
1. SINGLE DX	190	9.7	83	1	3	7	13	20	26	61
2. MULTIPLE DX	58	13.8	187	2	2	11	20	27	33	86
A. NOT OPERATED	244	10.5	107	2	3	7	14	21	29	62
B. OPERATED	4	19.3	202	6	6	16	29	39	39	39
TOTAL 0-19 YRS	38	17.3	284	3	4	12	20	34	51	90
20-34	157	9.3	79	1	2	6	13	21	26	59
35-49	37	8.8	33	2	3	7	11	18	21	22
50-64	12	13.8	64	4	5	12	18	24	32	33
65+	4	9.3	6	6	6	10	11	11	11	11
GRAND TOTAL	248	10.7	109	2	3	8	14	21	31	61

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	280	16.1	271	1	2	10	22	37	56	97
20-34	1995	12.3	151	1	2	9	16	27	37	62
35-49	1113	12.1	118	1	2	10	16	26	32	57
50-64	952	13.3	131	2	2	10	18	28	34	61
65+	99	13.7	158	1	2	11	18	28	36	68
B. Operated										
0-19 YRS	2	25.0	1152	<1	<1	24	49	49	49	49
20-34	3	15.0	151	6	6	10	24	29	29	29
35-49	4	19.8	176	7	7	19	31	34	34	34
50-64	4	39.8	445	9	9	46	53	57	57	57
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	94	22.1	360	2	3	17	28	47	60	92
20-34	795	13.5	145	1	2	10	19	29	39	57
35-49	602	13.0	118	2	3	10	17	26	35	61
50-64	424	14.9	180	2	4	11	18	29	42	70
65+	161	15.8	126	3	4	14	21	33	37	50
B. Operated										
0-19 YRS	4	36.5	894	11	11	32	61	71	71	71
20-34	31	23.3	201	4	6	23	29	37	62	64
35-49	40	21.1	241	3	4	19	28	41	58	66
50-64	25	23.7	327	5	6	22	31	52	63	68
65+	12	27.6	389	9	10	21	37	60	69	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4039	12.7	148	1	2	9	17	28	36	64
B. Operated	13	25.6	384	1	5	28	45	51	56	57
2. MULTIPLE DX										
A. Not Operated	2076	14.2	156	2	3	11	19	29	40	63
B. Operated	112	23.5	282	4	5	21	30	52	64	70
1. SINGLE DX	4052	12.7	150	1	2	9	17	28	36	64
2. MULTIPLE DX	2188	14.7	166	2	3	11	20	30	42	66
A. NOT OPERATED	6115	13.2	151	1	2	10	18	28	37	64
B. OPERATED	125	23.8	293	4	5	21	30	52	63	70
TOTAL 0-19 YRS	380	17.8	308	1	2	12	25	43	59	96
20-34	2824	12.8	151	1	2	9	17	28	38	62
35-49	1759	12.7	123	2	2	10	17	26	33	60
50-64	1005	14.3	152	2	3	11	19	29	38	66
65+	272	15.6	155	2	4	13	21	32	39	58
GRAND TOTAL	6240	13.4	156	1	2	10	18	29	38	64

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	7.3	52	3	3	3	9	19	25	28
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.7	343	<1	<1	3	5	32	61	64
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	7.3	52	3	3	3	9	19	25	28
B. *Operated*	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	11	8.7	343	<1	<1	3	5	32	61	64
B. *Operated*										
1. SINGLE DX	21	7.2	49	3	3	3	9	19	25	28
2. MULTIPLE DX	11	8.7	343	<1	<1	3	5	32	61	64
A. NOT OPERATED	31	7.8	148	1	2	3	8	19	28	64
B. OPERATED	1	7.0		7	7	7	7	7	7	7
TOTAL 0-19 YRS	32	7.8	143	1	2	3	8	18	27	64
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**32**	**7.8**	**143**	**1**	**2**	**3**	**8**	**18**	**27**	**64**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	12.4	141	1	1	9	17	33	44	99+
20-34	654	12.7	178	2	2	8	16	28	38	69
35-49	637	13.1	131	2	3	10	17	27	35	57
50-64	600	15.9	161	2	3	13	21	32	41	62
65+	378	20.8	219	4	5	17	29	42	50	75
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	2	20.5	25	17	17	20	24	24	24	24
35-49	3	53.0	1453	30	30	32	81	97	97	97
50-64	3	18.3	25	13	13	19	22	23	23	23
65+	1	44.0		44	44	44	44	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	13.7	262	1	1	9	15	38	50	73
20-34	597	13.3	191	1	2	9	17	31	42	83
35-49	713	13.7	166	2	3	10	18	29	39	67
50-64	669	15.6	179	2	4	12	21	32	42	69
65+	644	18.6	205	4	5	15	25	38	47	67
B. *Operated*										
0-19 YRS	4	38.0	802	10	10	33	58	76	76	76
20-34	42	17.8	352	3	4	12	23	44	63	85
35-49	63	21.8	165	5	8	20	28	38	44	70
50-64	57	25.9	285	7	8	22	34	47	64	84
65+	47	25.4	252	5	6	24	32	46	60	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2354	14.9	174	2	3	11	20	32	42	65
B. *Operated*	10	32.1	597	13	15	23	32	70	97	97
2. MULTIPLE DX										
A. *Not Operated*	2737	15.2	192	2	3	11	20	32	44	70
B. *Operated*	213	23.2	271	4	6	20	30	44	61	79
1. SINGLE DX	2364	15.0	177	2	3	11	20	32	42	65
2. MULTIPLE DX	2950	15.8	202	2	3	12	21	34	45	71
A. NOT OPERATED	5091	15.1	184	2	3	11	20	32	43	69
B. OPERATED	223	23.6	286	5	6	20	31	44	62	85
TOTAL 0-19 YRS	204	13.7	229	1	1	9	17	37	51	91
20-34	1295	13.2	190	1	2	9	17	30	40	79
35-49	1416	13.8	158	2	3	10	18	29	37	63
50-64	1329	16.2	179	2	3	13	21	33	42	66
65+	1070	19.7	215	4	5	16	27	40	50	71
GRAND TOTAL	**5314**	**15.4**	**191**	**2**	**3**	**11**	**21**	**33**	**44**	**70**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	16.5	154	3	3	14	24	32	41	54
20-34	676	14.2	133	1	2	12	19	29	35	53
35-49	588	14.1	133	2	4	11	19	28	36	54
50-64	438	15.2	140	2	4	13	20	29	38	61
65+	185	18.3	141	3	5	17	24	30	38	64
B. *Operated*										
0-19 YRS										
20-34	3	20.7	230	7	7	27	68	99+	99+	99+
35-49	3	25.3	442	5	5	24	41	47	47	47
50-64	3	25.7	330	11	11	20	39	46	46	46
65+	3	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	16.7	122	2	3	16	24	34	42	99
20-34	359	15.1	157	2	3	12	20	32	42	61
35-49	397	14.4	129	2	4	12	19	28	35	54
50-64	389	15.6	135	3	4	13	20	31	36	60
65+	241	19.1	169	4	6	16	25	36	47	58
B. *Operated*										
0-19 YRS										
20-34	21	21.6	173	4	7	19	34	38	44	51
35-49	21	16.7	138	4	6	14	21	44	69	99+
50-64	33	28.8	465	8	11	21	37	54	86	99
65+	28	30.2	357	8	10	25	48	60	64	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1951	14.9	137	2	3	12	20	29	37	57
B. *Operated*	12	22.9	190	5	7	20	39	58	92	99+
2. MULTIPLE DX										
A. *Not Operated*	1437	15.8	146	3	4	13	21	32	40	58
B. *Operated*	103	25.3	330	6	8	20	35	51	62	99+
1. SINGLE DX	1963	14.9	138	2	3	12	20	29	37	57
2. MULTIPLE DX	1540	16.4	164	3	4	13	21	33	42	61
A. NOT OPERATED	3388	15.2	141	2	4	13	20	30	38	57
B. OPERATED	115	25.0	314	6	8	20	36	51	63	99+
TOTAL 0-19 YRS	115	16.6	139	2	3	15	24	33	42	70
20-34	1059	14.7	143	2	3	12	20	31	38	58
35-49	1009	14.3	132	2	4	12	19	28	36	54
50-64	863	15.9	157	2	4	13	20	31	39	65
65+	457	19.5	175	4	6	17	25	36	49	63
GRAND TOTAL	**3503**	**15.6**	**150**	**2**	**4**	**13**	**21**	**31**	**39**	**59**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	11.9	134	<1	1	9	17	29	38	74
20-34	492	10.1	94	1	1	8	14	20	26	57
35-49	282	10.6	96	1	2	8	15	23	30	53
50-64	238	11.8	105	1	2	9	16	26	32	54
65+	198	12.2	147	1	2	8	16	28	37	67
B. *Operated*										
0-19 YRS										
20-34	3	34.0	196	18	18	40	43	44	44	44
35-49	1	18.0		18	18	18	18	18	18	16
50-64	5	16.0	161	3	3	15	26	33	33	33
65+	9	12.2	94	4	4	10	14	29	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	11.9	204	1	1	8	13	29	35	82
20-34	308	11.3	139	1	2	8	14	26	32	58
35-49	274	11.9	111	2	3	8	15	25	35	56
50-64	332	11.8	118	2	3	9	15	23	31	57
65+	803	12.9	153	2	3	9	16	28	40	70
B. *Operated*										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	12	23.6	672	2	3	16	31	55	88	94
35-49	10	20.2	139	4	6	18	29	36	41	41
50-64	36	16.4	141	3	4	13	25	37	44	99+
65+	84	20.4	253	4	5	15	28	42	57	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1328	11.0	108	1	2	8	15	24	32	58
B. *Operated*	18	17.2	169	3	4	13	24	38	42	44
2. MULTIPLE DX										
A. *Not Operated*	1798	12.2	140	2	3	9	15	26	36	65
B. *Operated*	143	19.7	249	4	4	14	29	39	51	99+
1. SINGLE DX	1346	11.0	110	1	2	8	15	24	32	58
2. MULTIPLE DX	1941	12.8	152	2	3	9	16	28	38	67
A. NOT OPERATED	3126	11.7	127	1	2	8	15	25	34	62
B. OPERATED	161	19.4	239	4	4	14	29	39	48	99
TOTAL 0-19 YRS	200	12.0	163	1	1	8	15	30	37	77
20-34	815	10.8	124	1	2	8	14	23	30	59
35-49	567	11.4	105	1	2	8	15	24	32	54
50-64	611	12.1	115	1	2	9	16	26	33	55
65+	1094	13.4	163	2	3	9	17	29	41	72
GRAND TOTAL	**3287**	**12.1**	**135**	**1**	**2**	**9**	**15**	**26**	**35**	**65**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	4.6	46	<1	1	3	6	10	15	99+
20-34	451	6.2	55	1	1	4	7	13	21	37
35-49	378	6.1	59	1	1	4	7	13	19	33
50-64	219	5.7	28	1	2	4	7	12	18	30
65+	90	5.7	39	1	1	4	6	12	16	35
B. *Operated*										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	5	5.8	9	1	1	7	8	8	8	8
35-49	4	7.8	35	3	3	6	12	16	16	16
50-64	5	9.2	61	2	2	8	13	22	22	22
65+	2	18.5	41	14	14	18	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	6.2	78	1	1	4	6	12	18	54
20-34	724	6.3	36	1	2	5	8	13	18	32
35-49	731	6.8	48	1	2	5	8	14	19	29
50-64	583	7.1	51	1	2	5	8	14	23	35
65+	458	7.3	52	1	2	6	9	15	19	38
B. *Operated*										
0-19 YRS	10	6.4	68	1	1	2	9	19	27	27
20-34	45	8.5	57	1	1	6	11	20	24	36
35-49	54	10.4	57	2	2	9	15	18	27	37
50-64	32	8.8	23	3	3	8	11	14	20	22
65+	27	12.1	51	4	5	10	15	23	25	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1251	5.9	50	1	1	4	7	13	19	36
B. *Operated*	18	8.8	40	1	2	8	11	20	23	23
2. MULTIPLE DX										
A. *Not Operated*	2622	6.8	48	1	2	5	8	14	20	33
B. *Operated*	168	9.6	51	1	2	8	12	20	23	36
1. SINGLE DX	1269	5.9	49	1	1	4	7	13	19	35
2. MULTIPLE DX	2790	7.0	48	1	2	5	8	14	20	34
A. NOT OPERATED	3873	6.5	48	1	2	4	8	13	19	34
B. OPERATED	186	9.5	50	1	2	8	12	20	23	35
TOTAL 0-19 YRS	251	5.5	63	1	1	4	6	11	17	99
20-34	1225	6.4	44	1	1	4	8	13	19	34
35-49	1167	6.7	52	1	2	5	8	14	19	31
50-64	839	6.8	44	1	2	5	8	14	21	31
65+	577	7.4	51	1	2	5	9	15	20	37
GRAND TOTAL	4059	6.6	49	1	2	5	8	14	20	34

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	318	12.2	236	1	2	7	14	29	51	81
20-34	1818	9.0	96	1	1	6	12	20	28	55
35-49	1549	10.2	96	1	2	7	13	22	29	47
50-64	791	12.4	134	2	3	9	16	26	35	58
65+	339	14.1	133	3	4	10	19	30	40	53
B. *Operated*										
0-19 YRS										
20-34	7	22.7	130	5	7	27	32	35	35	35
35-49	12	14.3	397	1	2	8	13	40	69	74
50-64	9	22.7	249	5	7	17	40	45	45	45
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	364	13.8	230	1	2	8	18	30	50	86
20-34	1863	10.5	99	1	2	7	14	24	31	51
35-49	1945	11.2	101	2	3	8	15	24	31	47
50-64	1385	11.9	121	2	3	8	15	26	33	58
65+	898	11.7	109	3	3	9	14	22	30	56
B. *Operated*										
0-19 YRS	9	8.7	32	3	3	7	15	60	99+	99+
20-34	117	18.9	243	3	4	15	25	41	53	95
35-49	142	21.7	304	4	6	17	28	46	61	82
50-64	106	21.0	172	6	7	17	30	39	45	88
65+	74	19.4	175	4	6	15	27	36	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4815	10.5	117	1	2	7	14	23	31	57
B. *Operated*	28	19.1	282	2	4	14	28	43	48	74
2. MULTIPLE DX										
A. *Not Operated*	6455	11.4	114	2	3	8	15	24	32	56
B. *Operated*	448	20.2	233	4	6	16	28	40	52	88
1. SINGLE DX	4843	10.5	118	1	2	7	14	23	31	57
2. MULTIPLE DX	6903	11.9	126	2	3	8	15	26	34	58
A. NOT OPERATED	11270	11.0	115	2	2	8	14	24	31	56
B. OPERATED	476	20.1	235	4	5	16	28	40	51	86
TOTAL 0-19 YRS	691	13.0	231	1	2	7	16	30	51	87
20-34	3805	10.0	106	1	2	7	13	22	30	55
35-49	3648	11.2	112	2	3	8	14	24	31	52
50-64	2291	12.5	132	2	3	9	16	27	35	58
65+	1311	12.8	122	3	4	10	16	26	35	54
GRAND TOTAL	11746	11.4	123	2	2	8	15	25	33	58

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	267	8.3	115	1	1	5	10	24	36	99+
20-34	606	7.8	136	1	1	4	9	18	25	70
35-49	316	7.3	83	1	1	4	9	16	23	42
50-64	123	8.0	73	1	1	4	11	17	27	42
65+	41	10.5	106	2	2	7	12	25	32	51
B. *Operated*										
0-19 YRS	7	14.4	582	1	1	5	13	58	68	68
20-34	26	7.1	39	<1	2	5	9	18	23	24
35-49	31	7.1	21	3	3	7	8	14	19	20
50-64	39	5.2	10	2	2	5	6	10	12	17
65+	20	7.0	25	1	2	5	8	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	267	9.9	167	1	1	6	10	24	40	67
20-34	835	8.9	108	1	1	6	11	21	26	53
35-49	546	8.7	79	1	2	6	10	20	24	51
50-64	303	9.5	104	1	2	6	12	21	28	48
65+	219	10.9	100	2	3	7	14	24	31	50
B. *Operated*										
0-19 YRS	10	10.8	154	1	1	6	11	33	39	39
20-34	76	10.4	165	<1	<1	6	13	26	37	61
35-49	79	10.2	123	1	2	7	12	20	38	55
50-64	59	9.1	56	2	3	6	12	19	27	35
65+	31	13.3	160	3	3	9	19	27	42	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1353	7.9	113	1	1	4	9	19	27	69
B. *Operated*	123	6.9	53	2	2	5	7	14	18	36
2. MULTIPLE DX										
A. *Not Operated*	2170	9.3	107	1	2	6	11	21	27	52
B. *Operated*	255	10.4	125	<1	2	7	12	24	35	57
1. SINGLE DX	1476	7.8	108	1	1	4	9	18	26	68
2. MULTIPLE DX	2425	9.4	109	1	2	6	11	21	28	53
A. NOT OPERATED	3523	8.7	110	1	1	5	10	20	27	56
B. OPERATED	378	9.3	104	1	2	6	11	20	28	56
TOTAL 0-19 YRS	551	9.2	146	1	1	5	10	24	38	83
20-34	1543	8.5	121	1	1	5	10	20	26	64
35-49	972	8.3	82	1	1	5	10	19	24	50
50-64	524	8.8	86	1	2	6	11	19	27	44
65+	311	10.8	103	2	3	7	14	23	31	53
GRAND TOTAL	**3901**	**8.8**	**109**	**1**	**1**	**5**	**10**	**20**	**27**	**56**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	7.1	106	<1	1	2	7	27	29	42
20-34	730	9.1	105	1	1	4	11	28	30	37
35-49	1403	8.0	84	1	2	4	8	25	28	38
50-64	1001	7.9	73	1	2	4	8	24	28	36
65+	236	8.5	78	1	2	5	9	27	28	39
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	16.0	81	3	3	19	22	23	23	23
50-64	4	7.8	32	2	2	7	12	15	15	15
65+	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	13.7	228	1	1	6	26	37	44	56
20-34	1461	10.5	114	1	2	6	14	28	31	43
35-49	3167	9.2	83	1	2	6	11	24	29	38
50-64	2860	9.6	84	2	2	6	11	25	30	42
65+	1094	10.9	108	2	3	7	13	27	31	48
B. *Operated*										
0-19 YRS	4	11.3	296	2	2	3	20	37	37	37
20-34	55	17.5	152	1	4	14	27	31	35	57
35-49	143	17.5	182	3	4	14	23	30	41	74
50-64	124	16.4	113	3	5	15	24	29	40	63
65+	63	18.5	166	3	6	16	25	30	46	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3449	8.2	85	1	1	4	9	27	28	38
B. *Operated*	10	10.4	63	2	2	7	17	22	23	23
2. MULTIPLE DX										
A. *Not Operated*	8703	9.8	94	1	2	6	12	27	30	42
B. *Operated*	389	17.3	153	3	4	15	25	30	41	65
1. SINGLE DX	3459	8.3	85	1	1	4	9	27	28	38
2. MULTIPLE DX	9092	10.2	99	1	2	6	13	27	30	43
A. NOT OPERATED	12152	9.4	92	1	2	6	11	27	30	42
B. OPERATED	399	17.1	152	3	4	15	24	30	41	65
TOTAL 0-19 YRS	204	11.1	190	<1	1	3	20	30	42	53
20-34	2246	10.2	113	1	1	5	14	28	30	42
35-49	4717	9.1	89	1	2	5	11	25	29	41
50-64	3989	9.4	85	2	2	6	11	26	29	42
65+	1395	10.9	109	2	2	7	14	27	30	48
GRAND TOTAL	**12551**	**9.6**	**96**	**1**	**2**	**6**	**12**	**27**	**30**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	65	10.1	135	1	1	6	13	22	28	67
35-49	17	8.3	30	1	1	7	13	15	18	20
50-64	2	34.0	128	26	26	34	42	42	42	42
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	14.4	39	9	9	13	17	25	25	25
20-34	92	10.6	74	2	2	9	13	22	27	48
35-49	24	12.9	93	3	4	10	19	28	32	42
50-64	13	13.5	74	3	5	11	20	29	30	30
65+	6	8.5	15	3	3	8	12	13	13	13
B. *Operated*										
0-19 YRS										
20-34	7	32.0	285	15	15	31	48	55	56	56
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	10.2	124	1	1	6	13	22	28	62
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	140	11.3	74	2	3	10	14	23	28	43
B. *Operated*	8	29.5	294	12	13	25	43	55	56	56
1. SINGLE DX	86	10.2	124	1	1	6	13	22	28	62
2. MULTIPLE DX	148	12.3	101	2	3	10	15	25	31	53
A. NOT OPERATED	226	10.9	93	1	2	9	14	23	28	48
B. OPERATED	8	29.5	294	12	13	25	43	55	56	56
TOTAL 0-19 YRS	7	11.6	49	4	4	11	14	23	25	25
20-34	164	11.3	124	1	2	8	14	23	31	56
35-49	42	11.0	69	1	3	9	15	20	28	42
50-64	15	16.3	125	3	5	12	25	30	39	42
65+	6	8.5	15	3	3	8	12	13	13	13
GRAND TOTAL	**234**	**11.5**	**110**	**1**	**2**	**9**	**14**	**25**	**30**	**53**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	8.3	27	2	2	7	12	15	18	20
20-34	73	9.2	132	<1	1	5	11	29	42	42
35-49	22	9.5	209	<1	<1	4	11	32	48	56
50-64	4	11.0	61	1	1	11	16	20	20	20
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	20.3	232	3	4	13	32	42	46	52
20-34	121	11.6	123	1	2	7	15	27	41	42
35-49	46	12.6	94	2	3	9	18	26	32	42
50-64	26	14.5	254	1	2	10	17	37	48	74
65+	21	14.2	144	3	5	11	18	29	44	52
B. *Operated*										
0-19 YRS	1	64.0		64	64	64	64	64	64	64
20-34	7	12.0	75	1	2	10	18	26	27	27
35-49	1	21.0		21	21	21	21	21	21	21
50-64	5	9.6	25	5	5	10	12	17	17	17
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	9.1	123	<1	1	5	11	25	41	46
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	237	13.2	148	1	2	9	18	31	42	52
B. *Operated*	14	15.5	246	2	4	10	20	31	57	64
1. SINGLE DX	121	9.0	123	<1	1	5	11	24	41	46
2. MULTIPLE DX	251	13.3	153	1	2	9	18	31	42	52
A. NOT OPERATED	357	11.8	143	1	1	7	15	29	42	51
B. OPERATED	15	14.7	239	1	3	10	19	27	55	64
TOTAL 0-19 YRS	44	15.8	224	2	3	10	23	42	45	64
20-34	201	10.7	125	1	1	6	13	28	41	42
35-49	69	11.8	130	1	1	7	16	27	34	53
50-64	35	13.4	199	1	2	11	17	24	41	74
65+	23	13.3	142	2	3	10	17	26	43	52
GRAND TOTAL	**372**	**11.9**	**147**	**1**	**2**	**8**	**15**	**29**	**42**	**52**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	1.4	1	<1	<1	1	1	2	3	6
20-34	98	2.3	3	<1	<1	2	3	4	5	11
35-49	100	3.4	9	<1	1	3	4	6	9	16
50-64	85	3.7	10	<1	1	3	5	8	11	17
65+	32	4.2	12	<1	1	3	6	8	10	17
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	2.1	4	<1	<1	1	2	4	5	12
20-34	159	4.1	25	<1	<1	2	5	9	13	32
35-49	247	4.9	56	1	1	3	6	9	12	35
50-64	194	5.5	24	1	1	4	7	11	13	26
65+	65	5.8	26	1	2	4	8	11	15	30
B. *Operated*										
0-19 YRS	4	6.3	73	1	1	2	11	19	19	19
20-34	5	9.4	71	<1	<1	8	15	22	22	22
35-49	14	8.3	89	<1	1	7	8	21	33	36
50-64	11	8.9	43	<1	1	7	11	20	22	22
65+	4	9.5	80	<1	<1	8	16	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	422	2.8	7	<1	<1	2	3	6	8	12
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	746	4.7	34	<1	1	3	6	10	12	27
B. *Operated*	38	8.5	64	<1	<1	7	12	20	22	36
1. SINGLE DX	423	2.8	7	<1	<1	2	3	6	8	12
2. MULTIPLE DX	784	4.9	36	<1	1	3	6	10	13	27
A. NOT OPERATED	1168	4.0	25	<1	1	3	5	8	11	20
B. OPERATED	39	8.5	62	<1	1	7	12	20	22	36
TOTAL 0-19 YRS	192	1.8	4	<1	<1	1	2	3	4	11
20-34	262	3.5	19	<1	<1	2	4	8	12	22
35-49	361	4.6	45	1	1	3	5	9	12	34
50-64	291	5.1	21	1	1	4	7	11	12	26
65+	101	5.4	24	1	1	4	7	11	15	26
GRAND TOTAL	**1207**	**4.1**	**27**	**<1**	**1**	**3**	**5**	**9**	**12**	**22**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.3	17	<1	1	3	5	11	13	17
20-34	140	6.0	56	1	1	4	6	13	21	45
35-49	20	7.1	190	1	1	3	5	15	42	62
50-64	10	5.1	8	1	2	4	8	9	9	9
65+	3	7.0	3	5	5	8	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	8.8	89	<1	1	5	12	23	28	40
20-34	217	7.4	45	1	1	5	10	18	23	30
35-49	60	7.7	52	<1	1	5	11	16	22	34
50-64	40	11.1	81	2	3	8	14	23	28	45
65+	31	9.3	59	1	2	7	14	17	24	37
B. *Operated*										
0-19 YRS	3	17.0	151	3	3	22	25	26	26	26
20-34	4	11.8	17	7	7	11	14	17	17	17
35-49	8	14.5	126	5	5	8	25	31	32	32
50-64	5	22.6	475	2	2	15	43	51	51	51
65+	1	28.0		28	28	28	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	5.7	58	1	1	4	6	12	17	47
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	419	8.2	58	1	1	5	11	19	24	35
B. *Operated*	21	16.9	179	3	4	12	26	35	45	51
1. SINGLE DX	212	5.7	58	1	1	4	6	12	17	47
2. MULTIPLE DX	440	8.6	67	1	1	6	12	21	25	38
A. NOT OPERATED	630	7.3	60	1	1	5	9	17	23	37
B. OPERATED	22	16.3	179	2	3	11	26	34	44	51
TOTAL 0-19 YRS	112	7.5	71	<1	1	4	10	22	26	39
20-34	361	6.9	49	1	1	4	8	16	22	32
35-49	88	8.2	91	1	1	5	10	21	30	51
50-64	55	11.0	114	2	3	8	13	24	38	51
65+	36	9.4	62	1	3	7	13	17	27	37
GRAND TOTAL	**652**	**7.6**	**66**	**1**	**1**	**5**	**10**	**19**	**24**	**40**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	3.6	8	1	1	3	5	6	7	16
20-34	139	4.7	16	1	2	4	5	8	12	24
35-49	125	4.5	12	1	1	4	6	9	11	17
50-64	59	4.5	19	1	2	4	5	7	9	30
65+	41	5.1	10	2	2	5	7	10	11	13
B. *Operated*										
0-19 YRS	7	3.7	2	2	2	3	5	6	6	6
20-34	9	6.7	54	1	1	4	8	19	25	25
35-49	10	5.3	39	2	2	3	5	15	22	22
50-64	8	6.1	11	4	4	5	7	12	13	13
65+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	4.2	25	1	2	3	5	7	9	34
20-34	241	6.0	57	2	2	4	7	11	14	30
35-49	295	5.8	19	1	2	4	7	11	15	21
50-64	209	6.6	27	2	2	5	8	11	19	26
65+	199	6.4	29	2	2	5	8	11	18	31
B. *Operated*										
0-19 YRS	3	8.0	13	5	5	7	11	12	12	12
20-34	27	8.0	28	2	2	6	12	15	18	22
35-49	32	11.6	185	2	3	8	14	20	38	73
50-64	21	9.6	29	2	3	9	14	17	19	21
65+	17	11.4	72	1	2	11	15	23	30	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	480	4.4	13	1	1	4	5	8	10	21
B. *Operated*	36	5.6	26	2	2	4	6	9	19	25
2. MULTIPLE DX										
A. *Not Operated*	1021	6.0	33	2	2	4	7	11	16	28
B. *Operated*	100	10.1	85	2	3	8	13	18	22	56
1. SINGLE DX	516	4.5	14	1	2	4	5	8	11	23
2. MULTIPLE DX	1121	6.4	39	2	2	5	8	12	17	29
A. NOT OPERATED	1501	5.5	27	1	2	4	7	10	14	26
B. OPERATED	136	8.9	73	2	2	6	12	18	22	45
TOTAL 0-19 YRS	203	3.9	15	1	1	3	5	7	8	19
20-34	416	5.7	42	1	2	4	7	11	14	29
35-49	462	5.8	31	1	2	4	7	11	15	22
50-64	297	6.4	27	2	2	5	7	12	18	27
65+	259	6.5	30	2	2	5	8	12	18	32
GRAND TOTAL	**1637**	**5.8**	**31**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	629	12.3	296	1	1	6	17	55	99+	99+
20-34	702	5.7	39	<1	1	4	7	12	19	33
35-49	389	6.3	50	1	1	4	8	12	17	34
50-64	119	7.0	37	1	2	5	9	16	22	27
65+	48	9.3	84	1	1	6	13	23	34	36
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	4.8	17	1	1	4	8	10	10	10
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	499	11.0	194	1	1	6	15	29	51	99+
20-34	919	6.8	52	1	1	5	8	14	20	37
35-49	596	7.5	54	1	1	5	10	17	22	35
50-64	288	8.1	43	2	2	6	11	17	23	30
65+	186	8.8	61	2	2	6	11	17	26	38
B. *Operated*										
0-19 YRS	13	9.0	77	1	1	7	14	34	85	99+
20-34	43	13.7	185	<1	1	12	18	30	35	73
35-49	25	14.2	209	<1	<1	9	22	31	43	63
50-64	14	12.6	62	6	6	9	14	26	31	32
65+	10	18.8	208	3	4	14	29	41	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1887	8.2	137	1	1	5	9	22	38	99+
B. *Operated*	7	8.0	80	1	1	6	9	24	27	27
2. MULTIPLE DX										
A. *Not Operated*	2488	8.1	83	1	2	5	10	18	25	55
B. *Operated*	105	13.6	163	<1	1	11	19	31	37	85
1. SINGLE DX	1894	8.2	137	1	1	5	9	22	38	99+
2. MULTIPLE DX	2593	8.3	87	1	2	5	10	18	26	56
A. NOT OPERATED	4375	8.2	106	1	1	5	10	19	30	99+
B. OPERATED	112	13.2	159	<1	1	10	19	30	36	83
TOTAL 0-19 YRS	1142	11.7	249	1	1	6	16	42	87	99+
20-34	1668	6.5	51	1	1	4	8	14	21	36
35-49	1011	7.2	58	1	1	5	9	15	21	35
50-64	421	7.9	43	1	2	6	10	17	23	30
65+	245	9.4	75	1	2	6	12	20	29	40
GRAND TOTAL	**4487**	**8.3**	**108**	**1**	**1**	**5**	**10**	**20**	**30**	**99+**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	615	9.4	122	1	2	5	12	26	33	66
20-34	1279	8.7	83	1	2	6	11	20	27	42
35-49	918	9.2	76	1	2	6	12	20	28	44
50-64	495	11.5	116	1	2	8	14	25	32	54
65+	253	13.4	115	2	3	11	18	26	33	53
B. *Operated*										
0-19 YRS	11	3.4	9	1	1	2	4	9	11	11
20-34	38	10.8	294	<1	1	6	11	22	43	96
35-49	20	8.2	54	1	2	7	9	15	25	34
50-64	19	9.6	99	1	2	6	11	24	36	40
65+	3	18.0	675	3	3	3	37	48	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	582	10.6	178	1	2	5	14	28	40	91
20-34	1565	9.0	96	2	2	6	11	19	28	54
35-49	1335	9.0	74	2	2	6	11	19	26	44
50-64	991	9.8	90	2	3	7	12	21	29	46
65+	754	11.4	116	2	3	8	14	24	35	58
B. *Operated*										
0-19 YRS	27	11.4	112	1	2	7	22	32	41	99+
20-34	114	10.7	80	2	2	8	15	21	27	47
35-49	116	14.7	182	3	4	10	18	32	46	67
50-64	101	15.6	177	4	5	11	18	36	44	70
65+	69	17.9	191	3	5	14	24	35	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3560	9.7	97	1	2	6	13	22	29	51
B. *Operated*	91	9.3	176	1	2	6	10	16	34	78
2. MULTIPLE DX										
A. *Not Operated*	5227	9.7	102	2	2	6	12	21	29	57
B. *Operated*	427	14.2	156	2	3	10	18	30	42	66
1. SINGLE DX	3651	9.7	98	1	2	6	12	22	29	51
2. MULTIPLE DX	5654	10.0	108	2	2	7	12	22	30	57
A. NOT OPERATED	8787	9.7	100	1	2	6	12	21	29	54
B. OPERATED	518	13.3	162	2	3	9	17	29	41	66
TOTAL 0-19 YRS	1235	10.0	148	1	2	5	13	27	36	77
20-34	2996	8.9	92	1	2	6	11	20	28	50
35-49	2389	9.3	81	2	2	6	12	20	28	46
50-64	1606	10.7	106	2	3	7	13	24	31	52
65+	1079	12.3	125	2	3	9	15	26	36	58
GRAND TOTAL	**9305**	**9.9**	**104**	**2**	**2**	**6**	**12**	**22**	**30**	**56**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.4	13	1	2	4	8	12	13	13
20-34	14	7.4	36	1	1	7	11	15	19	20
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	4	5.3	10	<1	<1	6	7	8	8	8
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+	1	46.0		46	46	46	46	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	8.3	145	1	2	4	8	15	32	70
20-34	107	10.3	106	2	2	8	13	19	23	60
35-49	51	9.7	53	1	2	9	13	17	22	42
50-64	25	8.5	22	3	3	7	9	15	19	22
65+	16	15.9	118	3	5	16	20	24	41	49
B. *Operated*										
0-19 YRS	10	9.5	141	3	3	6	7	26	43	43
20-34	11	12.1	528	<1	1	5	8	42	77	80
35-49	3	13.0	79	3	3	16	19	20	20	20
50-64	3	8.3	85	3	3	3	15	19	19	19
65+	1	57.0		57	57	57	57	57	57	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	5.9	21	1	1	4	10	12	14	20
B. *Operated*	6	11.7	289	<1	<1	6	8	42	46	46
2. MULTIPLE DX										
A. *Not Operated*	282	9.8	103	1	2	7	12	19	27	49
B. *Operated*	28	12.5	333	1	2	6	12	36	59	80
1. SINGLE DX	44	6.7	56	1	1	4	9	12	16	46
2. MULTIPLE DX	310	10.0	123	1	2	7	12	19	29	65
A. NOT OPERATED	320	9.3	95	1	2	7	12	18	23	49
B. OPERATED	34	12.3	317	1	2	6	9	43	55	80
TOTAL 0-19 YRS	116	7.8	119	1	2	5	8	13	29	60
20-34	133	10.1	130	1	2	8	13	18	21	78
35-49	56	9.6	54	1	2	9	13	17	22	41
50-64	30	8.1	26	3	3	7	9	17	19	22
65+	19	19.1	239	3	5	17	20	48	53	57
GRAND TOTAL	**354**	**9.6**	**116**	**1**	**2**	**7**	**11**	**18**	**28**	**57**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	450	10.5	26	2	3	11	13	15	18	24
20-34	81	8.5	37	1	2	8	11	15	18	36
35-49	31	9.6	67	1	1	8	13	18	30	36
50-64	33	12.3	173	2	3	11	15	21	29	75
65+	17	10.8	43	2	2	10	16	19	22	24
B. *Operated*										
0-19 YRS	50	13.4	83	6	7	11	14	22	25	65
20-34	20	16.5	276	2	2	13	21	35	56	72
35-49	33	11.6	121	2	3	8	16	33	44	99+
50-64	36	16.1	230	2	3	12	19	40	45	71
65+	7	15.1	184	2	2	9	24	36	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	370	12.1	41	2	4	12	15	18	22	33
20-34	59	10.1	67	2	3	8	11	17	25	45
35-49	53	13.6	103	2	3	12	16	30	36	43
50-64	58	13.9	89	2	3	13	17	27	34	43
65+	39	14.3	113	2	3	11	18	33	39	39
B. *Operated*										
0-19 YRS	104	18.2	133	6	9	15	23	37	44	99+
20-34	23	20.1	280	2	3	14	30	46	52	60
35-49	34	15.6	154	2	4	13	21	46	87	99+
50-64	54	18.7	183	3	4	16	29	41	47	98
65+	21	22.1	187	4	4	20	36	42	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	10.3	38	2	3	11	13	16	18	30
B. *Operated*	146	14.2	157	2	3	11	18	31	41	73
2. MULTIPLE DX										
A. *Not Operated*	579	12.4	60	2	3	12	15	21	27	43
B. *Operated*	236	18.5	166	4	6	15	26	41	49	99+
1. SINGLE DX	758	11.0	63	2	3	11	13	18	22	43
2. MULTIPLE DX	815	14.1	98	2	4	12	16	28	38	59
A. NOT OPERATED	1191	11.3	50	2	3	11	14	17	23	39
B. OPERATED	382	16.8	167	3	4	13	22	39	47	99+
TOTAL 0-19 YRS	974	12.1	51	2	4	11	14	18	23	43
20-34	183	11.3	117	2	3	8	13	21	36	56
35-49	151	12.8	113	2	3	11	16	32	39	99+
50-64	181	15.5	163	2	3	13	19	33	42	74
65+	84	15.6	135	2	4	14	21	37	39	82
GRAND TOTAL	**1573**	**12.6**	**84**	**2**	**3**	**11**	**15**	**22**	**32**	**57**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	9	6.0	21	2	2	5	8	14	15	15
50-64	79	8.8	104	2	3	6	11	15	19	70
65+	206	10.0	48	3	3	8	13	19	26	35
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	2	6.0	8	4	4	6	8	8	8	8
65+	5	6.2	5	3	3	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.7	177	3	3	5	21	27	27	27
20-34	2	13.5	313	1	1	13	26	26	26	26
35-49	20	9.2	65	1	2	7	11	22	27	32
50-64	176	10.5	75	2	3	8	13	24	31	43
65+	1081	12.3	109	3	4	9	15	24	32	61
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	26	17.8	399	3	4	9	22	54	65	81
65+	126	20.0	272	3	5	15	28	52	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	9.5	63	2	3	7	12	19	26	38
B. *Operated*	8	6.1	4	3	3	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1282	12.0	104	3	4	9	15	24	31	60
B. *Operated*	153	19.5	290	3	5	14	26	53	69	99+
1. SINGLE DX	305	9.4	61	2	3	7	12	19	26	37
2. MULTIPLE DX	1435	12.8	129	3	4	9	16	26	35	70
A. NOT OPERATED	1579	11.5	97	3	3	9	15	23	30	60
B. OPERATED	161	18.9	284	3	5	13	25	51	66	99+
TOTAL 0-19 YRS	4	9.0	147	1	1	4	16	27	27	27
20-34	5	7.8	109	1	1	5	11	26	26	26
35-49	30	8.2	51	2	2	6	11	18	23	32
50-64	283	10.7	117	2	3	7	12	23	31	74
65+	1418	12.6	120	3	4	9	16	25	34	68
GRAND TOTAL	**1740**	**12.2**	**119**	**3**	**4**	**9**	**15**	**25**	**33**	**68**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	11.0	59	3	4	7	20	23	25	25
20-34	181	7.0	91	1	1	4	10	14	21	46
35-49	217	4.9	25	1	1	3	7	12	15	22
50-64	87	5.7	43	1	1	3	9	15	18	32
65+	11	9.0	31	1	3	8	12	18	19	19
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	26	8.6	39	2	2	7	9	18	23	26
35-49	17	10.2	29	2	3	9	15	17	19	20
50-64	10	8.2	22	2	2	9	11	14	15	15
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	97	12.8	214	1	2	8	14	31	44	77
35-49	154	10.5	82	1	2	8	15	23	31	38
50-64	102	10.3	62	1	2	9	13	20	24	43
65+	32	14.3	218	3	3	9	18	27	49	73
B. *Operated*										
0-19 YRS										
20-34	25	14.2	181	1	2	11	19	35	42	55
35-49	38	18.1	317	2	3	13	24	44	53	85
50-64	36	14.2	214	1	2	10	17	32	43	74
65+	7	12.3	107	1	1	10	18	28	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	506	6.0	53	1	1	4	9	14	18	35
B. *Operated*	56	9.0	32	2	2	8	13	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	386	11.3	122	1	2	9	14	24	32	52
B. *Operated*	106	15.5	235	2	2	11	19	35	45	79
1. SINGLE DX	562	6.3	52	1	1	4	9	15	18	34
2. MULTIPLE DX	492	12.2	149	1	2	9	15	26	37	57
A. NOT OPERATED	892	8.3	90	1	1	5	11	18	26	45
B. OPERATED	162	13.2	173	2	2	10	16	28	40	72
TOTAL 0-19 YRS	13	9.6	54	2	3	7	12	21	24	25
20-34	329	9.4	137	1	1	6	11	20	35	55
35-49	426	8.3	87	1	1	5	12	18	26	43
50-64	235	9.1	85	1	1	8	12	19	25	48
65+	51	12.9	159	2	3	9	17	25	30	73
GRAND TOTAL	**1054**	**9.1**	**106**	**1**	**1**	**6**	**12**	**19**	**28**	**49**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	508	3.3	8	1	1	3	4	6	8	16
20-34	355	3.8	9	1	1	3	5	7	9	18
35-49	182	4.5	17	1	1	3	5	9	13	23
50-64	125	4.6	10	1	1	4	6	9	11	16
65+	96	5.5	31	1	2	4	6	12	14	33
B. *Operated*										
0-19 YRS	8	2.9	2	1	1	3	4	5	5	5
20-34	15	6.5	22	3	3	5	8	9	19	22
35-49	16	5.6	25	2	2	4	6	11	18	21
50-64	13	6.2	31	1	2	5	6	13	21	23
65+	3	10.0	63	4	4	7	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	436	4.9	43	1	1	3	5	9	12	35
20-34	413	5.7	21	1	2	4	7	12	15	22
35-49	409	6.0	24	1	2	5	8	11	14	21
50-64	514	7.2	37	1	2	6	9	15	19	33
65+	555	8.5	83	2	2	6	10	17	24	57
B. *Operated*										
0-19 YRS	13	7.9	21	3	3	6	9	16	18	19
20-34	37	10.0	141	1	2	5	10	27	40	52
35-49	39	10.0	47	2	3	8	13	20	24	34
50-64	62	14.4	216	3	4	10	19	30	50	98
65+	49	13.7	155	3	3	11	16	28	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1266	3.9	12	1	1	3	5	7	11	18
B. *Operated*	55	5.8	25	2	2	4	7	11	20	23
2. MULTIPLE DX										
A. *Not Operated*	2327	6.6	46	1	2	5	8	13	17	33
B. *Operated*	200	12.1	144	2	3	9	16	26	36	93
1. SINGLE DX	1321	4.0	13	1	1	3	5	8	11	19
2. MULTIPLE DX	2527	7.0	56	1	2	5	8	14	19	37
A. NOT OPERATED	3593	5.7	35	1	1	4	7	11	16	28
B. OPERATED	255	10.7	125	2	3	7	13	22	31	86
TOTAL 0-19 YRS	965	4.1	25	1	1	3	5	8	11	20
20-34	820	5.1	23	1	1	4	6	10	14	23
35-49	646	5.8	25	1	2	4	7	11	15	23
50-64	714	7.4	53	1	2	5	9	15	20	37
65+	703	8.5	83	2	2	6	10	17	24	58
GRAND TOTAL	**3848**	**6.0**	**43**	**1**	**2**	**4**	**7**	**12**	**17**	**31**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	245	4.5	40	1	1	3	5	9	15	34
20-34	342	5.7	45	1	1	4	7	11	15	35
35-49	264	6.0	36	1	2	5	8	11	14	29
50-64	244	7.2	74	1	2	5	9	13	18	40
65+	327	8.0	70	1	2	6	10	15	22	41
B. *Operated*										
0-19 YRS	211	5.7	50	1	2	4	7	12	14	42
20-34	195	7.5	71	2	2	5	9	15	21	36
35-49	197	7.5	44	1	2	5	11	16	18	45
50-64	174	8.6	77	2	2	5	12	18	21	51
65+	190	9.2	91	2	2	6	12	20	25	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	373	7.2	124	1	1	4	7	16	32	61
20-34	414	8.8	134	1	2	6	10	17	27	69
35-49	409	8.9	92	2	2	6	10	20	29	51
50-64	707	11.7	145	2	3	8	14	27	37	71
65+	1849	11.8	105	2	3	9	15	24	30	51
B. *Operated*										
0-19 YRS	271	7.3	96	2	2	5	9	14	17	72
20-34	315	12.5	185	2	2	8	17	31	64	99+
35-49	297	11.6	151	2	3	8	15	24	33	99
50-64	428	13.7	174	2	3	10	19	31	48	99+
65+	638	17.5	246	2	4	12	24	42	57	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1422	6.3	55	1	1	4	8	12	17	37
B. *Operated*	967	7.6	67	1	2	5	10	16	21	47
2. MULTIPLE DX										
A. *Not Operated*	3752	10.7	119	2	2	7	13	23	31	59
B. *Operated*	1949	13.5	196	2	3	9	17	32	50	99+
1. SINGLE DX	2389	6.9	60	1	2	5	8	14	19	38
2. MULTIPLE DX	5701	11.7	147	2	2	8	14	26	37	76
A. NOT OPERATED	5174	9.5	105	1	2	6	11	21	28	54
B. OPERATED	2916	11.6	161	2	2	8	15	26	41	93
TOTAL 0-19 YRS	1100	6.3	85	1	1	4	7	13	21	56
20-34	1266	8.7	119	1	2	5	10	18	29	87
35-49	1167	8.7	90	2	2	6	10	18	26	66
50-64	1553	11.2	139	2	2	7	13	25	37	74
65+	3004	12.4	139	2	3	9	16	26	36	67
GRAND TOTAL	**8090**	**10.2**	**126**	**2**	**2**	**7**	**12**	**23**	**32**	**69**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	295	2.9	2	1	1	3	4	5	6	8
20-34	669	3.8	8	1	1	3	5	7	8	15
35-49	447	4.2	10	1	1	3	5	8	9	20
50-64	128	4.0	7	1	2	3	5	7	9	15
65+	31	4.5	10	1	1	3	8	10	10	11
B. *Operated*										
0-19 YRS	10	2.5	1	1	1	2	3	4	4	4
20-34	56	4.4	4	2	2	4	5	7	9	10
35-49	42	4.5	7	2	2	4	6	9	10	11
50-64	24	5.8	14	2	2	4	9	12	13	14
65+	9	6.8	15	2	2	7	8	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	3.8	7	1	1	3	4	7	9	15
20-34	568	5.0	13	1	2	4	6	9	11	18
35-49	635	5.3	20	1	2	4	6	10	13	24
50-64	330	5.4	17	2	2	4	7	11	13	20
65+	125	5.2	13	1	2	4	6	9	12	17
B. *Operated*										
0-19 YRS	7	7.4	41	2	2	5	8	19	21	21
20-34	59	8.4	63	3	3	6	10	13	22	52
35-49	66	7.4	23	2	3	6	9	14	17	26
50-64	51	8.2	23	2	3	7	11	16	18	20
65+	16	9.2	35	2	3	8	14	16	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1570	3.8	8	1	1	3	5	7	9	15
B. *Operated*	141	4.7	8	2	2	4	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	1790	5.1	16	1	2	4	6	9	12	20
B. *Operated*	199	8.0	36	2	3	7	10	15	19	27
1. SINGLE DX	1711	3.8	8	1	1	3	5	7	9	14
2. MULTIPLE DX	1989	5.4	19	1	2	4	7	10	13	22
A. NOT OPERATED	3360	4.5	13	1	2	4	5	8	11	18
B. OPERATED	340	6.6	27	2	2	5	8	12	16	24
TOTAL 0-19 YRS	444	3.2	5	1	1	3	4	6	7	11
20-34	1352	4.5	13	1	2	4	5	8	11	18
35-49	1190	5.0	17	1	2	4	6	9	11	21
50-64	533	5.4	16	2	2	4	7	11	13	19
65+	181	5.5	15	1	2	5	7	10	13	20
GRAND TOTAL	**3700**	**4.7**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	15	3.5	8	<1	1	3	5	8	10	11
35-49	23	3.9	8	1	1	3	5	8	10	12
50-64	17	4.5	24	<1	1	3	6	9	16	20
65+	11	2.6	2	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	40	2.4	3	1	1	2	3	3	4	12
20-34	668	2.3	2	1	1	2	3	4	4	9
35-49	1129	2.6	4	1	1	2	3	4	6	10
50-64	1200	2.6	2	1	1	2	3	4	5	9
65+	561	2.8	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	4.9	9	<1	1	5	6	9	10	11
35-49	56	5.0	18	1	2	4	6	10	12	27
50-64	58	5.3	12	1	2	5	6	9	13	18
65+	32	6.5	26	1	2	5	9	13	17	23
B. *Operated*										
0-19 YRS	14	2.9	10	1	1	2	3	6	11	13
20-34	169	3.8	11	1	1	3	4	8	10	20
35-49	365	4.1	13	1	2	3	5	9	11	17
50-64	544	4.3	13	1	2	3	5	9	11	19
65+	323	4.7	34	1	2	3	5	10	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	3.7	11	1	1	3	5	8	10	19
B. *Operated*	3598	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	161	5.4	16	1	2	4	6	10	13	22
B. *Operated*	1415	4.2	18	1	2	3	5	9	12	20
1. SINGLE DX	3665	2.6	3	1	1	2	3	4	6	10
2. MULTIPLE DX	1576	4.4	18	1	2	3	5	9	12	20
A. NOT OPERATED	228	4.9	15	1	1	4	6	9	12	21
B. OPERATED	5013	3.0	8	1	1	2	3	5	8	14
TOTAL 0-19 YRS	56	2.5	5	1	1	2	3	3	5	13
20-34	866	2.7	4	1	1	2	3	4	6	11
35-49	1573	3.0	7	1	1	2	3	6	8	14
50-64	1819	3.2	7	1	1	2	3	6	8	15
65+	927	3.6	16	1	2	2	4	7	10	17
GRAND TOTAL	5241	3.1	8	1	1	2	3	6	8	15

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	6.8	95	1	1	4	8	15	21	58
20-34	249	5.9	41	1	2	4	7	11	20	42
35-49	337	5.3	14	1	2	4	7	11	13	17
50-64	289	5.7	23	1	2	4	7	11	14	21
65+	231	6.9	57	2	2	5	8	13	21	41
B. *Operated*										
0-19 YRS	116	4.4	39	1	2	3	4	8	13	36
20-34	767	4.4	12	1	2	3	5	9	11	18
35-49	1000	4.5	15	1	2	3	5	9	12	18
50-64	899	4.2	20	1	2	3	5	9	12	21
65+	411	5.0	22	2	2	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	6.4	74	1	1	4	6	12	24	50
20-34	202	6.6	46	1	1	5	8	12	24	35
35-49	431	7.3	49	2	2	5	9	14	19	30
50-64	651	8.2	56	2	3	6	10	16	22	41
65+	758	8.9	54	2	3	7	11	17	22	39
B. *Operated*										
0-19 YRS	40	4.8	28	1	2	3	6	8	15	29
20-34	323	7.0	99	2	2	4	7	14	20	77
35-49	498	8.0	83	2	2	5	10	17	25	50
50-64	589	7.7	76	2	2	5	9	16	22	45
65+	375	10.3	119	2	2	6	13	27	34	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1199	5.9	36	1	2	4	7	11	15	29
B. *Operated*	3193	4.5	18	1	2	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	2104	8.0	54	2	2	6	10	15	21	38
B. *Operated*	1825	8.1	91	2	2	6	10	17	26	57
1. SINGLE DX	4392	4.9	23	1	2	3	6	10	13	24
2. MULTIPLE DX	3929	8.1	71	2	2	6	10	16	23	43
A. NOT OPERATED	3303	7.3	48	1	2	5	9	14	20	36
B. OPERATED	5018	5.8	47	2	2	4	7	12	17	36
TOTAL 0-19 YRS	311	5.6	62	1	1	3	6	11	18	42
20-34	1541	5.5	41	1	2	4	6	10	15	35
35-49	2266	5.9	39	2	2	4	7	12	16	29
50-64	2428	6.3	47	2	2	4	8	13	18	35
65+	1775	8.0	64	2	2	6	10	17	23	41
GRAND TOTAL	8321	6.4	48	2	2	4	8	13	18	36

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.0		3	3	3	3	3	3	3
65+	8	3.5	7	<1	<1	3	5	7	8	8
B. *Operated*										
0-19 YRS	45	7.0	15	2	2	7	9	12	16	16
20-34	77	5.1	8	1	2	5	6	9	11	13
35-49	114	6.4	20	2	2	5	8	12	15	24
50-64	373	5.8	30	1	2	5	7	9	11	19
65+	342	5.5	6	2	3	5	7	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3	4	1	1	4	5	5	5	5
35-49	2	3.0		3	3	3	3	3	3	3
50-64	4	2.3	2	1	1	2	3	4	4	4
65+	9	5.4	31	1	1	4	8	14	18	18
B. *Operated*										
0-19 YRS	15	8.4	32	3	4	7	10	20	21	22
20-34	46	6.6	15	2	2	6	9	11	13	22
35-49	52	6.7	19	2	2	6	8	12	17	21
50-64	238	6.3	9	2	3	6	8	9	11	17
65+	265	7.2	16	3	3	6	9	12	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.0	5	<1	<1	2	4	7	8	8
B. *Operated*	951	5.8	17	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	18	4.1	17	1	1	3	4	9	14	18
B. *Operated*	616	6.8	14	2	3	6	8	11	14	21
1. SINGLE DX	963	5.7	17	2	2	5	7	9	11	16
2. MULTIPLE DX	634	6.7	14	2	3	6	8	11	14	21
A. NOT OPERATED	30	3.7	12	1	1	3	4	8	9	18
B. OPERATED	1567	6.2	16	2	3	5	8	10	12	20
TOTAL 0-19 YRS	60	7.4	19	2	3	7	9	13	16	22
20-34	127	5.6	11	1	2	5	7	10	12	16
35-49	169	6.4	20	2	2	5	8	12	15	23
50-64	617	6.0	22	2	2	5	7	9	11	17
65+	624	6.2	11	2	3	6	8	10	12	18
GRAND TOTAL	**1597**	**6.1**	**16**	**2**	**2**	**5**	**8**	**10**	**12**	**20**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	8	1	1	2	2	8	9	9
20-34	5	2.4	4	1	1	2	3	6	6	6
35-49	9	3.0	6	1	1	2	3	7	9	9
50-64	20	2.2	1	<1	1	2	3	4	4	5
65+	52	3.0	6	1	1	2	4	5	6	16
B. *Operated*										
0-19 YRS	13	2.5	1	1	1	2	3	4	4	4
20-34	13	3.7	3	2	2	3	4	7	7	7
35-49	81	3.4	14	1	2	3	3	6	8	25
50-64	289	3.2	4	1	1	2	4	6	8	11
65+	475	3.2	5	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	4	3.3	4	1	1	3	5	6	6	6
50-64	14	2.7	6	<1	1	2	3	7	9	9
65+	51	4.2	9	1	1	3	6	9	12	13
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	7	4.7	15	1	1	3	8	11	11	11
35-49	32	3.8	4	2	2	3	4	7	9	10
50-64	156	4.6	20	1	2	3	5	8	13	24
65+	364	4.9	17	2	2	4	6	10	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.8	5	1	1	2	3	5	6	13
B. *Operated*	871	3.2	5	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	75	3.7	8	1	1	3	5	8	10	13
B. *Operated*	562	4.8	17	1	2	3	6	9	12	24
1. SINGLE DX	964	3.1	5	1	1	2	4	6	7	13
2. MULTIPLE DX	637	4.6	16	1	2	3	6	9	12	24
A. NOT OPERATED	168	3.2	7	1	1	2	4	6	9	13
B. OPERATED	1433	3.8	11	1	2	3	4	7	9	15
TOTAL 0-19 YRS	25	2.3	3	1	1	2	3	4	5	9
20-34	29	3.6	6	1	1	3	5	7	9	11
35-49	126	3.5	10	1	2	3	4	6	9	15
50-64	479	3.6	10	1	1	3	4	7	8	15
65+	942	3.9	11	1	2	3	5	7	10	15
GRAND TOTAL	**1601**	**3.7**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	1	<1	<1	1	2	4	4	4
20-34	3	1.7		1	1	2	2	2	2	2
35-49	4	4.3	8	2	2	4	6	8	8	8
50-64	12	1.5	1	<1	<1	1	2	3	4	4
65+	18	2.6	4	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	15	2.3	1	1	1	2	3	3	5	5
20-34	23	2.9	3	1	1	2	4	6	7	8
35-49	29	2.6	3	1	1	2	3	4	8	8
50-64	122	3.6	9	1	1	3	4	6	11	16
65+	220	3.2	5	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	5	10.0	232	1	1	4	14	37	37	37
50-64	10	8.6	163	1	1	5	9	27	44	44
65+	39	6.4	103	1	2	4	6	12	15	64
B. *Operated*										
0-19 YRS	7	4.3	13	1	1	4	4	10	12	12
20-34	19	3.9	4	1	2	4	6	7	7	7
35-49	21	6.0	47	1	2	3	7	16	23	29
50-64	77	4.6	12	2	2	3	6	10	12	17
65+	183	5.4	38	1	2	3	6	10	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.2	3	<1	1	1	3	5	7	8
B. *Operated*	409	3.2	6	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	59	6.8	112	1	2	4	7	12	28	62
B. *Operated*	307	5.1	29	2	2	3	6	10	15	30
1. SINGLE DX	453	3.1	6	1	1	2	3	6	8	13
2. MULTIPLE DX	366	5.4	43	1	2	4	6	10	15	37
A. NOT OPERATED	103	4.9	70	1	1	3	5	9	12	53
B. OPERATED	716	4.0	17	1	2	3	4	8	11	19
TOTAL 0-19 YRS	32	2.6	4	1	1	2	3	4	5	12
20-34	47	3.4	4	1	1	2	5	7	7	9
35-49	59	4.6	39	1	1	2	4	8	17	36
50-64	221	4.1	17	1	1	3	5	9	11	17
65+	460	4.3	28	1	2	3	5	8	12	21
GRAND TOTAL	**819**	**4.1**	**24**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	20	2.6	5	<1	1	2	3	5	8	10
65+	90	2.5	5	<1	<1	2	3	4	7	13
B. *Operated*										
0-19 YRS										
20-34										
35-49	683	2.6	2	1	2	2	3	4	4	9
50-64	4086	2.7	2	1	2	2	3	4	5	8
65+	14411	2.8	2	2	2	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	13	2.2	1	<1	1	2	3	4	5	5
50-64	91	2.9	14	<1	1	2	3	7	10	21
65+	365	3.2	13	<1	1	2	4	8	11	17
B. *Operated*										
0-19 YRS										
20-34										
35-49	354	3.4	5	1	2	3	4	6	7	13
50-64	2820	3.2	5	2	2	3	4	5	7	12
65+	11200	3.4	8	2	2	3	4	5	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	2.5	5	<1	<1	2	3	4	7	13
B. *Operated*	19180	2.7	2	2	2	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	469	3.1	13	<1	1	2	3	8	10	17
B. *Operated*	14374	3.4	7	2	2	3	4	5	7	15
1. SINGLE DX	19290	2.7	2	1	2	2	3	4	5	8
2. MULTIPLE DX	14843	3.4	7	2	2	3	4	5	8	15
A. NOT OPERATED	579	3.0	12	<1	1	2	3	7	10	16
B. OPERATED	33554	3.0	4	2	2	3	3	4	6	11
TOTAL 0-19 YRS										
20-34										
35-49	1050	2.8	3	1	2	2	3	4	6	10
50-64	7017	2.9	3	1	2	2	3	4	6	11
65+	26066	3.1	5	2	2	3	3	5	6	12
GRAND TOTAL	**34133**	**3.0**	**4**	**2**	**2**	**3**	**3**	**4**	**6**	**11**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.3		1	1	1	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	88	2.4	1	1	2	2	3	4	4	5
20-34	70	2.5	1	1	1	2	3	4	4	5
35-49	75	2.5	1	1	2	2	3	4	4	6
50-64	134	2.4	1	1	1	2	3	3	4	8
65+	156	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	9	1.7	2	1	1	1	2	4	5	5
65+	3	2.3		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	55	2.4	2	1	1	2	2	3	5	8
20-34	41	3.3	4	1	2	3	4	6	8	11
35-49	71	3.6	7	2	2	3	4	7	8	18
50-64	118	3.1	5	1	2	2	4	5	8	13
65+	137	4.1	19	1	2	3	4	9	11	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.7	1	<1	<1	1	2	4	4	4
B. *Operated*	523	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	17	1.9	1	1	1	2	2	4	5	5
B. *Operated*	422	3.4	10	1	2	3	4	6	9	19
1. SINGLE DX	530	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX	439	3.4	9	1	2	2	4	6	8	19
A. NOT OPERATED	24	1.9	1	<1	1	2	2	4	4	5
B. OPERATED	945	2.8	5	1	1	2	3	4	6	11
TOTAL 0-19 YRS	146	2.4	1	1	1	2	3	4	4	6
20-34	116	2.8	2	1	1	2	3	4	6	9
35-49	149	3.0	4	1	2	2	3	5	7	10
50-64	262	2.7	3	1	1	2	3	4	5	11
65+	296	3.1	10	1	1	2	3	5	8	21
GRAND TOTAL	**969**	**2.8**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.9	3	<1	<1	1	2	4	5	9
20-34	9	3.0	4	<1	<1	2	5	6	6	6
35-49	8	3.3	3	1	1	3	4	6	6	6
50-64	15	4.4	6	2	2	4	4	7	11	12
65+	19	4.0	4	1	2	3	5	7	8	8
B. *Operated*										
0-19 YRS	1632	1.8		1	1	2	2	2	2	3
20-34	358	2.1	1	1	1	2	2	3	3	5
35-49	175	2.2	4	1	1	2	2	3	4	8
50-64	79	2.2	1	1	1	2	2	3	4	6
65+	40	2.7	4	1	2	2	3	5	9	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	1.2		<1	<1	1	1	2	2	4
20-34	15	4.1	7	1	1	4	6	8	9	9
35-49	21	4.9	10	1	1	4	6	10	11	12
50-64	40	4.6	7	1	2	4	6	8	11	12
65+	38	5.4	35	<1	1	4	6	11	13	35
B. *Operated*										
0-19 YRS	317	1.9	1	1	1	2	2	2	3	4
20-34	108	2.3	2	1	1	2	2	3	4	10
35-49	66	2.3	3	1	2	2	2	3	4	13
50-64	67	4.0	9	1	2	3	5	9	11	14
65+	45	5.5	30	1	2	3	8	14	20	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	3.1	5	<1	<1	3	4	6	7	11
B. *Operated*	2284	1.9	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	167	3.7	14	<1	<1	3	5	8	11	14
B. *Operated*	603	2.5	5	1	1	2	2	3	7	14
1. SINGLE DX	2366	1.9	1	1	1	2	2	2	3	6
2. MULTIPLE DX	770	2.8	8	1	1	2	3	5	8	14
A. NOT OPERATED	249	3.5	11	<1	<1	3	5	7	9	12
B. OPERATED	2887	2.0	2	1	1	2	2	2	3	8
TOTAL 0-19 YRS	2033	1.8		1	1	2	2	2	2	3
20-34	490	2.2	1	1	1	2	2	3	4	8
35-49	270	2.5	5	1	1	2	2	4	6	12
50-64	201	3.4	6	1	1	3	4	7	9	13
65+	142	4.5	21	1	2	3	5	9	14	39
GRAND TOTAL	**3136**	**2.1**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**9**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	235	2.3	9	<1	<1	1	3	5	6	11
20-34	61	3.7	15	1	1	3	5	6	7	28
35-49	46	4.1	17	<1	<1	2	5	9	14	19
50-64	43	4.7	21	<1	1	4	5	10	14	25
65+	60	6.8	33	1	2	5	8	14	19	31
B. *Operated*										
0-19 YRS	311	2.0	2	<1	1	2	2	3	5	8
20-34	307	2.6	7	<1	1	2	3	4	6	11
35-49	433	2.1	2	<1	<1	2	2	3	4	8
50-64	544	2.3	4	<1	1	2	3	4	5	9
65+	764	2.5	4	1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	3.8	8	<1	1	3	5	7	8	15
20-34	46	4.1	8	1	1	3	6	9	10	12
35-49	28	5.2	10	1	2	4	8	10	11	11
50-64	56	4.6	20	<1	1	4	5	9	12	29
65+	151	5.9	24	1	1	5	7	11	15	28
B. *Operated*										
0-19 YRS	88	2.7	5	1	1	2	3	5	6	14
20-34	133	3.3	8	1	1	2	4	6	7	20
35-49	196	3.4	15	1	1	2	4	6	9	22
50-64	421	3.0	5	1	1	2	3	6	7	11
65+	776	3.6	11	1	1	3	4	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	445	3.5	17	<1	<1	2	4	8	10	25
B. *Operated*	2359	2.3	4	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	434	4.8	16	1	1	4	6	9	11	22
B. *Operated*	1614	3.3	10	1	1	2	4	6	8	16
1. SINGLE DX	2804	2.5	6	<1	1	2	3	4	6	12
2. MULTIPLE DX	2048	3.6	11	1	1	3	4	7	9	18
A. NOT OPERATED	879	4.1	17	<1	1	3	5	8	11	24
B. OPERATED	3973	2.7	6	1	1	2	3	5	7	12
TOTAL 0-19 YRS	787	2.5	6	<1	<1	2	3	5	6	10
20-34	547	3.0	8	1	1	2	3	5	7	14
35-49	703	2.7	8	<1	1	2	3	5	7	12
50-64	1064	2.8	6	1	1	2	3	5	7	12
65+	1751	3.4	11	1	1	2	4	7	9	18
GRAND TOTAL	**4852**	**3.0**	**8**	**1**	**1**	**2**	**3**	**6**	**8**	**15**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	4.1	5	1	2	4	5	7	8	11
20-34	118	4.3	12	1	1	4	5	7	12	20
35-49	70	4.3	8	1	2	4	6	8	11	15
50-64	81	4.4	7	1	1	4	6	8	10	11
65+	94	5.0	15	1	2	4	7	9	14	19
B. *Operated*										
0-19 YRS	75	3.7	16	<1	1	2	4	9	13	20
20-34	99	3.3	5	1	1	3	4	6	7	14
35-49	86	3.6	9	1	1	3	4	6	9	19
50-64	253	3.0	7	1	1	2	3	5	7	13
65+	600	3.0	7	1	2	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	250	4.9	6	2	2	4	6	9	10	12
20-34	98	5.1	20	1	2	4	6	10	13	26
35-49	83	6.0	18	1	2	5	7	12	15	21
50-64	133	5.8	24	2	2	5	7	9	12	31
65+	209	6.9	25	1	2	6	9	14	16	24
B. *Operated*										
0-19 YRS	60	4.4	13	1	1	3	6	11	12	16
20-34	95	5.3	33	1	2	4	6	9	15	35
35-49	112	5.5	23	2	2	4	7	11	15	29
50-64	323	4.6	12	1	2	4	6	9	11	19
65+	702	4.7	24	2	2	3	6	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	650	4.3	8	1	2	4	6	8	9	15
B. *Operated*	1113	3.1	7	1	1	2	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	773	5.8	18	2	2	5	7	10	13	23
B. *Operated*	1292	4.8	21	1	2	3	6	10	12	21
1. SINGLE DX	1763	3.6	8	1	1	3	4	7	8	15
2. MULTIPLE DX	2065	5.1	20	1	2	4	6	10	13	22
A. NOT OPERATED	1423	5.1	14	1	2	4	6	9	12	20
B. OPERATED	2405	4.0	15	1	2	3	4	8	11	19
TOTAL 0-19 YRS	672	4.4	7	1	2	4	6	8	10	12
20-34	410	4.5	17	1	2	3	5	8	12	22
35-49	351	4.9	17	1	2	4	6	10	12	23
50-64	790	4.3	13	1	2	3	5	8	10	18
65+	1605	4.4	19	1	2	3	5	9	12	21
GRAND TOTAL	**3828**	**4.4**	**15**	**1**	**2**	**3**	**5**	**9**	**11**	**19**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.2	1	<1	1	2	3	3	4	4
20-34	25	3.3	8	1	1	2	4	6	9	15
35-49	21	2.7	1	1	1	2	3	4	5	5
50-64	18	3.6	4	1	2	3	5	6	8	9
65+	23	4.1	9	<1	1	3	5	8	12	13
B. *Operated*										
0-19 YRS	13	1.9	1	1	1	2	2	3	3	3
20-34	19	3.3	4	1	1	3	5	6	7	7
35-49	20	3.8	14	1	2	3	4	5	12	19
50-64	31	4.0	7	2	2	3	5	7	9	13
65+	33	3.1	2	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.8	10	1	1	3	4	10	11	14
20-34	39	4.6	34	1	1	3	5	7	13	36
35-49	49	4.4	9	2	2	4	5	6	11	18
50-64	75	5.8	21	2	2	4	7	11	13	27
65+	94	7.2	65	2	2	5	8	13	26	45
B. *Operated*										
0-19 YRS	16	4.2	28	<1	1	3	4	7	18	23
20-34	32	3.4	3	1	2	3	4	6	8	8
35-49	37	6.2	35	2	2	4	7	13	23	25
50-64	51	5.4	23	2	2	4	5	12	20	21
65+	70	5.8	19	2	2	5	7	11	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	3.2	5	1	1	3	4	6	7	14
B. *Operated*	116	3.4	6	1	2	3	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	286	5.7	35	1	2	4	6	11	14	37
B. *Operated*	206	5.3	22	2	2	4	6	11	17	23
1. SINGLE DX	222	3.3	5	1	1	3	4	6	7	14
2. MULTIPLE DX	492	5.5	30	1	2	4	6	11	15	29
A. NOT OPERATED	392	5.0	28	1	2	4	5	9	13	33
B. OPERATED	322	4.6	17	1	2	3	5	9	13	22
TOTAL 0-19 YRS	77	3.2	11	1	1	2	3	5	10	21
20-34	115	3.8	15	1	1	3	4	6	8	24
35-49	127	4.6	17	1	2	3	5	8	13	23
50-64	175	5.1	18	2	2	4	6	10	13	21
65+	220	5.8	37	1	2	4	7	11	15	39
GRAND TOTAL	**714**	**4.8**	**23**	**1**	**2**	**3**	**5**	**9**	**13**	**26**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	811	2.9	3	1	1	3	4	5	6	9
20-34	31	4.3	7	1	1	4	6	8	9	10
35-49	17	4.6	9	1	1	4	7	9	9	9
50-64	13	3.3	3	<1	1	3	4	6	7	7
65+	13	4.1	4	1	2	4	6	6	7	7
B. *Operated*										
0-19 YRS	4832	1.2	1	<1	<1	1	1	2	2	4
20-34	247	2.3	1	1	1	2	3	3	4	7
35-49	193	2.2	2	<1	1	2	3	3	4	6
50-64	178	2.1	1	1	1	2	2	3	4	5
65+	71	2.4	3	1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2389	3.4	5	1	1	3	4	6	7	11
20-34	81	4.2	8	1	1	4	6	7	11	14
35-49	67	5.4	10	2	3	5	6	9	12	17
50-64	64	6.1	15	1	2	6	8	12	14	19
65+	66	6.3	23	1	2	4	8	14	16	21
B. *Operated*										
0-19 YRS	3380	1.8	3	<1	<1	2	2	2	3	7
20-34	323	3.0	16	1	2	2	3	4	6	15
35-49	307	3.1	23	2	2	2	3	5	6	13
50-64	264	3.2	7	1	2	2	3	5	8	15
65+	120	4.1	24	1	2	3	4	9	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	885	3.0	3	1	1	3	4	5	6	10
B. *Operated*	5521	1.4	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	2667	3.6	6	1	1	3	4	6	8	13
B. *Operated*	4394	2.1	6	<1	<1	2	2	3	4	12
1. SINGLE DX	6406	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	7061	2.7	7	<1	1	2	3	5	6	12
A. NOT OPERATED	3552	3.5	6	1	1	3	4	6	8	12
B. OPERATED	9915	1.7	3	<1	<1	1	2	3	3	8
TOTAL 0-19 YRS	11412	2.0	3	<1	<1	1	2	4	5	8
20-34	682	2.9	10	1	1	2	3	5	7	14
35-49	584	3.1	15	1	2	2	3	5	7	13
50-64	519	3.2	7	1	1	2	3	6	8	15
65+	270	4.2	19	1	1	3	4	9	14	20
GRAND TOTAL	**13467**	**2.2**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	3.8	8	1	1	3	5	6	9	16
20-34	63	4.3	10	1	1	3	5	8	10	17
35-49	36	4.8	12	1	2	3	6	9	13	16
50-64	25	4.0	5	1	2	4	5	8	9	9
65+	17	7.7	33	2	3	6	8	13	22	27
B. *Operated*										
0-19 YRS	508	1.8	6	<1	<1	1	2	3	5	13
20-34	79	3.2	9	1	1	2	3	5	6	21
35-49	49	3.4	9	1	2	2	4	7	11	15
50-64	48	2.8	5	<1	1	2	3	6	8	12
65+	29	5.0	14	1	1	3	8	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	3.7	7	<1	1	3	5	7	9	14
20-34	78	5.6	19	2	3	5	6	9	12	29
35-49	57	5.5	11	2	2	5	7	11	12	16
50-64	60	8.1	63	2	3	6	10	15	17	53
65+	51	8.6	76	2	3	6	9	15	23	60
B. *Operated*										
0-19 YRS	477	2.1	3	<1	1	2	2	3	6	12
20-34	108	3.6	13	1	2	3	3	6	9	23
35-49	91	3.5	5	2	2	3	4	7	8	13
50-64	75	5.0	66	1	2	3	4	8	14	48
65+	47	10.2	112	1	2	5	15	27	32	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	4.4	11	1	1	3	5	8	11	17
B. *Operated*	713	2.3	7	<1	<1	1	2	4	7	14
2. MULTIPLE DX										
A. *Not Operated*	447	5.4	28	1	2	4	7	10	13	24
B. *Operated*	798	3.2	21	<1	1	2	3	6	9	28
1. SINGLE DX	938	2.8	9	<1	<1	2	3	6	9	15
2. MULTIPLE DX	1245	4.0	25	1	1	3	4	8	11	27
A. NOT OPERATED	672	5.1	23	1	2	4	6	9	13	22
B. OPERATED	1511	2.8	15	<1	<1	2	3	5	8	20
TOTAL 0-19 YRS	1270	2.4	6	<1	<1	2	3	5	7	13
20-34	328	4.1	14	1	2	3	5	8	10	21
35-49	233	4.2	9	1	2	3	5	8	11	15
50-64	208	5.3	47	1	2	3	6	10	14	45
65+	144	8.3	73	1	2	6	9	17	27	43
GRAND TOTAL	**2183**	**3.5**	**18**	**<1**	**1**	**2**	**4**	**7**	**10**	**21**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.9	4	<1	1	2	4	7	7	9
20-34	156	3.4	3	1	2	3	4	6	7	10
35-49	246	3.9	5	1	2	3	5	7	8	12
50-64	366	4.0	7	1	2	3	5	7	9	14
65+	334	4.2	9	1	2	3	5	8	9	15
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	46	3.4	2	2	2	3	4	5	6	9
35-49	56	4.2	10	2	2	3	5	9	10	17
50-64	59	4.4	6	2	2	4	6	8	9	11
65+	31	4.4	6	2	2	3	6	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.0	7	1	1	4	5	7	10	14
20-34	168	5.2	31	1	2	4	7	8	11	22
35-49	368	5.1	15	1	2	4	7	9	13	20
50-64	802	5.1	13	1	2	4	6	9	12	18
65+	1230	6.1	18	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	18	4.1	6	2	2	3	5	6	10	12
35-49	30	5.2	9	2	2	5	6	8	13	15
50-64	50	6.9	35	2	2	6	9	13	16	37
65+	88	9.2	32	3	3	7	12	18	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1139	3.9	7	1	2	3	5	7	9	14
B. *Operated*	193	4.1	6	2	2	3	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	2611	5.6	17	2	2	4	7	10	13	21
B. *Operated*	188	7.5	30	2	2	6	9	15	18	27
1. SINGLE DX	1332	3.9	7	1	2	3	5	7	9	14
2. MULTIPLE DX	2799	5.7	18	2	2	5	7	11	13	22
A. NOT OPERATED	3750	5.1	14	1	2	4	6	9	12	19
B. OPERATED	381	5.8	21	2	2	4	7	11	15	23
TOTAL 0-19 YRS	83	3.6	7	1	1	3	5	7	9	13
20-34	388	4.2	16	1	2	3	5	7	9	16
35-49	700	4.6	11	1	2	4	6	8	10	18
50-64	1277	4.8	12	1	2	4	6	9	11	17
65+	1683	5.8	18	2	2	5	7	11	14	22
GRAND TOTAL	**4131**	**5.1**	**15**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	26	2.9	5	2	2	3	3	3	6	13
20-34	171	2.6	1	2	2	3	3	4	4	6
35-49	326	2.6	1	1	2	2	3	4	4	7
50-64	251	2.8	2	2	2	3	3	4	5	7
65+	100	2.6	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	4	6.5	28	2	2	5	10	14	14	14
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	7	2.4		2	2	2	3	3	3	3
20-34	57	2.7	1	2	2	2	3	4	4	9
35-49	76	2.7	3	2	2	2	3	4	4	12
50-64	85	3.1	4	1	2	3	3	4	6	13
65+	42	2.7	1	2	2	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.8	1	<1	<1	1	3	3	3	3
B. *Operated*	874	2.7	1	2	2	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	12	4.1	16	<1	<1	3	6	9	13	14
B. *Operated*	267	2.8	2	2	2	3	3	4	5	11
1. SINGLE DX	883	2.7	1	2	2	2	3	4	5	7
2. MULTIPLE DX	279	2.9	3	1	2	3	3	4	5	12
A. NOT OPERATED	21	3.1	10	<1	<1	2	4	7	10	14
B. OPERATED	1141	2.7	2	2	2	2	3	4	5	8
TOTAL 0-19 YRS	36	2.9	4	2	2	3	3	3	6	13
20-34	231	2.6	1	2	2	3	3	4	4	6
35-49	408	2.6	2	1	2	2	3	4	4	8
50-64	342	2.9	2	2	2	3	3	4	5	10
65+	145	2.6	1	1	2	2	3	4	4	7
GRAND TOTAL	**1162**	**2.7**	**2**	**2**	**2**	**2**	**3**	**4**	**5**	**9**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.1	2	<1	<1	2	3	4	6	6
20-34	36	3.2	5	<1	1	3	4	7	8	9
35-49	57	3.2	4	1	2	3	4	5	7	11
50-64	75	3.4	4	1	1	3	4	7	8	10
65+	34	3.7	7	1	1	3	4	7	9	13
B. *Operated*										
0-19 YRS	827	2.0	1	1	1	2	2	3	3	5
20-34	571	2.4	1	1	2	2	3	3	4	6
35-49	439	2.5	2	1	2	2	3	3	4	8
50-64	317	2.3	1	1	2	2	3	3	4	5
65+	116	2.9	9	1	2	2	3	4	7	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.1	12	<1	<1	2	3	7	11	17
20-34	50	4.4	13	<1	1	4	6	9	14	15
35-49	53	4.8	12	1	2	4	7	9	13	16
50-64	64	4.7	15	1	1	4	6	9	13	20
65+	75	5.8	28	1	2	5	7	9	15	32
B. *Operated*										
0-19 YRS	561	2.1	1	1	1	2	2	3	4	5
20-34	457	2.6	3	1	2	2	3	4	4	9
35-49	411	3.2	28	2	2	2	3	4	7	13
50-64	336	3.0	3	2	2	2	3	4	7	11
65+	145	3.7	17	2	2	3	4	6	8	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	3.2	4	<1	1	3	4	6	8	10
B. *Operated*	2270	2.3	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	272	4.8	18	1	1	4	6	9	14	20
B. *Operated*	1910	2.7	9	1	2	2	3	4	5	12
1. SINGLE DX	2504	2.4	2	1	1	2	3	3	4	8
2. MULTIPLE DX	2182	3.0	11	1	1	2	3	5	7	14
A. NOT OPERATED	506	4.1	12	1	1	3	5	8	10	16
B. OPERATED	4180	2.5	5	1	1	2	3	3	4	9
TOTAL 0-19 YRS	1450	2.1	1	1	1	2	2	3	3	6
20-34	1114	2.6	2	1	2	2	3	4	5	9
35-49	960	3.0	14	1	2	2	3	4	6	13
50-64	792	2.9	4	1	2	2	3	5	7	12
65+	370	3.9	16	1	2	3	4	7	9	28
GRAND TOTAL	**4686**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	6.1	15	2	2	5	9	11	12	20
20-34	23	7.1	10	2	3	7	9	11	13	14
35-49	12	5.8	9	2	3	5	8	10	11	11
50-64	2	8.0	32	4	4	8	12	12	12	12
65+	4	22.5	415	11	11	13	33	53	53	53
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	5	12.8	28	6	6	13	16	20	20	20
35-49										
50-64	2	22.5	181	13	13	22	32	32	32	32
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	7.8	27	2	2	7	11	13	21	24
20-34	21	6.4	6	2	3	6	8	10	10	11
35-49	25	7.3	23	2	3	6	9	12	18	24
50-64	38	6.8	29	2	3	6	8	11	16	32
65+	43	12.2	84	3	4	9	15	30	31	40
B. *Operated*										
0-19 YRS	3	5.7	17	<1	<1	7	8	9	9	9
20-34	4	15.3	303	3	3	8	25	41	41	41
35-49	11	9.8	358	1	1	2	9	32	63	66
50-64	26	14.5	150	2	2	11	17	30	43	54
65+	8	14.6	195	3	3	12	17	38	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	6.9	34	2	2	6	9	11	14	34
B. *Operated*	9	12.3	95	<1	<1	13	16	27	32	32
2. MULTIPLE DX										
A. *Not Operated*	166	8.5	43	2	3	7	10	16	24	32
B. *Operated*	52	13.1	196	1	2	10	16	33	45	66
1. SINGLE DX	119	7.3	40	2	2	6	9	12	15	38
2. MULTIPLE DX	218	9.6	83	2	2	7	11	19	30	49
A. NOT OPERATED	276	7.8	40	2	3	7	10	12	19	32
B. OPERATED	61	13.0	179	1	2	10	16	31	43	65
TOTAL 0-19 YRS	113	6.6	20	1	2	6	9	11	14	22
20-34	53	8.0	34	2	3	7	9	12	15	40
35-49	48	7.5	92	2	2	5	9	11	17	66
50-64	68	10.3	93	2	3	7	12	21	32	51
65+	55	13.3	122	3	4	10	16	30	38	53
GRAND TOTAL	**337**	**8.8**	**69**	**2**	**2**	**7**	**10**	**16**	**25**	**47**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	3	3	3	4	6	7	7	7
20-34	37	4.4	8	1	1	3	6	8	10	11
35-49	39	4.1	7	1	2	4	5	8	9	13
50-64	25	4.2	9	<1	1	4	5	9	10	12
65+	14	6.1	27	1	2	4	7	15	19	20
B. *Operated*										
0-19 YRS	7	4.3	42	1	1	2	2	16	19	19
20-34	40	7.0	28	1	2	6	11	14	16	19
35-49	69	8.2	35	2	2	9	12	16	20	24
50-64	87	9.2	35	2	2	9	13	17	20	24
65+	37	11.2	119	2	2	11	17	21	25	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.8	5	1	2	5	7	9	46	99+
20-34	97	5.8	39	1	2	4	7	10	12	42
35-49	182	5.6	27	1	2	4	7	11	14	30
50-64	295	6.9	27	2	2	6	9	13	15	28
65+	353	8.7	46	2	3	7	11	17	22	35
B. *Operated*										
0-19 YRS	8	6.5	45	2	2	2	11	17	19	19
20-34	66	10.7	99	2	2	8	14	25	32	47
35-49	176	9.6	57	2	2	9	13	19	26	36
50-64	232	12.8	159	2	2	11	16	29	36	71
65+	131	12.7	119	2	2	11	17	25	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	4.5	10	1	1	4	6	8	10	16
B. *Operated*	240	8.7	48	2	2	8	13	17	20	28
2. MULTIPLE DX										
A. *Not Operated*	948	7.2	37	2	2	6	9	14	18	34
B. *Operated*	613	11.5	115	2	2	9	15	25	32	53
1. SINGLE DX	361	7.3	39	2	2	5	11	15	19	24
2. MULTIPLE DX	1561	8.9	72	2	2	6	12	18	26	46
A. NOT OPERATED	1069	6.9	34	1	2	5	9	13	17	33
B. OPERATED	853	10.7	98	2	2	9	14	22	29	48
TOTAL 0-19 YRS	42	5.0	17	1	2	4	7	11	19	99+
20-34	240	7.1	54	1	2	5	9	14	20	44
35-49	466	7.3	42	2	2	5	10	15	19	31
50-64	639	9.3	83	2	2	7	12	18	27	47
65+	535	9.8	71	2	2	7	13	20	26	44
GRAND TOTAL	**1922**	**8.6**	**66**	**2**	**2**	**6**	**11**	**17**	**24**	**44**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	3.7	4	1	1	3	4	7	9	10
20-34	399	3.9	7	1	2	3	5	7	9	13
35-49	739	4.5	8	1	2	4	6	8	10	13
50-64	725	4.8	10	2	2	4	6	9	11	16
65+	495	5.2	12	2	2	4	6	9	12	18
B. *Operated*										
0-19 YRS	14	4.0	6	2	2	3	5	7	10	11
20-34	46	3.6	7	1	2	3	4	6	8	15
35-49	62	4.5	13	1	2	3	6	8	11	19
50-64	71	6.0	16	2	2	5	9	11	12	20
65+	32	6.3	32	1	2	4	9	16	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	4.4	8	1	2	4	5	8	11	14
20-34	924	5.0	12	2	2	4	6	9	10	19
35-49	2601	5.6	21	2	2	5	7	10	13	20
50-64	3997	6.4	26	2	2	5	8	11	15	25
65+	4107	7.4	42	2	3	6	9	13	17	32
B. *Operated*										
0-19 YRS	17	6.7	18	2	2	5	8	14	16	17
20-34	178	6.5	28	1	2	5	8	12	16	29
35-49	451	8.1	56	2	2	6	11	16	22	34
50-64	633	9.6	61	2	2	8	12	19	26	39
65+	502	10.8	72	2	3	9	14	21	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2450	4.6	9	1	2	4	6	8	10	15
B. *Operated*	226	5.0	16	1	2	4	7	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	11739	6.4	30	2	2	5	8	11	15	26
B. *Operated*	1781	9.2	61	2	2	7	12	18	24	39
1. SINGLE DX	2676	4.6	10	1	2	4	6	8	11	16
2. MULTIPLE DX	13520	6.8	35	2	2	5	8	13	16	29
A. NOT OPERATED	14189	6.1	27	2	2	5	7	11	14	25
B. OPERATED	2007	8.7	57	2	2	7	11	18	23	37
TOTAL 0-19 YRS	233	4.2	8	1	2	4	5	8	10	14
20-34	1547	4.9	13	1	2	4	6	9	11	19
35-49	3854	5.7	23	2	2	5	7	10	13	22
50-64	5426	6.5	30	2	2	5	8	12	15	28
65+	5136	7.5	43	2	3	6	9	14	18	34
GRAND TOTAL	**16196**	**6.4**	**31**	**2**	**2**	**5**	**8**	**12**	**15**	**28**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	26	4.9	9	2	2	4	5	10	12	13
35-49	128	5.8	14	2	2	5	7	11	14	18
50-64	175	5.9	17	2	2	5	7	10	12	25
65+	261	6.7	20	2	3	6	8	12	15	24
B. *Operated*										
0-19 YRS										
20-34	4	4.0	16	2	2	2	6	10	10	10
35-49	19	5.8	26	1	1	3	10	14	16	17
50-64	32	6.5	68	2	2	4	8	14	17	46
65+	19	5.1	13	1	2	3	9	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.3	24	3	3	9	10	15	16	16
20-34	83	5.7	11	2	3	5	7	10	13	17
35-49	550	6.7	23	2	3	5	8	12	15	23
50-64	1843	8.0	29	2	3	7	10	15	18	28
65+	4134	9.3	55	3	3	7	12	17	23	39
B. *Operated*										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	12	6.1	27	2	2	4	10	14	17	18
35-49	100	8.5	62	2	2	6	11	19	21	42
50-64	319	11.1	121	2	2	9	15	21	33	54
65+	506	14.0	136	2	4	11	18	27	39	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	592	6.2	17	2	2	5	8	11	14	21
B. *Operated*	74	5.8	40	2	2	3	9	12	14	39
2. MULTIPLE DX										
A. *Not Operated*	6616	8.7	45	2	3	7	11	16	21	34
B. *Operated*	940	12.3	125	2	2	10	16	24	35	58
1. SINGLE DX	666	6.1	20	2	2	5	8	11	14	22
2. MULTIPLE DX	7556	9.1	57	2	3	7	11	17	22	40
A. NOT OPERATED	7208	8.5	43	2	3	7	10	16	20	33
B. OPERATED	1014	11.8	122	2	2	9	15	23	34	57
TOTAL 0-19 YRS	11	6.9	17	2	2	7	9	13	16	16
20-34	125	5.5	12	2	2	4	7	10	13	18
35-49	797	6.7	27	2	2	5	9	12	16	24
50-64	2369	8.2	42	2	3	7	10	16	19	34
65+	4920	9.6	64	2	3	8	12	18	24	44
GRAND TOTAL	**8222**	**8.9**	**54**	**2**	**3**	**7**	**11**	**17**	**22**	**39**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.5	26	2	2	7	10	15	16	16
20-34	10	5.6	7	3	3	5	6	10	11	11
35-49	26	6.0	31	1	2	5	8	11	18	28
50-64	30	6.8	22	2	2	6	8	13	14	24
65+	37	9.9	61	2	2	7	14	19	28	35
B. *Operated*										
0-19 YRS	5	9.2	23	2	2	11	12	14	14	14
20-34	17	7.4	34	2	2	6	9	16	22	24
35-49	32	8.7	40	1	2	8	12	16	17	31
50-64	37	7.7	29	2	2	7	9	16	18	26
65+	32	12.7	97	2	2	10	18	28	35	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.1	5	1	2	4	5	8	9	9
20-34	18	6.3	23	2	3	4	7	15	18	19
35-49	87	6.7	21	1	2	6	9	13	15	23
50-64	158	8.1	34	2	2	7	10	16	21	31
65+	341	11.0	84	2	3	9	14	21	25	48
B. *Operated*										
0-19 YRS	6	4.2	7	2	2	3	5	9	9	9
20-34	33	12.8	191	2	3	9	15	22	50	66
35-49	88	11.9	106	2	3	9	16	26	35	51
50-64	187	13.3	112	3	3	11	18	27	32	66
65+	165	18.0	270	3	4	12	24	39	55	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	7.6	38	2	2	6	9	15	19	31
B. *Operated*	123	9.3	53	2	2	8	12	18	25	36
2. MULTIPLE DX										
A. *Not Operated*	616	9.4	62	2	3	8	12	19	22	37
B. *Operated*	479	14.5	176	2	3	11	19	30	39	69
1. SINGLE DX	232	8.5	46	2	2	7	11	17	24	35
2. MULTIPLE DX	1095	11.6	119	2	3	9	14	23	32	59
A. NOT OPERATED	725	9.1	59	2	3	7	11	18	22	35
B. OPERATED	602	13.4	155	2	3	10	17	29	36	64
TOTAL 0-19 YRS	29	5.7	16	2	2	4	8	12	14	16
20-34	78	9.2	102	2	3	6	11	17	22	62
35-49	233	8.9	62	2	2	7	11	17	25	36
50-64	412	10.3	76	2	3	8	13	22	27	49
65+	575	13.0	146	2	3	10	16	26	35	59
GRAND TOTAL	1327	11.1	107	2	3	8	14	22	30	57

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	11.6	11	8	8	10	14	16	16	16
20-34	81	11.0	20	3	5	11	13	16	18	26
35-49	989	11.3	16	5	6	11	13	16	18	22
50-64	2224	11.9	20	5	7	12	14	17	19	25
65+	2010	12.4	24	5	7	12	15	18	20	29
B. *Operated*										
0-19 YRS										
20-34	20	8.6	50	1	1	8	13	19	22	25
35-49	104	10.3	45	2	2	10	14	17	19	40
50-64	218	12.4	48	2	2	12	15	21	25	34
65+	116	14.4	48	2	7	14	17	22	28	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	14.2	60	4	7	12	16	20	32	40
20-34	142	11.1	24	3	5	11	14	18	20	31
35-49	1923	12.0	24	4	7	12	14	18	21	27
50-64	6356	13.1	37	5	7	12	15	19	23	36
65+	9482	14.3	50	6	7	13	17	22	27	41
B. *Operated*										
0-19 YRS										
20-34	39	12.0	82	2	2	12	16	20	26	50
35-49	446	12.9	96	2	2	12	17	23	29	47
50-64	1095	15.5	101	2	3	14	19	27	34	57
65+	1073	20.4	156	5	9	18	25	35	44	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5309	12.0	21	5	7	12	14	17	19	27
B. *Operated*	458	12.3	50	2	2	12	16	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	17921	13.6	43	5	7	13	16	21	25	38
B. *Operated*	2653	17.0	131	2	4	15	21	30	38	64
1. SINGLE DX	5767	12.0	23	5	7	12	14	17	20	28
2. MULTIPLE DX	20574	14.0	56	5	7	13	16	22	27	43
A. NOT OPERATED	23230	13.2	39	5	7	12	15	20	24	35
B. OPERATED	3111	16.3	122	2	3	14	20	28	37	61
TOTAL 0-19 YRS	23	13.6	49	5	8	12	16	19	28	40
20-34	282	11.0	33	2	3	11	14	18	20	28
35-49	3462	11.9	32	3	6	11	14	18	21	30
50-64	9893	13.0	42	5	7	12	15	20	24	37
65+	12681	14.5	59	6	7	13	17	23	28	44
GRAND TOTAL	26341	13.6	49	5	7	13	16	21	26	40

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	36	3.9	7	1	1	3	5	8	9	12
35-49	341	4.1	6	1	2	3	5	8	9	14
50-64	716	4.5	9	1	2	4	6	8	10	15
65+	719	4.9	13	2	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	19	2.9	3	1	2	2	4	6	7	7
35-49	107	4.4	14	2	2	3	6	8	10	23
50-64	243	5.0	22	2	2	3	7	12	16	21
65+	96	5.9	23	2	2	4	9	13	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	6.5	25	3	3	5	7	12	17	24
20-34	102	4.9	12	1	2	4	6	9	12	20
35-49	1530	5.1	13	2	2	4	6	9	11	20
50-64	4854	5.6	13	2	2	5	7	10	12	18
65+	6791	6.5	20	2	3	5	8	12	14	23
B. *Operated*										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	41	5.5	13	2	2	4	8	10	13	15
35-49	649	7.1	36	2	2	5	10	14	18	28
50-64	1842	8.1	49	2	2	6	11	17	21	33
65+	1083	10.2	69	2	2	9	13	20	26	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1814	4.6	10	1	2	4	6	8	10	15
B. *Operated*	468	4.9	20	2	2	3	7	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	13299	6.0	17	2	2	5	8	11	13	21
B. *Operated*	3617	8.5	53	2	2	7	12	17	22	35
1. SINGLE DX	2282	4.7	12	1	2	4	6	8	11	18
2. MULTIPLE DX	16916	6.6	26	2	2	5	8	12	16	26
A. NOT OPERATED	15113	5.9	16	2	2	5	7	10	13	21
B. OPERATED	4085	8.1	51	2	2	6	11	17	21	34
TOTAL 0-19 YRS	29	5.9	23	2	2	4	6	12	14	24
20-34	198	4.7	11	1	2	4	6	9	11	17
35-49	2627	5.4	19	2	2	4	7	10	14	23
50-64	7655	6.1	23	2	2	5	8	12	15	24
65+	8689	6.9	27	2	2	5	8	13	16	27
GRAND TOTAL	**19198**	**6.3**	**24**	**2**	**2**	**5**	**8**	**12**	**15**	**25**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	4.8	8	1	2	5	7	9	10	10
35-49	182	5.0	11	1	2	4	6	9	12	16
50-64	517	5.6	13	1	2	5	7	10	12	17
65+	542	5.9	16	2	2	5	7	10	12	19
B. *Operated*										
0-19 YRS										
20-34	5	10.2	47	2	2	12	16	17	17	17
35-49	51	5.6	15	2	2	5	8	10	12	19
50-64	101	8.3	47	2	2	8	11	15	17	42
65+	51	9.5	47	2	2	9	13	20	25	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	8.4	14	4	4	8	11	14	15	15
20-34	38	5.5	17	1	2	5	7	8	11	26
35-49	680	6.0	17	2	2	5	7	11	13	19
50-64	2785	6.7	21	2	3	6	8	12	15	25
65+	4686	7.6	26	2	3	6	9	13	17	26
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	6.0	17	2	2	4	9	12	14	14
35-49	281	9.1	35	2	2	9	12	16	19	29
50-64	935	10.9	58	2	2	10	14	19	24	39
65+	654	13.8	96	2	4	12	17	25	33	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1253	5.6	14	2	2	5	7	10	12	17
B. *Operated*	208	8.0	41	2	2	7	11	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	8197	7.2	24	2	3	6	9	13	16	25
B. *Operated*	1884	11.6	70	2	2	10	15	21	26	45
1. SINGLE DX	1461	6.0	19	2	2	5	8	11	13	20
2. MULTIPLE DX	10081	8.0	35	2	3	7	10	15	19	31
A. NOT OPERATED	9450	7.0	23	2	3	6	9	12	15	24
B. OPERATED	2092	11.2	69	2	2	10	14	20	26	44
TOTAL 0-19 YRS	9	7.7	17	2	3	7	10	13	15	15
20-34	68	5.8	18	2	2	5	7	11	14	24
35-49	1194	6.6	22	2	2	5	8	12	15	22
50-64	4338	7.5	32	2	2	6	10	14	17	30
65+	5933	8.2	37	2	3	7	10	15	19	31
GRAND TOTAL	**11542**	**7.7**	**34**	**2**	**3**	**6**	**10**	**14**	**18**	**30**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	22	3.5	7	<1	1	3	4	6	9	13
35-49	271	4.4	17	1	2	3	5	8	11	17
50-64	712	4.7	14	1	2	3	6	9	12	17
65+	610	5.9	17	2	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	5	3.8	17	<1	<1	2	5	11	11	11
20-34	62	6.6	29	2	2	5	9	13	18	25
35-49	1257	6.7	25	2	2	6	10	12	15	22
50-64	3258	7.5	29	2	2	8	11	14	16	22
65+	1216	8.8	41	2	2	9	13	16	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	6.7	37	1	2	4	9	15	20	26
20-34	97	5.0	13	1	2	4	7	11	13	15
35-49	1426	6.3	21	2	2	5	8	12	15	23
50-64	5628	6.9	27	2	2	6	9	13	16	28
65+	12249	8.7	49	2	3	7	11	16	21	36
B. *Operated*										
0-19 YRS	13	6.2	28	1	1	3	11	14	16	16
20-34	116	6.3	24	2	2	4	10	13	15	21
35-49	1826	7.2	40	2	2	5	11	15	18	28
50-64	5436	8.6	59	2	2	8	12	17	22	35
65+	3490	11.7	96	2	2	10	16	23	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1616	5.1	16	1	2	4	7	10	13	19
B. *Operated*	5798	7.6	31	2	2	8	11	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	19426	8.0	41	2	3	6	10	15	19	33
B. *Operated*	10881	9.3	70	2	2	8	13	19	24	41
1. SINGLE DX	7414	7.0	29	2	2	6	11	14	17	23
2. MULTIPLE DX	30307	8.5	52	2	2	7	11	16	21	36
A. NOT OPERATED	21042	7.7	40	2	2	6	10	14	19	32
B. OPERATED	16679	8.7	57	2	2	8	12	17	22	35
TOTAL 0-19 YRS	45	6.1	31	1	2	3	10	15	16	26
20-34	297	5.7	21	1	2	4	9	12	15	21
35-49	4780	6.6	30	2	2	5	10	13	17	24
50-64	15034	7.5	39	2	2	6	11	15	18	30
65+	17565	9.2	59	2	2	7	12	18	23	39
GRAND TOTAL	**37721**	**8.2**	**48**	**2**	**2**	**7**	**11**	**16**	**20**	**34**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	9.2	30	2	3	10	11	15	22	23
20-34	123	9.8	77	3	4	9	11	14	16	46
35-49	158	10.8	22	4	6	10	12	16	19	29
50-64	212	10.9	18	5	6	10	13	17	19	22
65+	226	11.5	27	5	6	11	14	17	19	29
B. *Operated*										
0-19 YRS	3	10.0	21	5	5	11	13	14	14	14
20-34	30	10.0	16	3	5	10	12	16	17	18
35-49	37	11.8	23	4	7	12	14	18	21	24
50-64	37	10.7	34	2	3	10	14	19	22	23
65+	31	13.5	56	2	3	14	18	21	30	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	10.5	49	1	2	9	14	21	26	28
20-34	149	11.1	33	4	5	10	14	16	21	32
35-49	343	11.4	29	4	5	11	14	18	20	31
50-64	655	12.4	39	5	7	11	15	19	23	29
65+	1171	14.3	58	6	7	13	17	23	27	44
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	32	13.7	91	5	6	11	15	23	37	50
35-49	75	15.5	81	4	6	14	20	25	33	45
50-64	135	17.4	114	4	6	15	22	29	35	59
65+	193	19.1	120	8	9	17	23	32	40	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	731	10.9	32	4	6	10	13	16	19	26
B. *Operated*	138	11.5	32	2	4	11	14	19	22	30
2. MULTIPLE DX										
A. *Not Operated*	2336	13.1	48	5	7	12	16	21	25	38
B. *Operated*	436	17.5	112	5	7	15	22	30	38	57
1. SINGLE DX	869	10.9	32	4	5	10	13	17	19	27
2. MULTIPLE DX	2772	13.8	61	5	7	12	17	22	28	43
A. NOT OPERATED	3067	12.6	45	5	6	11	15	20	24	36
B. OPERATED	574	16.1	99	4	6	14	20	28	35	56
TOTAL 0-19 YRS	34	9.7	39	2	2	10	12	16	24	28
20-34	334	10.8	54	3	5	10	12	16	20	36
35-49	613	11.8	35	4	6	11	14	19	22	34
50-64	1039	12.7	48	5	6	11	15	20	24	34
65+	1621	14.5	65	6	7	13	17	24	28	47
GRAND TOTAL	**3641**	**13.1**	**55**	**5**	**6**	**12**	**16**	**21**	**26**	**40**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	5	25.4	254	4	4	28	38	43	43	43
35-49	3	24.7	545	4	4	20	42	50	50	50
50-64	7	22.1	266	2	2	31	34	41	42	42
65+	14	31.0	702	3	4	24	53	78	83	84
B. *Operated*										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49										
50-64	1	46.0		46	46	46	46	46	46	46
65+	3	32.3	272	14	14	37	44	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	29.0	183	2	5	30	37	44	47	48
20-34	49	24.9	236	3	4	28	33	45	50	62
35-49	23	26.2	140	6	8	28	32	40	48	51
50-64	38	26.9	166	4	8	28	35	43	49	56
65+	61	29.6	193	5	9	29	41	44	48	67
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	14	27.9	121	11	15	28	34	43	45	45
35-49	11	38.2	178	16	21	41	45	55	64	65
50-64	21	34.4	202	11	14	32	47	53	54	55
65+	23	34.9	73	23	26	33	39	53	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	27.4	458	3	4	27	37	53	77	84
B. *Operated*	5	31.4	266	14	14	37	46	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	183	27.3	191	3	7	29	36	44	49	60
B. *Operated*	70	33.4	153	14	16	32	43	50	55	93
1. SINGLE DX	35	28.0	424	3	4	28	41	53	71	84
2. MULTIPLE DX	253	29.0	188	5	8	30	39	45	52	65
A. NOT OPERATED	213	27.3	227	3	7	29	36	45	51	72
B. OPERATED	75	33.3	157	14	16	32	43	49	55	91
TOTAL 0-19 YRS	14	27.6	198	2	5	30	35	43	47	48
20-34	69	25.3	208	3	6	28	34	44	49	61
35-49	37	29.6	198	5	8	30	39	48	51	65
50-64	67	29.0	200	4	8	30	38	48	53	56
65+	101	31.1	233	5	10	31	42	48	56	92
GRAND TOTAL	**288**	**28.9**	**215**	**4**	**7**	**30**	**39**	**46**	**53**	**74**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.3	2	1	1	2	3	4	5	6
20-34	72	2.7	3	<1	1	2	3	5	6	10
35-49	131	2.9	4	<1	1	3	4	5	7	10
50-64	186	3.0	5	1	1	2	4	5	7	11
65+	143	4.1	12	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	4.0	8	2	2	3	5	9	9	9
50-64	5	3.4	4	2	2	2	5	6	6	6
65+	3	7.0	19	2	2	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.3	6	1	1	2	4	6	9	12
20-34	85	3.7	4	1	1	3	5	7	7	10
35-49	232	4.3	9	1	1	4	6	8	10	15
50-64	484	4.7	12	1	2	4	6	9	11	17
65+	633	6.0	20	1	2	5	8	12	14	20
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	1	9.0		9	9	9	9	9	9	9
35-49	23	9.0	28	2	2	7	14	17	18	18
50-64	30	10.6	193	2	2	6	14	19	31	74
65+	45	13.3	52	4	5	11	18	24	27	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	3.2	6	<1	1	3	4	6	8	12
B. *Operated*	15	4.1	9	2	2	3	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	1463	5.1	15	1	2	4	6	10	13	18
B. *Operated*	101	11.3	90	2	2	9	16	20	26	53
1. SINGLE DX	579	3.2	6	<1	1	3	4	6	8	12
2. MULTIPLE DX	1564	5.5	22	1	2	4	7	11	14	22
A. NOT OPERATED	2027	4.6	13	1	1	4	6	9	11	17
B. OPERATED	116	10.3	85	2	2	9	14	20	25	47
TOTAL 0-19 YRS	64	2.8	4	1	1	2	3	5	6	12
20-34	159	3.3	4	<1	1	3	4	6	7	10
35-49	391	4.1	10	1	1	3	5	8	10	17
50-64	705	4.5	20	1	1	3	5	8	11	18
65+	824	6.1	24	1	2	5	8	12	15	24
GRAND TOTAL	**2143**	**4.9**	**19**	**1**	**1**	**4**	**6**	**10**	**13**	**20**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.9	2	1	1	1	3	4	4	4
20-34	91	2.5	2	1	1	2	3	4	5	9
35-49	187	3.1	3	1	1	3	4	6	7	9
50-64	367	3.5	7	1	1	3	5	7	8	12
65+	510	4.4	12	1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	5	4.2	4	2	2	4	5	7	7	7
50-64	20	3.8	5	1	1	3	6	7	8	8
65+	17	5.9	11	2	3	5	7	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	6.7	36	1	1	5	8	18	20	21
20-34	106	3.5	6	1	1	3	5	7	8	12
35-49	345	4.6	10	1	1	4	6	9	11	15
50-64	1519	5.9	29	1	2	5	8	11	14	20
65+	4079	7.4	36	2	2	6	9	14	18	29
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	8.2	93	1	1	5	9	25	27	27
35-49	31	8.7	31	2	2	8	12	18	20	23
50-64	152	9.3	48	2	2	8	13	18	22	38
65+	436	14.1	125	3	5	11	17	28	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1165	3.7	8	1	1	3	5	7	9	14
B. *Operated*	43	4.6	8	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	6069	6.8	33	2	2	5	8	13	16	27
B. *Operated*	626	12.6	107	2	3	10	15	24	33	53
1. SINGLE DX	1208	3.8	8	1	1	3	5	7	9	14
2. MULTIPLE DX	6695	7.3	43	2	2	6	9	14	18	33
A. NOT OPERATED	7234	6.3	30	1	2	5	8	12	16	25
B. OPERATED	669	12.1	104	2	3	9	15	24	33	53
TOTAL 0-19 YRS	32	4.9	28	1	1	3	6	12	19	21
20-34	203	3.2	7	1	1	3	4	6	8	12
35-49	568	4.3	11	1	1	3	6	9	11	17
50-64	2058	5.7	28	1	2	4	7	11	14	21
65+	5042	7.6	46	2	2	6	9	15	19	35
GRAND TOTAL	**7903**	**6.8**	**39**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.0	6	1	1	3	4	6	8	12
20-34	216	3.7	9	1	1	3	5	6	9	15
35-49	286	3.9	15	1	1	3	5	7	9	22
50-64	439	4.4	8	1	1	4	6	8	10	15
65+	552	5.3	16	1	2	4	7	10	12	21
B. *Operated*										
0-19 YRS	6	4.5	9	2	2	4	8	8	8	8
20-34	25	5.8	17	2	2	5	7	12	16	18
35-49	62	5.9	17	2	2	5	8	11	12	22
50-64	155	6.4	22	2	2	5	9	13	15	21
65+	608	8.1	26	3	4	7	10	15	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	5.2	21	1	1	4	6	10	16	24
20-34	380	4.7	18	1	1	4	6	8	11	28
35-49	913	5.1	12	1	2	4	6	9	12	19
50-64	2485	6.3	25	1	2	5	8	11	14	24
65+	4733	7.8	36	2	3	6	10	15	19	30
B. *Operated*										
0-19 YRS	14	6.8	24	1	2	6	12	14	15	15
20-34	48	6.9	39	2	2	5	8	15	20	34
35-49	186	8.1	51	2	2	6	11	15	19	31
50-64	686	10.1	77	2	2	8	13	20	26	46
65+	2748	11.9	71	3	4	10	15	21	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1564	4.5	13	1	1	4	6	8	11	18
B. *Operated*	856	7.5	25	2	3	6	9	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	8600	6.9	30	2	2	5	8	13	17	28
B. *Operated*	3682	11.3	72	3	4	9	14	21	26	44
1. SINGLE DX	2420	5.5	19	1	2	4	7	11	14	21
2. MULTIPLE DX	12282	8.2	47	2	3	6	10	16	21	34
A. NOT OPERATED	10164	6.5	28	2	2	5	8	12	16	26
B. OPERATED	4538	10.6	65	3	3	9	13	20	25	42
TOTAL 0-19 YRS	180	4.5	16	1	1	3	6	9	13	22
20-34	669	4.6	17	1	1	4	5	8	12	26
35-49	1447	5.3	19	1	2	4	7	10	13	22
50-64	3765	6.7	35	2	2	5	8	13	16	31
65+	8641	9.0	50	2	3	7	11	17	22	36
GRAND TOTAL	**14702**	**7.8**	**43**	**2**	**2**	**6**	**10**	**15**	**20**	**33**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.0	10	1	2	4	7	9	12	12
20-34	15	4.7	17	1	1	3	7	11	14	15
35-49	75	6.4	27	2	2	5	8	11	12	34
50-64	344	7.0	26	2	2	6	9	13	17	27
65+	1568	7.5	30	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	3	5.3	17	2	2	4	8	10	10	10
20-34	1	12.0		12	12	12	12	12	12	12
35-49	5	7.2	35	2	2	5	13	14	14	14
50-64	14	9.4	24	2	3	10	12	16	16	16
65+	41	12.1	53	3	4	10	15	23	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	7.5	56	1	2	5	9	15	19	43
20-34	113	7.6	46	2	2	6	9	13	20	38
35-49	808	8.0	29	2	3	7	10	14	18	27
50-64	4444	8.9	43	3	3	7	11	16	20	33
65+	18513	10.1	58	3	4	8	12	19	24	40
B. *Operated*										
0-19 YRS	10	8.5	58	1	1	5	17	20	23	23
20-34	30	10.2	159	<1	<1	6	12	21	26	67
35-49	104	11.0	79	2	2	9	15	22	30	42
50-64	473	15.5	147	3	5	12	19	30	39	67
65+	1399	17.5	160	5	6	14	22	33	42	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2014	7.3	29	2	2	6	9	14	18	29
B. *Operated*	64	10.8	45	2	3	10	14	19	24	32
2. MULTIPLE DX										
A. *Not Operated*	23995	9.8	55	3	4	8	12	18	23	39
B. *Operated*	2016	16.6	156	4	5	13	21	32	40	70
1. SINGLE DX	2078	7.5	30	2	2	6	9	14	18	30
2. MULTIPLE DX	26011	10.3	66	3	4	8	13	19	25	43
A. NOT OPERATED	26009	9.6	53	3	3	8	12	18	23	38
B. OPERATED	2080	16.4	153	3	5	13	21	32	40	70
TOTAL 0-19 YRS	142	7.3	51	1	2	5	9	15	18	36
20-34	159	7.8	66	1	2	6	10	15	21	55
35-49	992	8.2	35	2	3	7	10	15	20	35
50-64	5275	9.3	55	2	3	7	11	17	22	39
65+	21521	10.4	67	3	4	8	13	20	26	43
GRAND TOTAL	**28089**	**10.1**	**64**	**3**	**3**	**8**	**12**	**19**	**25**	**42**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	4.6	17	1	1	3	5	9	11	24
20-34	278	4.5	9	1	2	4	6	8	10	13
35-49	287	5.1	14	1	2	4	6	10	11	20
50-64	298	6.5	28	2	2	5	8	12	17	26
65+	212	6.8	27	2	2	6	8	13	19	25
B. *Operated*										
0-19 YRS	51	5.9	48	2	2	3	9	13	16	42
20-34	88	6.6	42	2	2	4	9	13	16	38
35-49	227	5.8	31	2	2	3	9	13	17	21
50-64	357	6.2	31	2	2	3	10	13	17	24
65+	212	9.4	65	2	2	7	15	20	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	6.0	24	1	2	5	8	12	15	24
20-34	503	6.3	30	1	2	5	8	11	16	30
35-49	814	6.8	26	2	2	5	8	12	16	28
50-64	1614	8.0	42	2	2	6	10	15	21	36
65+	2605	9.5	53	2	3	8	12	18	24	37
B. *Operated*										
0-19 YRS	45	8.3	67	2	2	7	12	15	22	48
20-34	127	9.3	88	2	2	7	12	20	22	51
35-49	430	8.5	89	2	2	6	12	18	24	44
50-64	1045	9.8	85	2	2	8	13	20	26	44
65+	926	13.9	133	2	2	11	19	28	37	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1146	5.6	20	1	2	4	7	11	13	22
B. *Operated*	935	6.9	43	2	2	4	10	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	5656	8.3	45	2	3	7	10	16	22	35
B. *Operated*	2573	11.0	108	2	2	8	15	23	31	51
1. SINGLE DX	2081	6.2	30	2	2	4	8	13	17	28
2. MULTIPLE DX	8229	9.2	66	2	2	7	12	19	25	41
A. NOT OPERATED	6802	7.9	42	2	2	6	10	15	20	33
B. OPERATED	3508	9.9	94	2	2	7	14	21	28	48
TOTAL 0-19 YRS	287	6.0	34	1	2	4	8	12	15	33
20-34	996	6.2	35	1	2	4	8	12	17	30
35-49	1758	6.7	41	2	2	5	9	14	18	30
50-64	3314	8.3	55	2	2	6	11	16	22	37
65+	3955	10.4	75	2	3	8	13	21	27	42
GRAND TOTAL	**10310**	**8.6**	**60**	**2**	**2**	**6**	**11**	**17**	**23**	**39**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	10	4.8	4	2	2	5	7	7	7	7
50-64	34	5.1	12	1	1	5	7	8	9	20
65+	90	6.6	28	2	2	5	8	11	17	31
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	13	2.2		2	2	2	2	3	4	4
50-64	46	4.6	23	1	2	2	4	11	15	22
65+	22	6.2	31	1	2	4	9	15	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	6.6	18	1	2	5	11	12	13	13
20-34	11	4.4	6	2	2	4	4	9	11	11
35-49	181	6.3	22	2	2	5	9	12	14	27
50-64	931	7.6	34	2	2	6	10	15	18	31
65+	3531	9.7	69	2	3	7	12	18	24	47
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	10	7.6	51	2	2	4	13	18	23	23
35-49	71	7.3	34	2	2	5	11	14	18	28
50-64	310	10.0	87	2	2	8	13	20	25	50
65+	584	13.8	129	2	3	11	17	27	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	6.1	22	2	2	5	7	10	15	27
B. *Operated*	82	4.7	23	2	2	2	5	11	15	22
2. MULTIPLE DX										
A. *Not Operated*	4666	9.1	61	2	3	7	11	17	22	41
B. *Operated*	978	12.0	113	2	2	10	16	25	33	56
1. SINGLE DX	216	5.6	23	2	2	4	7	11	16	23
2. MULTIPLE DX	5644	9.6	71	2	3	7	12	18	25	45
A. NOT OPERATED	4800	9.0	60	2	3	7	11	17	22	41
B. OPERATED	1060	11.4	110	2	2	9	15	23	32	52
TOTAL 0-19 YRS	16	5.9	16	1	2	4	10	11	12	13
20-34	21	5.9	29	2	2	4	8	13	18	23
35-49	275	6.3	24	2	2	5	9	12	14	27
50-64	1321	8.0	47	2	2	6	11	16	20	38
65+	4227	10.1	78	2	3	8	12	20	26	49
GRAND TOTAL	**5860**	**9.5**	**70**	**2**	**3**	**7**	**12**	**18**	**25**	**45**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	8	2.6	5	<1	<1	2	3	6	8	8
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	17	5.6	78	<1	<1	2	6	15	28	35
65+	11	16.5	268	1	1	15	25	43	49	50
B. *Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	24	18.2	209	3	7	15	21	39	80	99+
35-49	45	15.9	107	2	4	15	20	30	35	54
50-64	45	21.9	207	6	9	19	27	36	53	74
65+	10	23.2	446	1	1	19	36	55	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	6	9.0	40	1	1	8	10	19	20	20
35-49	20	14.1	396	<1	1	5	16	45	65	74
50-64	21	19.5	574	2	3	11	20	58	86	86
65+	38	17.1	259	1	2	11	29	36	48	75
B. *Operated*										
0-19 YRS	4	33.0	149	19	19	32	42	48	48	48
20-34	19	19.2	144	2	5	17	26	35	44	50
35-49	46	27.3	275	6	10	25	39	55	74	99+
50-64	67	27.1	256	4	8	26	39	59	99+	99+
65+	41	32.4	487	10	13	28	48	80	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	7.3	130	<1	<1	2	8	22	36	50
B. *Operated*	126	18.9	192	2	5	17	24	35	49	80
2. MULTIPLE DX										
A. *Not Operated*	87	16.1	347	1	1	9	20	36	60	86
B. *Operated*	177	27.7	308	6	11	25	39	58	88	99+
1. SINGLE DX	168	16.0	201	1	1	14	21	34	41	74
2. MULTIPLE DX	264	23.9	349	2	4	19	35	55	79	99+
A. NOT OPERATED	129	13.2	292	<1	1	7	17	35	50	86
B. OPERATED	303	24.0	278	3	7	20	32	52	74	99+
TOTAL 0-19 YRS	10	15.0	292	<1	<1	5	29	42	48	48
20-34	57	15.4	172	1	2	14	20	33	46	98
35-49	115	[illegible]	262	2	2	17	27	49	57	99+
50-64	150	22.1	303	1	3	19	31	54	74	99+
65+	100	23.9	415	1	3	18	35	54	78	99+
GRAND TOTAL	**432**	**20.8**	**306**	**1**	**2**	**17**	**30**	**49**	**72**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	24.5	841	4	4	24	45	45	45	45
50-64	1	10.0		10	10	10	10	10	10	10
65+	3	15.3	69	6	6	18	21	22	22	22
B. *Operated*										
0-19 YRS										
20-34	2	19.0	72	13	13	19	25	25	25	25
35-49	3	40.0	571	19	19	35	58	66	66	66
50-64	8	50.1	314	30	32	53	68	94	99+	99+
65+	1	27.0		27	27	27	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	6	17.5	230	4	4	14	22	43	45	45
B. *Operated*	14	41.9	402	14	19	38	61	84	96	99+
1. SINGLE DX										
2. MULTIPLE DX	20	34.6	467	5	8	34	53	73	91	99+
A. NOT OPERATED	6	17.5	230	4	4	14	22	43	45	45
B. OPERATED	14	41.9	402	14	19	38	61	84	96	99+
TOTAL 0-19 YRS										
20-34	2	19.0	72	13	13	19	25	25	25	25
35-49	5	33.8	568	4	4	35	50	66	66	66
50-64	9	45.7	453	10	20	48	63	92	99+	99+
65+	4	18.3	80	6	6	20	24	27	27	27
GRAND TOTAL	**20**	**34.6**	**467**	**5**	**8**	**34**	**53**	**73**	**91**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	12.3	370	1	1	3	23	41	41	41
20-34	6	4.3	17	<1	<1	2	9	10	10	10
35-49	10	6.9	38	1	1	5	8	18	18	18
50-64	15	14.2	311	<1	<1	5	34	49	85	99+
65+	71	12.1	97	1	2	10	16	24	34	48
B. *Operated*										
0-19 YRS	9	16.9	218	5	6	13	19	40	54	54
20-34	14	14.4	109	3	6	11	22	27	39	42
35-49	25	18.8	354	3	4	13	25	41	57	85
50-64	63	18.6	216	5	6	15	24	36	60	98
65+	86	16.7	168	4	5	13	21	39	48	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.4	47	2	2	5	15	18	18	18
20-34	6	6.3	13	<1	<1	6	7	12	12	12
35-49	36	15.1	193	<1	1	12	26	40	54	99+
50-64	78	15.9	248	1	2	12	23	34	36	98
65+	219	16.9	193	2	4	14	23	34	48	91
B. *Operated*										
0-19 YRS	9	22.3	396	5	7	16	26	57	65	65
20-34	20	23.3	414	6	9	16	31	76	87	99+
35-49	49	21.2	170	6	7	19	27	37	42	67
50-64	81	26.3	327	4	9	22	36	58	64	94
65+	139	23.9	227	9	10	20	32	48	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	11.5	127	1	1	8	16	28	39	72
B. *Operated*	197	17.4	202	4	5	13	23	39	50	99+
2. MULTIPLE DX										
A. *Not Operated*	346	16.1	201	1	3	13	22	34	47	99+
B. *Operated*	298	24.1	261	7	9	20	32	49	64	99+
1. SINGLE DX	303	15.3	184	2	3	12	20	36	46	99+
2. MULTIPLE DX	644	19.8	244	3	4	16	26	40	59	99+
A. NOT OPERATED	452	15.0	187	1	2	12	20	33	43	99
B. OPERATED	495	21.4	248	5	7	17	27	45	61	99+
TOTAL 0-19 YRS	29	15.9	255	2	2	11	18	44	55	65
20-34	46	15.9	264	<1	2	11	21	39	76	99+
35-49	120	17.7	217	2	3	14	26	38	45	89
50-64	237	20.1	289	2	4	16	27	44	61	99+
65+	515	18.1	199	3	5	14	24	38	50	99+
GRAND TOTAL	**947**	**18.4**	**229**	**2**	**4**	**14**	**25**	**39**	**57**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	38.5	774	9	9	40	47	80	84	84
50-64	29	25.9	375	6	8	21	36	45	74	85
65+	83	23.5	202	6	8	20	32	45	50	65
B. *Operated*										
0-19 YRS										
20-34	2	19.5	1	19	19	19	20	20	20	20
35-49	6	32.2	1018	10	11	27	79	99	99+	99+
50-64	12	36.3	411	11	14	33	48	66	77	79
65+	16	42.9	871	5	9	37	64	87	89	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	118	24.8	275	6	8	20	34	47	51	84
B. *Operated*	36	37.6	686	9	11	31	60	86	93	99+
1. SINGLE DX										
2. MULTIPLE DX	154	27.8	397	6	8	21	37	60	77	95
A. NOT OPERATED	118	24.8	275	6	8	20	34	47	51	84
B. OPERATED	36	37.6	686	9	11	31	60	86	93	99+
TOTAL 0-19 YRS										
20-34	2	19.5	1	19	19	19	20	20	20	20
35-49	12	35.3	826	9	10	32	56	96	99	99+
50-64	41	28.9	399	7	9	27	37	59	76	85
65+	99	26.6	354	6	8	20	35	51	65	89
GRAND TOTAL	**154**	**27.8**	**397**	**6**	**8**	**21**	**37**	**60**	**77**	**95**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	9	7.6	34	<1	1	8	11	16	17	17
50-64	30	4.6	35	1	2	3	5	9	14	32
65+	83	4.0	8	1	2	3	6	8	9	14
B. *Operated*										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	7	9.1	76	2	2	7	17	22	23	23
35-49	82	7.7	27	2	2	6	10	15	17	28
50-64	559	7.9	29	2	2	7	10	14	17	27
65+	926	7.8	23	2	3	7	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	2	11.5	221	1	1	11	22	22	22	22
35-49	21	8.5	288	1	2	3	7	12	44	81
50-64	106	7.7	93	2	2	6	9	15	17	57
65+	271	8.0	39	2	2	6	10	16	21	32
B. *Operated*										
0-19 YRS	5	9.6	21	3	3	11	13	14	14	14
20-34	9	7.9	51	2	2	6	8	19	26	26
35-49	111	10.8	103	3	4	9	14	19	22	63
50-64	909	10.5	70	2	3	8	13	19	25	43
65+	1498	11.6	72	2	4	9	15	22	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	4.4	17	1	2	3	6	9	11	21
B. *Operated*	1576	7.8	25	2	2	7	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	402	7.9	66	2	2	6	10	15	21	35
B. *Operated*	2532	11.1	73	2	3	9	14	21	26	45
1. SINGLE DX	1700	7.6	25	2	2	7	10	14	17	26
2. MULTIPLE DX	2934	10.7	73	2	3	9	14	21	25	45
A. NOT OPERATED	526	7.1	56	2	2	5	9	15	18	32
B. OPERATED	4108	9.9	57	2	3	8	12	18	23	40
TOTAL 0-19 YRS	9	8.7	13	3	4	9	11	14	14	14
20-34	20	8.3	61	1	2	6	8	22	24	26
35-49	223	9.3	90	2	2	7	12	17	20	55
50-64	1604	9.3	59	2	3	7	12	17	22	37
65+	2778	9.8	55	2	3	8	12	18	23	39
GRAND TOTAL	**4634**	**9.6**	**58**	**2**	**3**	**8**	**12**	**18**	**23**	**39**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	10.5	107	2	2	8	13	25	37	37
65+	19	14.7	119	2	3	13	21	34	37	37
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	15.3	81	6	6	13	24	28	28	28
50-64	51	17.2	283	5	6	10	17	42	62	84
65+	71	14.1	123	3	4	12	20	28	35	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	29	13.2	115	2	2	12	15	34	37	37
B. *Operated*	129	15.4	184	3	5	12	19	29	48	87
1. SINGLE DX										
2. MULTIPLE DX	158	15.0	171	3	4	12	19	31	42	82
A. NOT OPERATED	29	13.2	115	2	2	12	15	34	37	37
B. OPERATED	129	15.4	184	3	5	12	19	29	48	87
TOTAL 0-19 YRS										
20-34										
35-49	7	15.3	81	6	6	13	24	28	28	28
50-64	61	16.1	258	4	5	10	17	37	57	82
65+	90	14.3	121	2	4	13	20	29	36	86
GRAND TOTAL	**158**	**15.0**	**171**	**3**	**4**	**12**	**19**	**31**	**42**	**82**

158: Occlusion of cerebral arteries, thrombosis, and embolism, without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	4	1	1	3	5	6	6	6
20-34	6	7.3	20	3	3	5	13	13	13	13
35-49	33	7.8	43	2	3	6	9	13	25	33
50-64	128	9.7	81	2	3	7	13	19	28	64
65+	314	11.4	109	2	3	9	14	23	28	59
B. *Operated*										
0-19 YRS	4	5.8	20	1	1	6	9	10	10	10
20-34	5	7.0	48	2	2	2	14	16	16	16
35-49	32	7.3	24	2	2	7	9	13	14	26
50-64	43	9.2	41	2	3	7	14	17	20	32
65+	51	12.4	220	2	2	8	14	22	59	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	11.6	92	2	3	8	16	26	33	34
20-34	17	8.6	108	<1	1	6	10	17	36	45
35-49	124	10.9	94	2	3	8	13	23	31	53
50-64	555	11.9	106	3	4	9	14	24	34	56
65+	1989	14.2	117	4	5	11	18	28	37	63
B. *Operated*										
0-19 YRS	3	12.7	30	7	7	13	17	18	18	18
20-34	10	16.6	278	2	2	10	25	44	54	54
35-49	45	15.2	325	2	4	10	16	31	68	85
50-64	171	14.6	203	2	3	11	18	38	53	99+
65+	297	18.2	224	2	4	13	25	41	56	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	10.6	96	2	3	8	13	21	28	58
B. *Operated*	135	9.8	107	2	2	7	13	18	22	62
2. MULTIPLE DX										
A. *Not Operated*	2697	13.5	115	3	4	10	17	28	36	60
B. *Operated*	526	16.7	227	2	3	12	22	39	55	99+
1. SINGLE DX	620	10.4	99	2	3	8	13	21	27	60
2. MULTIPLE DX	3223	14.1	134	3	4	11	18	29	39	67
A. NOT OPERATED	3182	13.1	113	3	4	10	16	26	35	60
B. OPERATED	661	15.3	210	2	3	11	20	36	52	98
TOTAL 0-19 YRS	23	9.3	65	1	2	7	13	20	27	34
20-34	38	10.3	137	1	2	7	13	23	41	54
35-49	234	10.8	127	2	3	8	12	22	31	67
50-64	897	12.0	120	3	3	9	15	24	38	85
65+	2651	14.3	133	3	4	11	18	29	38	65
GRAND TOTAL	**3843**	**13.5**	**130**	**3**	**4**	**10**	**17**	**28**	**38**	**66**

159: Occlusion of cerebral arteries, thrombosis, and embolism, with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	17.7	14	15	15	16	20	22	22	22
20-34	6	16.3	97	6	6	13	27	30	30	30
35-49	37	10.4	36	2	4	9	12	20	22	26
50-64	190	16.2	147	4	5	13	21	36	46	85
65+	887	19.3	178	5	6	16	25	36	45	64
B. *Operated*										
0-19 YRS	3	7.3	8	4	4	9	9	9	9	9
20-34	3	6.0	37	2	2	3	10	13	13	13
35-49	8	9.3	53	2	3	7	13	21	23	23
50-64	44	20.2	264	4	5	16	27	41	59	77
65+	96	24.8	246	6	9	21	32	50	55	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1123	18.4	170	5	6	15	24	35	45	64
B. *Operated*	154	22.0	254	4	5	18	29	43	55	77
1. SINGLE DX										
2. MULTIPLE DX	1277	18.9	181	4	6	16	24	37	46	66
A. NOT OPERATED	1123	18.4	170	5	6	15	24	35	45	64
B. OPERATED	154	22.0	254	4	5	18	29	43	55	77
TOTAL 0-19 YRS	6	12.5	41	4	4	12	16	21	22	22
20-34	9	12.9	96	2	2	13	17	29	30	30
35-49	45	10.2	38	2	4	9	12	20	22	26
50-64	234	16.9	170	4	5	13	22	37	46	80
65+	983	19.8	187	5	6	17	25	37	47	64
GRAND TOTAL	1277	18.9	181	4	6	16	24	37	46	66

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	17	2.9	1	1	1	3	4	4	5	5
35-49	108	4.3	9	1	2	3	5	8	11	15
50-64	378	4.5	10	1	2	4	6	9	11	16
65+	1038	4.9	14	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	3.7	4	2	2	3	5	7	7	7
35-49	60	5.1	13	1	2	4	7	10	11	18
50-64	243	5.6	15	2	2	5	7	11	13	20
65+	299	6.2	31	2	2	5	8	11	15	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.3	18	3	3	6	10	14	16	16
20-34	35	3.6	6	1	1	3	4	7	9	12
35-49	226	5.8	16	2	2	5	7	10	14	22
50-64	1292	6.1	23	2	2	5	8	11	15	22
65+	6020	7.2	32	2	2	6	9	13	17	29
B. *Operated*										
0-19 YRS	2	9.0	98	2	2	9	16	16	16	16
20-34	12	4.9	10	2	2	4	6	10	12	12
35-49	115	8.5	56	2	3	7	11	16	20	39
50-64	610	8.3	49	2	2	7	10	16	20	46
65+	1141	10.4	70	2	3	8	13	20	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1544	4.8	13	1	2	4	6	9	11	17
B. *Operated*	610	5.8	23	2	2	5	7	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	7583	6.9	30	2	2	6	8	13	16	27
B. *Operated*	1880	9.6	63	2	3	8	12	18	24	45
1. SINGLE DX	2154	5.1	16	1	2	4	6	10	12	19
2. MULTIPLE DX	9463	7.4	38	2	2	6	9	14	18	30
A. NOT OPERATED	9127	6.6	28	2	2	5	8	12	16	27
B. OPERATED	2490	8.6	56	2	2	7	11	17	22	42
TOTAL 0-19 YRS	16	6.5	22	2	2	5	9	15	16	16
20-34	71	3.7	6	1	1	3	4	7	9	12
35-49	509	6.0	25	2	2	5	8	12	15	25
50-64	2523	6.4	28	2	2	5	8	12	15	25
65+	8498	7.3	37	2	2	6	9	14	18	31
GRAND TOTAL	11617	7.0	35	2	2	5	9	13	17	29

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.1	22	2	2	2	8	13	14	[illegible]
20-34	18	10.5	162	1	1	6	13	22	42	54
35-49	61	7.8	65	1	1	5	10	19	23	43
50-64	331	11.1	157	2	2	8	13	23	38	79
65+	1229	12.8	131	2	3	9	16	26	38	59
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	9	4.6	10	1	1	3	7	10	10	10
35-49	28	10.4	89	2	3	6	13	23	34	39
50-64	77	8.1	30	2	2	7	11	15	18	29
65+	112	13.6	154	2	3	11	18	27	39	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	8.4	19	1	2	8	12	13	14	18
20-34	32	7.9	41	2	3	5	10	17	24	28
35-49	217	11.8	115	2	3	9	14	24	30	54
50-64	1276	12.6	136	2	3	9	16	26	36	74
65+	6038	15.0	150	3	4	12	19	30	40	72
B. *Operated*										
0-19 YRS	5	13.4	273	<1	<1	5	25	39	39	39
20-34	11	8.4	20	2	4	8	11	15	17	17
35-49	64	12.8	110	2	3	10	17	26	41	93
50-64	264	16.3	215	3	4	12	21	36	55	99+
65+	651	21.1	265	4	6	16	29	46	58	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1670	12.1	134	2	3	9	15	25	37	61
B. *Operated*	229	10.8	105	2	2	8	14	22	29	68
2. MULTIPLE DX										
A. *Not Operated*	7593	14.4	147	3	4	11	18	29	39	72
B. *Operated*	995	19.1	247	3	5	14	25	44	57	94
1. SINGLE DX	1899	12.0	131	2	3	9	15	25	36	63
2. MULTIPLE DX	8588	15.0	161	3	4	11	19	31	42	74
A. NOT OPERATED	9263	14.0	146	3	4	11	18	29	39	71
B. OPERATED	1224	17.6	231	3	4	13	23	40	53	87
TOTAL 0-19 YRS	49	7.7	47	<1	1	7	12	14	18	39
20-34	70	8.2	66	2	2	6	10	17	24	49
35-49	390	11.1	104	1	3	8	14	23	32	52
50-64	1948	12.7	149	2	3	9	15	27	38	79
65+	8030	15.1	160	3	4	11	19	31	42	73
GRAND TOTAL	**10487**	**14.4**	**157**	**3**	**4**	**11**	**18**	**30**	**41**	**73**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	13.6	294	<1	1	5	23	43	46	46
20-34	4	8.5	36	1	1	9	13	15	15	15
35-49	102	15.9	221	3	4	11	20	36	49	75
50-64	590	18.9	278	3	5	14	23	42	59	84
65+	2294	18.6	195	4	6	15	24	37	47	84
B. *Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	4	14.3	148	2	2	12	22	31	31	31
35-49	19	30.2	628	4	6	23	39	72	78	82
50-64	69	24.7	328	4	5	22	39	62	99+	99+
65+	210	25.3	288	5	8	22	35	49	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2997	18.5	212	4	5	15	23	37	49	83
B. *Operated*	303	25.3	315	4	6	22	36	54	73	99+
1. SINGLE DX										
2. MULTIPLE DX	3300	19.2	225	4	5	15	25	39	53	90
A. NOT OPERATED	2997	18.5	212	4	5	15	23	37	49	83
B. OPERATED	303	25.3	315	4	6	22	36	54	73	99+
TOTAL 0-19 YRS	8	15.0	268	<1	1	6	27	41	46	46
20-34	8	11.4	88	1	1	11	14	26	31	31
35-49	121	18.2	308	3	4	11	21	40	62	78
50-64	659	19.5	286	3	5	14	25	44	62	99
65+	2504	19.1	206	4	6	15	25	39	49	90
GRAND TOTAL	**3300**	**19.2**	**225**	**4**	**5**	**15**	**25**	**39**	**53**	**90**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.8	12	3	3	6	9	12	12	12
20-34	27	4.7	15	1	1	4	6	11	12	18
35-49	76	6.7	104	1	2	4	6	13	19	68
50-64	141	5.9	35	2	2	4	7	11	15	31
65+	389	6.7	33	2	2	5	8	13	18	36
B. *Operated*										
0-19 YRS	11	6.3	24	1	2	4	10	14	16	16
20-34	19	10.6	60	1	2	11	15	20	27	30
35-49	30	13.6	195	2	2	9	19	27	55	56
50-64	128	10.2	137	2	2	6	14	24	29	71
65+	181	6.9	58	2	2	4	9	15	17	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.8	3	1	1	4	5	6	7	7
20-34	54	5.4	25	2	2	4	6	9	15	31
35-49	230	8.0	68	2	2	6	9	15	25	49
50-64	768	9.5	105	2	3	6	11	19	28	54
65+	4341	10.8	100	2	3	8	13	22	30	55
B. *Operated*										
0-19 YRS	6	13.2	53	2	3	14	17	22	23	23
20-34	22	10.5	59	2	3	8	14	22	28	33
35-49	78	15.8	274	2	3	10	19	42	65	99+
50-64	300	11.4	137	2	2	8	15	24	28	84
65+	723	13.5	156	2	3	10	17	28	37	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	638	6.5	41	2	2	5	8	12	17	37
B. *Operated*	369	8.8	99	2	2	5	12	18	24	56
2. MULTIPLE DX										
A. *Not Operated*	5403	10.4	99	2	3	7	13	21	30	54
B. *Operated*	1129	13.0	159	2	3	9	16	27	37	81
1. SINGLE DX	1007	7.3	63	2	2	5	9	15	21	48
2. MULTIPLE DX	6532	10.9	110	2	3	8	13	23	31	59
A. NOT OPERATED	6041	10.0	94	2	3	7	12	20	29	53
B. OPERATED	1498	12.0	148	2	2	9	15	26	35	73
TOTAL 0-19 YRS	32	6.9	30	1	2	5	10	15	17	23
20-34	122	7.0	40	1	2	5	9	15	19	32
35-49	414	9.7	133	2	2	6	10	21	33	70
50-64	1337	9.6	110	2	2	7	12	20	27	63
65+	5634	10.7	104	2	3	8	13	22	31	56
GRAND TOTAL	**7539**	**10.4**	**105**	**2**	**3**	**7**	**13**	**21**	**30**	**57**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	2.6	2	2	2	2	3	5	5	5
50-64	26	3.3	6	1	1	3	4	7	9	11
65+	78	8.1	183	1	2	5	8	14	23	88
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	35	8.7	28	1	2	9	12	14	20	21
50-64	162	8.3	46	2	2	7	11	17	21	34
65+	181	9.9	75	2	2	8	13	21	23	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	13	3	3	5	9	10	10	10
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	20	10.3	103	2	3	6	12	26	35	41
50-64	231	7.3	44	2	2	5	9	14	21	32
65+	1158	10.1	79	2	3	8	13	20	28	52
B. *Operated*										
0-19 YRS	4	12.0	2	11	11	12	13	14	14	14
20-34	9	7.2	22	2	2	7	10	14	16	16
35-49	146	12.9	165	2	2	10	18	26	35	97
50-64	709	13.2	157	2	2	10	17	29	38	93
65+	1379	17.9	213	2	4	14	23	37	50	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	6.6	135	1	1	4	7	12	14	81
B. *Operated*	381	9.1	56	2	2	8	12	19	22	36
2. MULTIPLE DX										
A. *Not Operated*	1414	9.7	75	2	3	7	12	19	28	48
B. *Operated*	2247	16.1	197	2	3	12	20	34	46	83
1. SINGLE DX	492	8.5	76	2	2	6	11	18	22	41
2. MULTIPLE DX	3661	13.6	159	2	3	10	17	29	41	70
A. NOT OPERATED	1525	9.4	80	2	2	7	12	19	27	49
B. OPERATED	2628	15.0	183	2	2	12	19	32	45	79
TOTAL 0-19 YRS	9	8.6	16	3	3	10	11	13	14	14
20-34	14	6.1	19	1	2	6	9	12	15	16
35-49	206	11.7	136	2	2	9	15	25	30	80
50-64	1128	11.1	123	2	2	8	14	23	32	65
65+	2796	13.9	164	2	3	10	17	30	42	68
GRAND TOTAL	**4153**	**13.0**	**152**	**2**	**2**	**10**	**17**	**28**	**38**	**68**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	25	3.4	7	<1	<1	2	4	8	10	10
65+	79	3.7	6	<1	1	3	5	6	8	15
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	7.3	22	2	2	9	10	11	11	11
35-49	9	13.0	32	4	5	13	18	20	20	20
50-64	191	11.7	31	2	5	11	14	18	20	28
65+	396	13.3	39	2	4	13	16	21	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	34.0		34	34	34	34	34	34	34
35-49	2	8.5	5	7	7	8	10	10	10	10
50-64	62	6.2	28	1	2	5	8	14	18	26
65+	314	8.3	76	1	2	6	10	16	23	43
B. *Operated*										
0-19 YRS	5	24.8	545	8	8	16	30	66	66	66
20-34	8	16.6	246	2	2	13	20	43	51	51
35-49	21	14.0	199	3	4	10	13	32	55	58
50-64	373	14.4	89	3	6	12	17	24	32	59
65+	956	16.6	113	4	7	14	20	28	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	3.6	6	<1	1	3	5	7	8	13
B. *Operated*	600	12.7	37	2	5	12	16	20	24	30
2. MULTIPLE DX										
A. *Not Operated*	380	8.0	70	1	2	5	10	16	23	41
B. *Operated*	1363	16.0	111	4	7	14	19	27	35	61
1. SINGLE DX	705	11.4	43	2	2	11	15	19	23	29
2. MULTIPLE DX	1743	14.3	113	2	3	12	18	25	33	59
A. NOT OPERATED	485	7.0	59	1	2	5	8	15	19	40
B. OPERATED	1963	15.0	91	3	6	13	18	24	32	57
TOTAL 0-19 YRS	7	19.3	459	1	2	16	18	56	66	66
20-34	12	15.8	211	2	2	11	20	39	49	51
35-49	33	13.0	139	2	4	10	13	20	47	58
50-64	651	12.4	72	2	3	11	15	20	26	55
65+	1745	13.8	99	2	3	12	17	24	31	52
GRAND TOTAL	2448	13.4	94	2	3	12	17	24	30	55

166: Aneurysm, except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	9	9.3	126	<1	<1	5	11	29	34	34
65+	7	2.7	3	1	1	3	3	5	6	6
B. *Operated*										
0-19 YRS	4	3.8	13	1	1	2	6	9	9	9
20-34	14	5.6	27	2	2	3	9	12	18	20
35-49	31	11.5	109	2	2	11	14	22	32	52
50-64	86	10.1	84	2	3	9	12	17	22	61
65+	83	11.2	61	2	2	10	15	23	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	4.8	35	1	1	2	7	15	15	15
50-64	14	8.8	74	2	2	6	11	24	30	32
65+	24	7.0	69	1	2	5	8	10	21	43
B. *Operated*										
0-19 YRS	4	4.8	15	1	1	4	8	9	9	9
20-34	14	8.3	51	2	2	6	11	21	23	24
35-49	40	15.7	211	2	3	14	19	30	35	86
50-64	136	16.3	204	2	5	12	19	37	44	81
65+	172	14.5	104	3	4	12	18	30	36	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.8	69	<1	<1	3	6	16	29	34
B. *Operated*	218	10.3	76	2	2	9	13	18	25	45
2. MULTIPLE DX										
A. *Not Operated*	43	7.3	65	1	2	5	9	13	26	43
B. *Operated*	366	14.9	152	2	3	12	18	32	39	63
1. SINGLE DX	237	10.0	76	2	2	8	13	18	25	42
2. MULTIPLE DX	409	14.1	149	2	3	11	17	31	38	62
A. NOT OPERATED	62	6.9	66	1	1	4	8	13	27	42
B. OPERATED	584	13.2	129	2	3	11	16	26	35	58
TOTAL 0-19 YRS	8	4.3	12	1	1	3	8	9	9	9
20-34	29	6.8	39	2	2	3	10	17	21	24
35-49	78	13.0	163	1	2	11	17	26	34	76
50-64	245	13.4	161	2	3	10	15	28	39	72
65+	286	12.6	93	2	3	10	16	25	33	45
GRAND TOTAL	646	12.6	126	2	2	10	15	25	35	54

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	7.8	34	<1	2	6	10	17	21	21
35-49	13	5.8	16	2	2	5	7	10	16	17
50-64	36	6.0	39	1	1	3	8	16	21	24
65+	57	6.6	29	1	2	5	9	14	19	22
B. *Operated*										
0-19 YRS	3	8.0	27	2	2	11	11	11	11	11
20-34	21	8.4	28	1	2	8	11	16	18	21
35-49	161	9.2	45	2	2	8	11	17	23	34
50-64	465	8.9	31	2	2	9	12	14	17	23
65+	545	10.6	66	2	2	10	14	18	23	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	7	7.6	6	3	4	7	10	10	10	10
35-49	35	8.8	17	3	4	8	12	15	16	16
50-64	73	8.6	41	2	2	7	12	19	23	26
65+	178	9.4	66	2	2	8	13	19	23	39
B. *Operated*										
0-19 YRS	8	12.6	44	4	5	12	17	22	24	24
20-34	28	15.8	232	2	2	11	17	35	46	75
35-49	213	12.7	123	2	3	10	16	22	36	67
50-64	970	12.9	91	2	3	11	16	23	29	48
65+	1301	16.0	144	2	4	13	20	30	41	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	6.4	30	1	1	5	9	14	19	23
B. *Operated*	1195	9.7	49	2	2	9	12	17	20	36
2. MULTIPLE DX										
A. *Not Operated*	294	9.1	52	2	2	8	12	17	22	34
B. *Operated*	2520	14.5	125	2	3	12	18	27	36	67
1. SINGLE DX	1311	9.4	49	2	2	9	12	16	20	35
2. MULTIPLE DX	2814	13.9	120	2	3	12	17	26	35	64
A. NOT OPERATED	410	8.3	47	2	2	7	11	17	21	30
B. OPERATED	3715	12.9	105	2	3	11	16	24	32	55
TOTAL 0-19 YRS	13	10.5	41	2	2	11	13	20	23	24
20-34	65	11.4	126	2	2	9	13	21	32	70
35-49	422	10.8	84	2	2	9	13	19	28	52
50-64	1544	11.3	73	2	2	10	14	21	26	44
65+	2081	13.7	122	2	3	11	17	26	35	59
GRAND TOTAL	**4125**	**12.5**	**101**	**2**	**3**	**11**	**16**	**23**	**32**	**54**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	6.7	34	1	2	6	8	13	16	36
20-34	45	4.3	24	1	2	3	4	7	11	32
35-49	56	4.6	10	1	1	3	6	9	11	18
50-64	112	6.3	68	1	1	4	7	12	18	47
65+	130	5.5	25	1	1	4	7	11	17	29
B. *Operated*										
0-19 YRS	15	8.6	86	<1	<1	6	13	24	30	32
20-34	56	6.0	31	1	2	4	8	13	19	28
35-49	125	7.2	36	2	2	6	9	12	15	38
50-64	386	8.0	49	2	2	6	11	16	19	38
65+	400	10.1	93	2	2	8	13	20	26	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	7.8	35	2	2	6	9	17	21	28
20-34	74	6.1	26	2	2	4	8	12	15	31
35-49	116	6.9	37	2	2	5	8	12	18	32
50-64	334	6.9	32	1	2	5	9	14	18	28
65+	724	8.8	67	2	2	7	11	18	24	45
B. *Operated*										
0-19 YRS	12	9.6	173	1	1	4	13	27	44	47
20-34	67	8.1	48	2	2	6	11	18	19	40
35-49	226	10.6	102	2	2	8	13	22	31	60
50-64	799	12.8	144	2	2	10	16	26	38	74
65+	1444	15.4	176	2	3	12	20	34	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	5.6	37	1	2	4	7	11	16	30
B. *Operated*	982	8.6	67	2	2	7	11	17	22	43
2. MULTIPLE DX										
A. *Not Operated*	1287	8.0	53	2	2	6	10	15	22	39
B. *Operated*	2548	13.9	160	2	3	11	18	30	41	72
1. SINGLE DX	1383	7.8	60	1	2	5	10	16	20	38
2. MULTIPLE DX	3835	11.9	132	2	2	9	15	26	36	62
A. NOT OPERATED	1688	7.4	50	2	2	5	9	15	20	36
B. OPERATED	3530	12.5	139	2	2	9	16	26	38	64
TOTAL 0-19 YRS	124	7.6	53	1	2	6	9	16	21	40
20-34	242	6.3	34	2	2	4	8	13	18	32
35-49	523	8.3	66	2	2	6	10	16	23	50
50-64	1631	10.0	101	2	2	7	13	21	28	55
65+	2698	12.4	139	2	2	9	16	27	37	63
GRAND TOTAL	**5218**	**10.8**	**116**	**2**	**2**	**8**	**14**	**23**	**32**	**59**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	7.1	10	2	4	7	9	12	13	16
20-34	564	7.7	15	3	3	7	10	13	15	18
35-49	716	8.4	19	2	4	8	11	14	16	21
50-64	725	8.8	23	3	4	8	11	14	17	25
65+	617	9.5	25	4	4	9	12	15	18	28
B. *Operated*										
0-19 YRS	19	7.6	12	3	4	7	10	13	15	15
20-34	180	7.5	23	2	2	7	10	14	16	20
35-49	192	7.8	29	1	2	7	10	14	16	31
50-64	179	8.5	25	2	3	8	11	15	18	25
65+	154	10.0	31	3	4	9	13	16	21	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	7.9	20	2	3	8	11	14	16	19
20-34	452	8.7	26	3	3	8	11	15	18	26
35-49	870	9.6	32	3	4	9	12	16	19	28
50-64	1404	10.0	31	3	4	9	12	17	20	29
65+	1949	11.3	43	4	5	10	14	19	23	35
B. *Operated*										
0-19 YRS	13	10.5	35	1	2	10	15	18	18	18
20-34	169	10.3	52	2	3	9	13	18	23	39
35-49	302	11.3	64	3	4	10	14	21	24	36
50-64	435	12.6	102	3	4	10	16	24	30	64
65+	544	14.4	106	4	6	12	18	25	34	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2700	8.6	21	3	4	8	11	14	17	22
B. *Operated*	724	8.4	27	2	3	8	11	15	17	26
2. MULTIPLE DX										
A. *Not Operated*	4710	10.3	36	3	4	9	13	17	21	32
B. *Operated*	1463	12.7	91	3	4	11	16	23	30	55
1. SINGLE DX	3424	8.5	22	2	4	8	11	14	17	23
2. MULTIPLE DX	6173	10.9	50	3	4	9	13	19	23	37
A. NOT OPERATED	7410	9.7	31	3	4	9	12	16	19	29
B. OPERATED	2187	11.3	74	2	3	9	14	21	26	46
TOTAL 0-19 YRS	145	7.6	16	2	3	7	10	13	15	18
20-34	1365	8.3	25	2	3	8	11	14	17	25
35-49	2080	9.3	33	3	4	8	12	16	19	31
50-64	2743	10.0	41	3	4	9	12	17	21	35
65+	3264	11.4	52	4	5	10	14	19	24	38
GRAND TOTAL	9597	10.0	42	3	4	9	12	17	21	34

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	11	6.1	42	<1	1	2	10	16	21	21
35-49	39	8.3	57	1	2	7	10	17	26	35
50-64	63	10.9	107	1	2	8	15	24	27	59
65+	128	11.2	80	1	1	9	15	23	32	46
B. *Operated*										
0-19 YRS	25	3.6	5	1	2	3	4	7	8	10
20-34	579	4.3	10	2	2	4	5	6	8	16
35-49	853	5.0	17	2	3	4	6	8	10	21
50-64	715	6.8	46	2	3	5	7	12	20	39
65+	325	11.4	95	3	3	8	16	25	30	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	17	9.5	123	<1	1	5	10	31	38	39
35-49	70	8.9	41	1	2	7	12	17	21	31
50-64	160	11.0	86	1	2	8	15	21	28	51
65+	489	13.4	93	3	4	11	18	25	32	57
B. *Operated*										
0-19 YRS	7	3.3	3	1	1	3	4	6	6	6
20-34	181	5.4	28	<1	2	4	5	11	15	29
35-49	356	7.4	47	2	3	6	8	13	18	37
50-64	504	9.6	74	3	3	7	11	21	28	40
65+	363	18.2	217	3	4	14	25	37	46	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	10.3	82	1	2	8	14	23	27	48
B. *Operated*	2497	6.2	39	2	3	4	6	11	18	33
2. MULTIPLE DX										
A. *Not Operated*	738	12.4	89	2	3	10	16	24	31	52
B. *Operated*	1411	10.7	119	2	3	7	13	25	36	56
1. SINGLE DX	2740	6.5	44	2	3	4	7	13	20	34
2. MULTIPLE DX	2149	11.3	109	2	3	8	14	25	32	53
A. NOT OPERATED	981	11.9	88	2	3	9	16	24	30	49
B. OPERATED	3908	7.8	72	2	3	5	8	17	25	44
TOTAL 0-19 YRS	36	3.7	4	1	2	3	5	7	8	10
20-34	788	4.7	17	2	2	4	5	7	10	26
35-49	1318	6.0	29	2	3	4	7	10	18	31
50-64	1442	8.4	66	2	3	5	9	18	24	41
65+	1305	14.0	134	3	3	11	19	29	36	59
GRAND TOTAL	4889	8.6	78	2	3	5	10	19	27	48

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.4	3	1	1	2	4	5	6	7
20-34	125	2.8	2	1	1	3	3	5	6	8
35-49	16[illegible]	3.3	10	1	1	2	4	6	8	12
50-64	103	3.6	5	1	1	3	5	7	9	10
65+	70	2.8	3	1	1	2	4	5	6	10
B. *Operated*										
0-19 YRS	44	4.6	3	2	3	4	6	7	8	11
20-34	772	4.9	6	2	3	5	6	8	9	12
35-49	934	5.2	5	2	3	5	6	8	9	12
50-64	579	5.6	6	3	3	5	7	9	10	14
65+	171	6.1	9	3	3	5	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.0	2	<1	1	3	4	4	5	6
20-34	183	4.1	6	1	2	3	5	8	9	12
35-49	329	4.4	9	1	2	4	6	9	10	14
50-64	408	4.1	10	1	1	3	5	8	9	19
65+	375	5.3	19	1	2	4	7	10	13	24
B. *Operated*										
0-19 YRS	81	5.2	8	3	3	5	6	7	10	19
20-34	2339	5.4	6	3	3	5	6	8	9	14
35-49	3310	5.9	9	3	3	5	7	9	11	16
50-64	2376	6.5	15	3	3	6	8	10	13	19
65+	1121	7.7	23	3	4	6	9	14	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	477	3.1	6	1	1	3	4	6	8	10
B. *Operated*	2500	5.2	6	2	3	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	1312	4.5	12	1	2	4	6	9	10	18
B. *Operated*	9227	6.2	12	3	3	5	7	10	12	19
1. SINGLE DX	2977	4.9	6	1	2	5	6	8	9	13
2. MULTIPLE DX	10539	6.0	12	2	3	5	7	10	12	19
A. NOT OPERATED	1789	4.1	11	1	1	3	5	8	10	17
B. OPERATED	11727	6.0	11	3	3	5	7	9	11	18
TOTAL 0-19 YRS	161	4.5	6	1	2	4	5	7	8	15
20-34	3419	5.1	6	2	3	5	6	8	9	13
35-49	4733	5.6	8	2	3	5	7	9	10	15
50-64	3466	6.0	14	2	3	5	7	10	12	19
65+	1737	6.8	21	2	3	6	8	12	15	23
GRAND TOTAL	**13516**	**5.7**	**11**	**2**	**3**	**5**	**7**	**9**	**11**	**18**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	4.1	18	<1	1	2	4	11	15	19
20-34	120	7.6	33	1	2	7	10	13	14	34
35-49	124	6.7	19	2	2	6	9	13	15	22
50-64	187	7.8	33	2	2	7	10	15	18	32
65+	236	7.2	24	2	3	6	9	14	16	27
B. *Operated*										
0-19 YRS	120	3.2	7	2	2	3	3	5	6	16
20-34	344	4.2	29	1	1	3	4	9	13	23
35-49	170	6.2	41	1	1	4	9	13	16	28
50-64	138	7.7	36	2	2	7	10	16	19	33
65+	145	11.4	82	2	2	10	14	22	25	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	4.6	12	1	1	3	7	9	11	18
20-34	181	6.8	48	1	2	5	9	14	17	42
35-49	367	7.1	31	1	2	6	9	14	17	28
50-64	692	7.3	24	2	2	6	9	14	17	24
65+	1539	8.4	39	2	3	7	11	16	20	30
B. *Operated*										
0-19 YRS	54	8.0	211	2	2	4	6	15	27	80
20-34	377	5.6	40	1	2	3	7	13	17	53
35-49	294	9.6	93	2	2	7	12	19	28	48
50-64	356	13.1	123	2	3	10	16	28	33	58
65+	566	13.9	127	2	4	11	18	28	35	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	713	7.1	27	1	2	6	9	14	16	28
B. *Operated*	917	6.1	45	1	2	3	8	14	18	32
2. MULTIPLE DX										
A. *Not Operated*	2843	7.8	35	2	2	6	10	15	18	28
B. *Operated*	1647	10.9	114	2	2	8	14	23	32	58
1. SINGLE DX	1630	6.6	37	1	2	5	9	14	17	29
2. MULTIPLE DX	4490	8.9	66	2	2	7	11	18	24	41
A. NOT OPERATED	3556	7.7	33	2	2	6	10	15	18	28
B. OPERATED	2564	9.2	94	2	2	6	12	20	28	48
TOTAL 0-19 YRS	284	4.6	51	1	2	3	5	8	14	26
20-34	1022	5.6	38	1	2	3	7	12	15	34
35-49	955	7.7	52	1	2	6	10	15	21	36
50-64	1373	8.9	56	2	2	7	11	17	23	38
65+	2486	9.7	66	2	3	8	12	19	25	41
GRAND TOTAL	**6120**	**8.3**	**59**	**2**	**2**	**6**	**11**	**16**	**22**	**39**

173: Acute URI, except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3807	2.8	3	1	1	2	4	5	6	9
20-34	660	3.5	3	1	2	3	4	6	7	9
35-49	278	3.8	5	1	2	3	5	6	8	10
50-64	213	4.3	6	2	2	4	6	8	9	13
65+	169	5.5	16	1	2	4	7	10	12	23
B. *Operated*										
0-19 YRS	1068	2.1	2	1	1	2	2	3	4	9
20-34	529	2.5	2	1	1	2	3	4	5	8
35-49	96	3.7	13	1	2	3	4	7	9	23
50-64	52	4.3	17	1	2	3	5	7	10	25
65+	24	4.3	28	1	1	2	4	9	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5466	3.5	6	1	1	3	4	6	7	11
20-34	1230	4.2	8	1	2	4	5	7	9	14
35-49	796	5.2	10	2	2	5	6	9	11	16
50-64	921	6.1	14	2	3	5	8	10	13	20
65+	1388	7.6	29	2	3	6	9	14	17	27
B. *Operated*										
0-19 YRS	621	3.2	19	1	1	2	3	6	10	18
20-34	213	4.9	19	2	2	4	6	10	12	29
35-49	119	6.0	25	1	2	4	8	13	17	23
50-64	117	8.2	76	2	2	6	11	17	21	47
65+	122	12.3	105	2	2	9	16	26	34	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5127	3.1	4	1	1	3	4	5	7	10
B. *Operated*	1769	2.4	3	1	1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	9801	4.6	12	1	2	4	5	8	11	18
B. *Operated*	1192	5.2	42	1	2	3	6	12	17	32
1. SINGLE DX	6896	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX	10993	4.6	16	1	2	4	5	8	11	21
A. NOT OPERATED	14928	4.1	10	1	1	3	5	7	9	16
B. OPERATED	2961	3.5	21	1	1	2	3	7	11	24
TOTAL 0-19 YRS	10962	3.1	5	1	1	3	4	5	7	11
20-34	2632	3.7	7	1	2	3	5	7	8	13
35-49	1289	4.9	11	2	2	4	6	9	11	18
50-64	1303	5.9	19	2	2	5	7	10	13	22
65+	1703	7.7	35	2	3	6	9	14	19	30
GRAND TOTAL	17889	4.0	12	1	1	3	5	7	10	18

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3263	3.6	4	1	2	3	5	6	8	10
20-34	329	4.4	5	2	2	4	5	7	8	12
35-49	345	5.1	9	2	2	4	6	9	11	15
50-64	386	5.8	9	2	3	5	7	10	11	16
65+	438	6.3	17	2	3	5	8	10	14	22
B. *Operated*										
0-19 YRS	11	4.5	13	<1	1	3	6	10	13	13
20-34	10	4.8	26	2	2	3	4	12	19	19
35-49	11	4.4	8	<1	1	5	5	9	11	11
50-64	30	8.7	228	2	2	6	8	11	15	87
65+	26	7.1	39	2	2	5	10	12	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3312	4.4	9	1	2	4	6	8	9	14
20-34	709	5.3	12	2	2	4	6	10	12	18
35-49	1143	6.3	20	2	3	5	8	11	15	23
50-64	2816	7.4	27	3	3	6	9	13	16	28
65+	5166	8.7	35	3	4	7	10	15	19	32
B. *Operated*										
0-19 YRS	44	9.7	160	2	3	7	10	14	20	88
20-34	62	9.1	46	3	3	8	10	17	23	40
35-49	132	8.7	56	2	3	7	11	15	17	47
50-64	267	9.9	66	2	3	8	12	18	23	43
65+	357	12.3	81	3	4	11	15	22	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4761	4.2	7	1	2	4	5	7	9	14
B. *Operated*	88	6.7	96	2	2	5	8	12	15	66
2. MULTIPLE DX										
A. *Not Operated*	13146	6.9	27	2	3	6	9	12	16	25
B. *Operated*	862	10.7	76	2	3	9	14	19	25	48
1. SINGLE DX	4849	4.3	9	1	2	4	5	7	9	14
2. MULTIPLE DX	14008	7.2	31	2	3	6	9	13	17	28
A. NOT OPERATED	17907	6.2	23	2	2	5	8	11	15	24
B. OPERATED	950	10.3	79	2	3	8	13	18	25	48
TOTAL 0-19 YRS	6630	4.1	8	1	2	3	5	7	8	13
20-34	1110	5.2	13	2	2	4	6	9	12	19
35-49	1631	6.2	21	2	3	5	7	11	15	23
50-64	3499	7.5	30	2	3	6	9	13	16	25
65+	5987	8.7	37	3	4	7	10	15	19	33
GRAND TOTAL	18857	6.4	27	2	2	5	8	12	15	25

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	5	1	1	5	5	6	6	6
20-34	8	2.3	3	<1	<1	2	3	5	6	6
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	496	2.4	1	1	1	2	3	3	4	5
20-34	1304	2.5	1	1	1	2	3	4	4	5
35-49	599	2.5	1	1	2	2	3	4	4	5
50-64	338	2.8	3	1	2	3	3	4	4	8
65+	75	2.6	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.6	3	1	1	2	4	5	5	5
20-34	18	1.7	2	<1	<1	1	2	3	5	7
35-49	22	2.5	5	<1	<1	2	3	5	8	10
50-64	10	2.5	3	<1	<1	2	4	5	5	5
65+	4	7.3	8	5	5	7	9	11	11	11
B. *Operated*										
0-19 YRS	688	2.6	1	1	1	3	3	4	4	6
20-34	2124	2.8	2	1	2	3	3	4	5	7
35-49	1327	2.9	3	1	2	3	3	4	5	9
50-64	643	3.2	4	1	2	3	4	5	6	10
65+	167	3.6	7	1	2	3	4	5	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.6	3	<1	1	2	4	6	6	6
B. *Operated*	2812	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	63	2.6	5	<1	<1	2	4	5	8	11
B. *Operated*	4949	2.9	2	1	2	3	3	4	5	8
1. SINGLE DX	2830	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX	5012	2.8	2	1	2	3	3	4	5	8
A. NOT OPERATED	81	2.6	5	<1	<1	2	4	5	7	11
B. OPERATED	7761	2.7	2	1	2	3	3	4	5	7
TOTAL 0-19 YRS	1198	2.5	1	1	1	2	3	4	4	6
20-34	3454	2.6	1	1	1	2	3	4	5	6
35-49	1952	2.8	2	1	2	3	3	4	5	8
50-64	992	3.0	3	1	2	3	3	4	6	10
65+	246	3.3	5	1	2	3	4	5	7	12
GRAND TOTAL	7842	2.7	2	1	2	3	3	4	5	7

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	47	2.5	2	1	1	2	3	4	4	11
20-34	78	2.3	1	<1	1	2	3	3	4	8
35-49	91	2.4	3	1	1	2	3	4	5	11
50-64	112	2.4	3	1	1	2	3	4	5	9
65+	89	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	4	3.5	2	2	2	3	4	5	5	5
65+	6	4.3	7	1	1	4	6	8	8	8
B. *Operated*										
0-19 YRS	62	2.6	4	1	1	2	3	4	6	13
20-34	162	2.9	1	1	2	3	4	4	5	8
35-49	179	3.1	2	2	2	3	4	5	5	9
50-64	194	3.4	4	1	2	3	4	6	8	10
65+	132	3.6	4	2	2	3	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	2	1	1	2	3	4	4	4
B. *Operated*	417	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	17	3.7	5	1	2	3	5	8	9	9
B. *Operated*	729	3.2	3	1	2	3	4	5	6	10
1. SINGLE DX	422	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	746	3.2	3	1	2	3	4	5	6	10
A. NOT OPERATED	22	3.4	5	1	1	3	4	7	8	9
B. OPERATED	1146	2.9	3	1	1	2	3	5	5	10
TOTAL 0-19 YRS	112	2.6	3	1	1	2	3	4	5	12
20-34	242	2.7	1	1	1	2	3	4	5	8
35-49	274	2.9	2	1	2	2	3	5	5	9
50-64	312	3.0	4	1	1	3	4	5	6	10
65+	228	3.1	3	1	2	3	4	5	6	10
GRAND TOTAL	1168	2.9	3	1	1	3	3	5	5	10

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	1.8	1	<1	<1	2	2	3	4	5
20-34	44	3.0	9	<1	1	2	4	6	10	15
35-49	6	2.3	2	1	1	2	3	5	5	5
50-64	3	4.3	4	2	2	5	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	14841	2.0	1	1	1	2	2	2	3	4
20-34	4523	2.2	1	1	2	2	2	3	4	5
35-49	449	2.4	2	1	2	2	3	3	4	7
50-64	86	2.4	2	1	1	2	3	4	5	8
65+	42	4.7	202	1	1	2	3	5	8	94
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	239	1.7	2	<1	<1	1	2	4	4	7
20-34	59	2.7	5	<1	<1	2	4	5	7	13
35-49	15	4.4	17	1	1	4	5	6	15	18
50-64	4	10.5	143	1	1	6	17	28	28	28
65+	6	9.0	72	3	3	4	16	22	23	23
B. *Operated*										
0-19 YRS	8301	1.9	1	<1	1	2	2	2	3	5
20-34	738	2.6	2	1	2	2	3	4	5	8
35-49	139	3.0	5	1	1	2	3	5	7	15
50-64	40	3.2	6	1	1	2	4	5	9	13
65+	14	3.1	13	1	1	2	2	6	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	2.3	4	<1	<1	2	3	4	5	12
B. *Operated*	19941	2.0	2	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	323	2.3	8	<1	<1	1	3	4	6	17
B. *Operated*	9232	2.0	1	<1	1	2	2	3	3	6
1. SINGLE DX	20077	2.0	2	1	1	2	2	3	3	5
2. MULTIPLE DX	9555	2.0	1	<1	1	2	2	3	3	6
A. NOT OPERATED	459	2.3	6	<1	<1	1	3	4	6	15
B. OPERATED	29173	2.0	2	1	1	2	2	3	3	5
TOTAL 0-19 YRS	23463	1.9	1	1	1	2	2	2	3	4
20-34	5364	2.3	2	1	1	2	2	3	4	6
35-49	609	2.6	3	1	2	2	3	4	5	12
50-64	133	2.9	8	1	1	2	3	5	6	16
65+	63	4.7	144	1	1	2	3	6	15	85
GRAND TOTAL	**29632**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	449	3.0	6	1	1	3	4	5	6	8
20-34	339	3.6	5	1	2	3	4	6	7	9
35-49	183	3.5	8	1	1	3	4	6	7	18
50-64	135	3.1	4	1	1	2	4	6	7	11
65+	84	3.7	12	1	1	3	5	7	9	23
B. *Operated*										
0-19 YRS	712	2.7	7	1	1	2	3	4	6	13
20-34	1178	2.7	3	1	1	2	3	4	5	9
35-49	971	2.6	3	1	1	2	3	4	5	11
50-64	861	2.6	3	1	1	2	3	4	6	10
65+	441	2.7	5	1	1	2	3	4	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	463	3.7	5	1	1	3	5	7	8	11
20-34	371	4.3	8	1	2	4	5	8	10	17
35-49	372	5.0	13	2	2	4	6	9	11	18
50-64	347	5.8	17	2	2	5	7	11	13	22
65+	253	6.5	22	2	2	5	9	12	15	23
B. *Operated*										
0-19 YRS	644	3.0	18	<1	1	2	3	5	8	17
20-34	1025	3.5	17	1	2	3	4	5	7	15
35-49	893	3.8	16	1	2	3	4	7	10	17
50-64	844	4.5	26	1	2	3	5	9	12	26
65+	430	5.9	65	1	2	3	6	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1190	3.3	6	1	1	3	4	6	7	10
B. *Operated*	4163	2.6	4	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	1806	4.9	13	1	2	4	6	9	11	18
B. *Operated*	3836	4.0	24	1	2	3	4	7	11	25
1. SINGLE DX	5353	2.8	4	1	1	2	3	5	6	11
2. MULTIPLE DX	5642	4.3	20	1	2	3	5	8	11	22
A. NOT OPERATED	2996	4.3	11	1	2	3	5	8	10	17
B. OPERATED	7999	3.3	14	1	1	2	3	5	8	17
TOTAL 0-19 YRS	2268	3.1	10	1	1	2	4	5	7	13
20-34	2913	3.3	9	1	2	3	4	5	7	13
35-49	2419	3.5	10	1	1	3	4	6	9	15
50-64	2187	3.9	16	1	1	3	4	8	11	19
65+	1208	4.7	29	1	2	3	5	10	15	27
GRAND TOTAL	**10995**	**3.6**	**13**	**1**	**1**	**3**	**4**	**6**	**9**	**17**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7431	4.5	7	2	2	4	6	8	9	14
20-34	1596	5.3	8	2	2	5	6	9	10	16
35-49	1129	6.0	10	2	3	5	7	10	12	16
50-64	1458	7.0	17	3	3	6	9	11	14	22
65+	2258	8.3	25	3	4	7	10	14	17	27
B. *Operated*										
0-19 YRS	47	9.8	45	2	3	8	12	16	21	37
20-34	59	10.0	63	2	3	8	11	20	29	42
35-49	107	9.6	50	2	3	8	13	16	20	40
50-64	191	10.7	57	2	2	10	14	18	22	38
65+	169	11.3	45	3	4	10	14	20	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6512	5.2	14	2	2	4	6	9	12	19
20-34	1547	6.9	30	2	3	6	8	12	15	25
35-49	2039	7.9	30	3	3	7	10	14	17	29
50-64	4538	9.2	39	3	4	8	11	16	20	33
65+	12652	11.5	64	4	5	9	14	20	26	44
B. *Operated*										
0-19 YRS	150	12.7	121	3	3	9	15	25	34	43
20-34	171	14.9	150	4	5	12	17	31	38	52
35-49	358	15.6	155	4	5	12	20	29	43	68
50-64	790	16.3	152	4	5	13	20	31	41	62
65+	1389	18.5	160	5	7	15	23	33	44	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13872	5.6	13	2	2	5	7	10	12	19
B. *Operated*	573	10.5	52	2	3	9	14	18	24	37
2. MULTIPLE DX										
A. *Not Operated*	27288	9.1	50	2	3	7	11	17	22	37
B. *Operated*	2858	17.0	157	4	5	14	21	32	42	64
1. SINGLE DX	14445	5.8	16	2	2	5	7	10	13	20
2. MULTIPLE DX	30146	9.8	65	2	3	8	12	18	24	43
A. NOT OPERATED	41160	7.9	40	2	3	6	10	15	19	32
B. OPERATED	3431	15.9	145	3	5	13	20	30	39	62
TOTAL 0-19 YRS	14140	4.9	12	2	2	4	6	8	11	17
20-34	3373	6.6	31	2	3	5	8	11	15	28
35-49	3633	8.1	44	3	3	6	10	14	19	35
50-64	6977	9.6	54	3	4	8	12	17	22	38
65+	16463	11.7	72	4	4	9	14	21	27	47
GRAND TOTAL	44591	8.5	53	2	3	7	10	16	21	38

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	320	3.5	6	1	1	3	4	6	8	11
20-34	313	3.8	8	1	2	3	5	6	8	11
35-49	190	4.3	8	1	2	4	5	8	10	14
50-64	254	4.9	7	2	2	4	6	8	9	16
65+	302	6.2	13	2	3	6	8	10	12	20
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	2	11.0	32	7	7	11	15	15	15	15
65+	3	5.7	4	4	4	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	515	3.9	8	1	2	3	5	7	8	15
20-34	630	4.4	7	1	2	4	5	8	9	13
35-49	521	5.7	13	2	2	5	7	10	12	20
50-64	946	6.8	17	2	3	6	9	12	14	23
65+	2004	8.7	39	3	3	7	11	16	20	33
B. *Operated*										
0-19 YRS	8	6.4	9	2	3	7	8	10	11	11
20-34	27	8.5	30	2	3	8	11	15	18	27
35-49	30	10.9	47	4	4	9	13	23	26	28
50-64	45	11.8	70	3	4	10	13	27	32	39
65+	77	15.7	79	5	6	14	20	29	34	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1379	4.5	9	1	2	4	6	8	10	15
B. *Operated*	10	7.1	11	4	4	7	8	12	15	15
2. MULTIPLE DX										
A. *Not Operated*	4616	6.9	27	2	2	5	8	13	16	28
B. *Operated*	187	12.6	69	3	4	10	16	26	30	39
1. SINGLE DX	1389	4.5	9	1	2	4	6	8	10	15
2. MULTIPLE DX	4803	7.1	30	2	2	6	9	13	17	29
A. NOT OPERATED	5995	6.3	24	2	2	5	8	12	15	25
B. OPERATED	197	12.3	68	3	4	10	16	26	30	39
TOTAL 0-19 YRS	845	3.8	7	1	1	3	5	7	8	12
20-34	971	4.3	8	1	2	4	5	8	9	14
35-49	743	5.5	15	2	2	4	7	10	13	21
50-64	1247	6.6	18	2	3	6	8	11	14	23
65+	2386	8.6	39	3	3	7	10	16	20	33
GRAND TOTAL	6192	6.5	26	2	2	5	8	12	16	28

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1529	3.7	5	1	2	3	5	6	8	11
20-34	180	4.3	11	2	2	4	5	7	8	22
35-49	262	5.1	9	1	2	4	6	9	11	16
50-64	422	6.4	22	2	3	5	7	11	14	30
65+	528	6.8	19	2	3	6	9	12	15	22
B. *Operated*										
0-19 YRS	13	4.0	3	1	2	5	5	6	7	7
20-34	42	5.0	14	1	1	4	6	11	13	17
35-49	55	3.7	10	1	1	3	5	7	9	17
50-64	107	[illegible]	14	1	2	3	7	11	13	16
65+	74	5.7	24	1	1	4	8	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1198	4.4	9	1	2	4	6	8	10	15
20-34	438	5.1	13	2	2	4	6	9	10	15
35-49	762	6.2	14	2	3	5	8	11	13	19
50-64	2027	7.7	27	2	3	7	10	14	17	27
65+	3345	8.8	39	3	3	7	11	16	20	33
B. *Operated*										
0-19 YRS	36	7.3	16	2	3	7	9	12	17	19
20-34	78	7.4	28	2	2	6	11	15	17	26
35-49	185	7.7	36	2	2	6	10	15	19	30
50-64	408	9.2	73	2	2	7	11	19	23	52
65+	489	11.5	96	2	3	9	15	24	31	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2921	4.8	12	1	2	4	6	9	11	18
B. *Operated*	291	4.9	16	1	1	3	6	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	7770	7.4	30	2	3	6	9	14	17	29
B. *Operated*	1196	9.8	75	2	2	8	12	19	26	47
1. SINGLE DX	3212	4.8	13	1	2	4	6	9	11	18
2. MULTIPLE DX	8966	7.7	37	2	3	6	9	14	19	32
A. NOT OPERATED	10691	6.7	27	2	2	5	8	12	16	28
B. OPERATED	1487	8.8	67	2	2	7	11	18	24	42
TOTAL 0-19 YRS	2776	4.1	7	1	2	3	5	7	9	14
20-34	738	5.2	15	2	2	4	6	9	12	19
35-49	1264	6.1	17	2	2	5	8	11	14	21
50-64	2964	7.7	33	2	3	6	10	14	18	29
65+	4436	8.8	44	2	3	7	11	16	21	34
GRAND TOTAL	12178	7.0	32	2	2	5	9	13	17	30

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	26	1	1	4	9	11	11	11
20-34	5	3.0	4	1	1	2	5	5	5	5
35-49	23	5.2	10	2	2	4	6	10	12	14
50-64	154	6.9	31	2	2	5	9	13	16	29
65+	185	7.7	28	2	3	6	9	14	19	27
B. *Operated*										
0-19 YRS										
20-34	10	11.4	26	6	7	10	13	19	24	24
35-49	13	10.8	15	4	5	11	14	15	15	15
50-64	14	15.6	213	3	3	12	19	43	51	53
65+	7	11.3	124	2	2	6	18	30	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	10	2	2	7	8	9	9	9
20-34	12	5.8	5	2	2	6	8	8	8	8
35-49	114	7.9	32	2	3	6	10	16	21	28
50-64	700	8.9	41	2	3	7	11	17	21	34
65+	1253	9.6	66	3	3	8	12	18	24	48
B. *Operated*										
0-19 YRS	4	10.5	6	8	8	10	12	13	13	13
20-34	16	14.6	105	6	7	10	18	28	39	44
35-49	37	16.9	89	4	6	15	21	32	36	39
50-64	124	15.5	147	3	4	13	20	32	39	89
65+	162	17.7	212	3	5	14	22	35	55	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	7.1	28	2	2	6	9	13	17	28
B. *Operated*	44	12.5	96	3	4	11	14	21	35	53
2. MULTIPLE DX										
A. *Not Operated*	2083	9.3	56	2	3	7	11	17	23	39
B. *Operated*	343	16.6	168	3	5	13	21	33	42	79
1. SINGLE DX	414	7.7	38	2	2	6	10	14	20	31
2. MULTIPLE DX	2426	10.3	78	3	3	8	13	20	27	47
A. NOT OPERATED	2453	8.9	52	2	3	7	11	17	22	37
B. OPERATED	387	16.1	161	3	5	13	20	33	42	78
TOTAL 0-19 YRS	11	7.5	15	1	2	8	11	12	13	13
20-34	43	10.0	64	2	2	8	12	20	26	44
35-49	187	9.6	54	2	3	7	13	20	25	36
50-64	992	9.5	61	2	3	7	12	19	24	42
65+	1607	10.2	83	3	3	8	12	20	26	55
GRAND TOTAL	2840	9.9	73	2	3	7	12	19	26	48

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4676	3.4	4	1	2	3	4	6	7	10
20-34	1559	4.3	8	1	2	4	5	7	9	13
35-49	1293	5.3	11	2	2	5	7	9	11	17
50-64	1461	6.1	16	2	2	5	7	11	14	21
65+	947	6.7	15	2	3	6	8	12	14	20
B. *Operated*										
0-19 YRS	8	6.8	16	2	2	6	10	12	12	12
20-34	15	5.8	14	<1	1	5	9	11	12	12
35-49	25	5.8	10	1	1	7	8	10	11	11
50-64	20	9.3	49	3	3	6	14	19	24	28
65+	16	10.6	61	2	2	9	17	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2760	4.1	6	1	2	4	5	7	9	13
20-34	1272	5.3	16	2	2	4	7	10	12	18
35-49	1871	6.6	19	2	3	6	8	12	14	22
50-64	3246	7.8	26	2	3	7	10	14	17	26
65+	3618	8.7	37	3	3	7	11	15	20	32
B. *Operated*										
0-19 YRS	48	8.1	71	2	2	6	9	12	22	50
20-34	69	9.4	38	2	3	8	12	18	20	31
35-49	124	12.2	68	3	5	10	16	22	27	48
50-64	222	12.7	88	3	4	10	17	24	31	78
65+	177	16.0	127	4	6	13	20	31	43	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9936	4.5	10	1	2	4	6	8	10	17
B. *Operated*	84	7.6	33	1	2	7	10	15	20	26
2. MULTIPLE DX										
A. *Not Operated*	12767	6.8	26	2	2	6	9	13	16	26
B. *Operated*	640	12.8	94	3	4	10	17	25	32	59
1. SINGLE DX	10020	4.5	10	1	2	4	6	8	10	17
2. MULTIPLE DX	13407	7.1	31	2	2	6	9	13	17	28
A. NOT OPERATED	22703	5.8	20	2	2	5	7	11	14	23
B. OPERATED	724	12.2	89	2	4	9	16	24	31	58
TOTAL 0-19 YRS	7492	3.7	6	1	2	3	5	6	8	11
20-34	2915	4.9	13	1	2	4	6	9	11	17
35-49	3313	6.3	19	2	2	5	8	11	14	23
50-64	4949	7.5	28	2	3	6	9	14	17	28
65+	4758	8.6	39	2	3	7	11	15	20	34
GRAND TOTAL	23427	6.0	24	2	2	5	7	11	15	25

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.9	2	2	2	4	5	5	6	7
20-34	32	4.4	15	1	1	3	5	9	12	19
35-49	197	6.0	14	2	2	5	8	11	13	18
50-64	1031	7.4	33	2	3	6	9	13	17	31
65+	1530	7.9	40	2	3	7	10	15	18	30
B. *Operated*										
0-19 YRS	6	3.0	7	1	1	2	3	8	8	8
20-34	9	9.6	96	3	3	6	12	25	34	34
35-49	35	6.6	50	2	2	4	8	14	20	38
50-64	79	6.3	30	1	2	5	8	12	18	31
65+	78	9.1	90	2	2	6	11	17	29	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	8.4	34	2	3	7	9	18	22	24
20-34	88	6.9	17	2	3	6	8	12	15	22
35-49	804	7.2	35	2	2	6	9	13	16	28
50-64	4687	8.7	48	2	3	7	11	16	21	35
65+	8600	9.8	58	3	3	8	12	18	24	39
B. *Operated*										
0-19 YRS	8	11.4	169	2	2	5	18	33	35	35
20-34	30	8.7	68	2	2	7	9	22	26	36
35-49	133	12.1	154	2	3	9	14	23	36	69
50-64	655	13.0	126	2	3	10	16	26	34	60
65+	1035	15.4	157	3	4	12	19	30	41	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2811	7.5	35	2	3	6	9	14	18	30
B. *Operated*	207	7.5	59	2	2	5	9	15	18	39
2. MULTIPLE DX										
A. *Not Operated*	14221	9.3	53	2	3	7	11	17	23	37
B. *Operated*	1861	14.2	146	3	4	11	18	29	38	70
1. SINGLE DX	3018	7.5	37	2	3	6	9	14	18	31
2. MULTIPLE DX	16082	9.8	67	2	3	8	12	19	25	43
A. NOT OPERATED	17032	9.0	51	2	3	7	11	17	22	36
B. OPERATED	2068	13.5	142	2	3	10	17	28	37	68
TOTAL 0-19 YRS	77	7.0	42	2	2	5	8	15	23	33
20-34	159	6.9	32	2	2	5	8	13	18	33
35-49	1169	7.6	48	2	2	6	9	14	17	38
50-64	6452	8.9	55	2	3	7	11	17	22	39
65+	11243	10.0	68	3	3	8	12	19	25	44
GRAND TOTAL	19100	9.5	63	2	3	7	12	18	24	42

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	3.7	9	1	1	3	5	7	10	16
20-34	204	4.0	8	1	1	3	5	8	10	14
35-49	66	5.6	137	1	1	4	5	8	11	83
50-64	30	5.1	13	1	2	4	6	10	12	17
65+	26	7.1	31	2	3	5	8	17	19	24
B. Operated										
0-19 YRS	143	6.1	18	2	3	5	8	10	13	21
20-34	523	6.5	18	3	3	5	8	12	14	26
35-49	181	7.3	20	2	3	6	9	14	16	23
50-64	106	9.0	50	2	3	6	11	19	24	37
65+	56	8.8	55	3	3	6	11	19	25	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.3	2	1	1	3	4	5	6	6
20-34	42	5.1	27	1	1	4	6	9	13	32
35-49	41	6.2	18	1	2	5	8	13	15	18
50-64	69	8.0	37	2	2	6	9	17	22	26
65+	81	10.8	86	2	4	8	13	19	33	46
B. Operated										
0-19 YRS	24	9.7	25	3	4	10	13	15	19	24
20-34	145	9.8	65	3	4	8	12	19	21	52
35-49	113	11.0	49	4	4	9	14	21	26	34
50-64	188	11.7	83	3	3	9	15	22	29	51
65+	220	13.5	97	4	5	10	17	27	34	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	398	4.5	32	1	1	3	5	8	11	17
B. Operated	1009	7.0	24	2	3	5	8	13	16	28
2. MULTIPLE DX										
A. Not Operated	249	7.8	51	1	2	6	10	15	20	43
B. Operated	690	11.7	78	3	4	9	15	23	29	49
1. SINGLE DX	1407	6.3	28	2	2	5	8	12	15	26
2. MULTIPLE DX	939	10.7	74	2	3	8	13	21	27	45
A. NOT OPERATED	647	5.8	42	1	1	4	7	12	15	30
B. OPERATED	1699	8.9	51	3	3	7	11	17	23	37
TOTAL 0-19 YRS	255	5.6	18	1	2	4	7	11	13	20
20-34	914	6.4	27	2	2	5	8	12	15	26
35-49	401	7.9	51	2	3	6	10	15	19	29
50-64	393	9.8	64	2	3	7	13	20	26	38
65+	383	11.8	88	3	4	9	15	24	32	46
GRAND TOTAL	2346	8.0	51	2	3	6	10	16	21	36

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	336	3.7	8	1	1	3	4	7	9	16
20-34	244	4.3	14	1	1	3	6	8	11	18
35-49	269	5.0	16	1	2	4	6	10	13	20
50-64	323	5.5	16	1	2	4	7	10	13	21
65+	473	6.9	34	1	2	6	9	12	16	32
B. Operated										
0-19 YRS	69	6.8	40	1	1	5	10	16	21	26
20-34	148	8.5	61	2	2	7	10	18	24	39
35-49	259	9.1	62	2	2	7	11	18	24	40
50-64	389	8.9	71	2	2	7	12	18	24	34
65+	359	9.2	61	2	2	7	13	20	23	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	499	4.8	21	1	1	4	6	8	13	24
20-34	450	5.8	24	1	2	4	7	11	15	28
35-49	687	7.1	37	2	2	6	9	14	17	32
50-64	1863	8.0	41	2	3	6	10	15	20	32
65+	4107	9.8	60	2	3	8	12	18	23	38
B. Operated										
0-19 YRS	82	10.6	131	2	2	6	13	27	31	59
20-34	213	11.9	136	2	2	9	18	22	34	69
35-49	408	13.1	133	2	3	10	16	28	37	78
50-64	1031	12.6	129	2	3	9	16	26	34	67
65+	1324	15.1	153	3	4	12	20	30	39	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1645	5.3	21	1	2	4	7	10	13	23
B. Operated	1224	8.8	63	2	2	7	12	19	24	36
2. MULTIPLE DX										
A. Not Operated	7606	8.5	51	2	3	7	11	16	21	36
B. Operated	3058	13.6	142	2	3	11	18	28	36	66
1. SINGLE DX	2869	6.8	42	1	2	5	9	14	19	31
2. MULTIPLE DX	10664	10.0	82	2	3	7	13	20	26	48
A. NOT OPERATED	9251	8.0	47	2	2	6	10	15	20	34
B. OPERATED	4282	12.3	124	2	3	9	16	25	33	58
TOTAL 0-19 YRS	986	5.1	30	1	1	3	6	10	18	29
20-34	1055	7.1	57	1	2	5	9	15	20	39
35-49	1623	8.6	70	2	2	6	10	17	23	43
50-64	3606	9.2	73	2	2	7	12	18	24	45
65+	6263	10.7	83	2	3	8	13	21	27	47
GRAND TOTAL	13533	9.3	76	2	2	7	12	19	25	44

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	3.1	4	<1	1	3	4	6	7	11
20-34	72	4.3	13	1	1	3	5	9	12	18
35-49	39	3.7	12	1	1	3	5	7	9	21
50-64	22	4.3	42	<1	1	2	4	6	19	32
65+	19	6.9	44	1	1	5	8	18	23	25
B. *Operated*										
0-19 YRS	2687	2.0	2	1	1	2	2	3	4	6
20-34	2313	2.4	2	1	1	2	3	4	5	8
35-49	886	2.7	5	1	1	2	3	4	5	10
50-64	519	2.9	3	1	2	2	3	5	6	9
65+	184	3.4	40	1	2	3	4	4	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	2.8	4	<1	1	2	4	5	6	10
20-34	115	3.8	7	<1	1	3	5	7	9	13
35-49	84	4.1	10	<1	1	3	6	8	11	14
50-64	93	5.4	21	1	1	4	7	10	14	24
65+	73	6.1	23	1	2	5	7	12	15	27
B. *Operated*										
0-19 YRS	1262	2.5	5	1	1	2	3	4	6	11
20-34	1433	3.0	7	1	1	2	3	5	7	12
35-49	980	3.1	7	1	2	2	3	5	8	15
50-64	970	3.6	16	1	2	2	4	6	10	21
65+	546	4.2	19	1	2	3	4	9	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	4.1	16	1	1	3	5	8	11	22
B. *Operated*	6389	2.3	4	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	457	4.3	14	1	1	3	5	9	11	19
B. *Operated*	5191	3.1	10	1	1	2	3	5	8	16
1. SINGLE DX	6807	2.4	4	1	1	2	2	4	5	8
2. MULTIPLE DX	5648	3.2	10	1	1	2	4	6	8	16
A. NOT OPERATED	675	4.3	14	1	1	3	5	9	11	21
B. OPERATED	11780	2.7	7	1	1	2	3	4	6	12
TOTAL 0-19 YRS	4107	2.2	3	1	1	2	2	4	5	8
20-34	3933	2.7	4	1	1	2	3	5	6	10
35-49	1989	3.0	6	1	1	2	3	5	7	13
50-64	1604	3.5	13	1	2	2	4	6	9	19
65+	822	4.3	26	1	2	3	4	8	12	25
GRAND TOTAL	**12455**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	3.7	3	1	2	3	5	6	7	9
20-34	53	3.3	2	1	2	3	4	5	6	7
35-49	22	5.0	7	1	2	4	7	8	11	13
50-64	37	3.8	6	1	2	4	4	5	10	12
65+	37	4.8	14	1	1	4	6	9	10	21
B. *Operated*										
0-19 YRS	197	2.5	3	<1	1	2	3	5	6	10
20-34	194	3.1	4	1	2	3	4	5	6	11
35-49	173	3.6	7	1	2	3	4	6	8	17
50-64	248	3.5	8	1	2	3	4	6	8	19
65+	201	3.8	8	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	4.3	5	2	2	4	5	7	9	11
20-34	57	4.9	10	1	2	4	7	10	11	17
35-49	46	6.2	15	2	2	5	8	10	14	21
50-64	71	6.4	20	1	2	6	8	12	14	22
65+	127	8.3	29	2	3	7	10	15	20	27
B. *Operated*										
0-19 YRS	70	3.5	9	1	1	3	4	6	9	17
20-34	117	4.4	16	1	2	4	5	8	10	24
35-49	139	4.4	11	1	2	3	5	8	13	17
50-64	210	5.1	30	2	2	4	5	10	13	27
65+	174	7.3	70	2	2	4	8	16	22	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	3.9	6	1	2	3	5	7	8	12
B. *Operated*	1013	3.3	6	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	463	6.0	18	2	2	5	8	11	14	22
B. *Operated*	710	5.2	33	1	2	4	5	10	15	30
1. SINGLE DX	1257	3.4	6	1	1	3	4	6	8	13
2. MULTIPLE DX	1173	5.5	27	2	2	4	7	11	14	26
A. NOT OPERATED	707	5.3	15	1	2	4	7	10	12	21
B. OPERATED	1723	4.1	18	1	2	3	4	7	11	21
TOTAL 0-19 YRS	524	3.4	5	1	1	3	4	6	8	11
20-34	421	3.7	8	1	2	3	4	6	9	18
35-49	380	4.3	10	1	2	3	5	8	11	17
50-64	566	4.5	18	1	2	3	5	8	11	22
65+	539	6.0	37	1	2	4	7	13	17	30
GRAND TOTAL	**2430**	**4.4**	**17**	**1**	**2**	**3**	**5**	**8**	**11**	**21**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	3.3	4	1	1	3	4	6	7	10
20-34	303	3.7	6	1	1	3	5	7	9	12
35-49	399	3.8	6	1	1	3	5	7	8	13
50-64	322	4.0	7	1	1	3	5	8	9	14
65+	255	4.5	12	1	2	4	6	8	10	17
B. *Operated*										
0-19 YRS	55	4.3	10	<1	1	3	7	9	11	13
20-34	142	6.2	28	1	2	4	8	13	16	27
35-49	185	7.0	35	1	2	6	9	13	19	34
50-64	238	6.0	37	1	1	4	8	12	16	29
65+	281	5.7	23	1	1	4	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	4.5	12	1	1	3	6	9	11	14
20-34	694	4.8	11	1	2	4	6	9	11	17
35-49	1255	5.3	19	2	2	4	7	9	12	25
50-64	1517	5.6	15	2	2	5	7	10	13	20
65+	1735	6.7	29	2	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	50	8.7	143	1	1	5	8	23	35	56
20-34	307	8.1	50	2	2	7	10	16	22	36
35-49	599	8.1	41	2	3	7	10	15	20	32
50-64	924	8.7	63	2	2	7	11	17	24	43
65+	1036	10.7	116	2	2	8	13	22	30	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1473	3.9	7	1	1	3	5	7	9	13
B. *Operated*	901	6.1	30	1	1	4	8	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	5391	5.8	20	2	2	5	7	10	13	23
B. *Operated*	2916	9.2	78	2	2	7	11	18	25	53
1. SINGLE DX	2374	4.7	17	1	1	3	6	9	12	19
2. MULTIPLE DX	8307	7.0	43	2	2	5	8	13	18	35
A. NOT OPERATED	6864	5.3	18	1	2	4	7	10	12	22
B. OPERATED	3817	8.5	69	2	2	6	10	17	23	46
TOTAL 0-19 YRS	489	4.4	24	1	1	3	5	8	11	25
20-34	1446	5.4	22	1	2	4	7	10	13	25
35-49	2438	5.9	25	1	2	5	7	11	14	27
50-64	3001	6.4	33	2	2	5	8	12	16	29
65+	3307	7.7	59	2	2	6	9	15	21	42
GRAND TOTAL	10681	6.5	38	1	2	5	8	12	16	32

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	4.6	12	1	2	4	5	7	12	18
20-34	203	4.6	10	1	2	4	6	9	12	14
35-49	236	5.0	12	1	2	4	7	9	11	19
50-64	290	5.4	11	1	2	5	7	10	12	16
65+	222	6.7	33	2	2	5	8	13	16	29
B. *Operated*										
0-19 YRS	4	6.0	5	3	3	6	7	8	8	8
20-34	73	8.6	28	3	3	8	11	16	18	27
35-49	188	8.6	32	2	3	7	11	16	19	28
50-64	210	9.1	68	2	3	8	11	16	21	31
65+	152	[illegible]	75	2	2	7	11	17	22	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.0	7	2	2	5	6	8	9	15
20-34	224	5.4	12	1	2	5	7	9	11	17
35-49	506	6.4	24	2	2	5	8	11	15	24
50-64	634	6.7	17	2	3	6	9	12	15	21
65+	977	8.5	34	2	3	7	10	15	20	31
B. *Operated*										
0-19 YRS	6	4.5	6	2	2	4	5	9	9	9
20-34	93	9.0	54	3	3	7	10	18	20	46
35-49	325	9.8	41	2	3	9	13	18	22	29
50-64	514	10.3	58	2	4	9	13	20	24	41
65+	655	11.9	83	3	4	9	15	22	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	992	5.4	17	1	2	4	7	10	13	20
B. *Operated*	627	8.9	54	2	3	8	11	16	21	30
2. MULTIPLE DX										
A. *Not Operated*	2370	7.2	26	2	3	6	9	13	16	28
B. *Operated*	1593	10.8	65	3	4	9	13	21	25	40
1. SINGLE DX	1619	6.8	34	1	2	5	9	13	16	26
2. MULTIPLE DX	3963	8.6	45	2	3	7	11	16	21	34
A. NOT OPERATED	3362	6.6	24	2	2	5	8	12	15	26
B. OPERATED	2220	10.2	63	2	3	8	13	19	24	38
TOTAL 0-19 YRS	80	4.8	9	1	2	4	6	8	9	17
20-34	593	6.1	23	1	2	5	8	11	15	22
35-49	1255	7.3	30	2	2	6	9	14	18	27
50-64	1648	7.9	39	2	3	6	10	14	19	28
65+	2006	9.4	56	2	3	7	11	18	24	37
GRAND TOTAL	5582	8.1	42	2	3	6	10	15	20	32

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.4	2	<1	<1	4	4	5	5	5
20-34	45	4.8	11	1	2	4	6	8	9	21
35-49	82	5.4	8	2	2	5	7	9	11	15
50-64	116	6.3	11	2	3	6	7	11	12	20
65+	126	7.7	20	2	3	7	10	14	16	24
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	35	8.4	17	3	5	7	10	14	19	21
35-49	67	9.3	31	4	4	7	12	17	18	33
50-64	109	10.9	40	4	4	10	14	19	24	33
65+	138	11.7	51	3	5	10	15	20	24	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	10	1	1	3	5	9	9	9
20-34	45	5.7	11	2	2	5	7	10	11	18
35-49	117	6.2	9	3	3	6	7	10	12	17
50-64	231	7.7	21	3	4	7	9	13	16	28
65+	562	9.6	43	3	4	8	12	17	21	30
B. *Operated*										
0-19 YRS	5	8.6	4	6	6	9	10	11	11	11
20-34	38	12.8	105	3	4	9	15	26	29	61
35-49	117	10.9	53	2	3	9	13	22	28	34
50-64	235	13.1	85	4	5	10	17	24	31	45
65+	442	14.0	111	4	5	11	17	25	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	6.3	14	2	3	6	8	11	14	20
B. *Operated*	350	10.6	41	4	4	9	14	19	22	34
2. MULTIPLE DX										
A. *Not Operated*	960	8.5	34	3	4	7	10	15	19	29
B. *Operated*	837	13.2	99	4	5	10	16	25	31	53
1. SINGLE DX	729	8.4	32	2	3	7	11	15	19	30
2. MULTIPLE DX	1797	10.7	70	3	4	8	13	20	26	45
A. NOT OPERATED	1339	7.9	29	3	3	7	9	14	18	27
B. OPERATED	1187	12.5	83	4	5	10	15	23	30	47
TOTAL 0-19 YRS	21	4.8	9	<1	1	4	6	10	10	11
20-34	163	7.7	62	2	3	6	9	13	20	30
35-49	383	8.0	31	2	3	7	10	14	18	32
50-64	691	9.8	51	3	4	8	12	19	24	37
65+	1268	11.2	70	3	4	9	14	20	25	47
GRAND TOTAL	2526	10.0	60	3	4	8	12	19	24	41

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	294	3.8	5	1	2	3	5	7	8	12
20-34	1077	4.2	6	1	2	4	5	7	9	15
35-49	1136	4.4	7	1	2	4	6	7	9	14
50-64	690	4.7	8	2	2	4	6	8	10	15
65+	430	5.4	11	2	2	5	7	9	12	16
B. *Operated*										
0-19 YRS	18	7.8	23	2	2	7	12	14	18	20
20-34	128	9.6	35	3	4	8	11	20	23	28
35-49	189	9.8	31	3	4	9	12	15	18	33
50-64	143	10.5	39	3	4	9	13	17	22	33
65+	66	10.9	113	2	3	8	15	20	29	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	5.0	18	1	2	4	6	9	10	26
20-34	1044	5.3	13	2	2	5	7	9	12	18
35-49	1661	5.7	13	2	2	5	7	10	13	19
50-64	1886	6.2	18	2	3	5	8	11	14	23
65+	1895	7.7	28	3	3	6	9	14	17	28
B. *Operated*										
0-19 YRS	14	7.4	41	2	3	5	10	15	24	26
20-34	188	9.8	46	2	3	8	13	17	19	40
35-49	410	10.4	48	3	4	9	13	18	23	37
50-64	476	10.7	59	3	4	9	13	19	24	50
65+	418	12.7	83	3	4	10	17	24	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3627	4.5	8	1	2	4	6	8	9	15
B. *Operated*	544	10.0	44	3	4	9	12	17	22	35
2. MULTIPLE DX										
A. *Not Operated*	6663	6.3	20	2	3	5	8	11	14	24
B. *Operated*	1506	11.0	62	3	4	9	14	20	25	46
1. SINGLE DX	4171	5.2	16	1	2	4	6	9	12	21
2. MULTIPLE DX	8169	7.2	31	2	3	6	9	13	17	28
A. NOT OPERATED	10290	5.7	16	2	2	5	7	10	13	22
B. OPERATED	2050	10.8	57	3	4	9	13	20	24	42
TOTAL 0-19 YRS	503	4.5	12	1	2	4	6	8	10	21
20-34	2437	5.4	17	1	2	4	7	10	13	22
35-49	3396	6.1	20	2	2	5	8	11	14	23
50-64	3195	6.8	27	2	2	5	8	12	16	27
65+	2809	8.1	40	2	3	7	10	15	21	32
GRAND TOTAL	12340	6.8	27	2	2	5	8	12	16	27

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	4.2	5	2	2	4	5	7	8	12
20-34	317	4.9	5	2	2	4	6	8	10	12
35-49	384	5.3	8	2	3	5	7	8	10	16
50-64	393	5.5	6	2	3	5	7	9	10	13
65+	367	6.7	11	3	3	6	8	11	13	17
B. *Operated*										
0-19 YRS	21	7.0	10	1	2	7	9	11	12	13
20-34	154	8.7	29	4	5	8	10	13	18	23
35-49	150	9.0	17	5	5	8	11	14	15	27
50-64	160	11.2	47	5	6	10	13	17	26	45
65+	154	12.0	38	4	6	10	15	21	25	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.4	7	1	2	4	5	7	7	18
20-34	196	5.6	11	2	2	5	7	10	12	18
35-49	363	6.4	10	2	3	6	8	10	12	17
50-64	644	7.0	16	3	3	6	9	11	14	21
65+	1013	9.4	37	3	4	8	11	16	20	36
B. *Operated*										
0-19 YRS	6	13.0	17	9	9	12	18	18	18	18
20-34	67	11.4	43	5	6	10	13	18	26	36
35-49	152	13.4	105	4	6	10	14	25	34	62
50-64	258	14.0	108	4	6	11	16	24	30	63
65+	466	17.6	163	5	7	14	22	33	45	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1528	5.5	8	2	3	5	7	9	11	15
B. *Operated*	639	10.1	34	4	5	9	12	16	21	32
2. MULTIPLE DX										
A. *Not Operated*	2257	7.8	26	3	3	7	9	14	17	27
B. *Operated*	949	15.5	134	5	6	12	18	28	37	70
1. SINGLE DX	2167	6.9	20	2	3	6	8	12	15	24
2. MULTIPLE DX	3206	10.1	70	3	4	8	12	18	25	46
A. NOT OPERATED	3785	6.9	20	2	3	6	8	12	15	23
B. OPERATED	1588	13.3	101	5	6	10	15	24	32	61
TOTAL 0-19 YRS	135	5.1	11	2	2	4	6	9	12	18
20-34	734	6.5	20	2	3	5	8	11	14	23
35-49	1049	7.4	31	2	3	6	9	12	15	32
50-64	1455	8.3	43	3	3	7	10	14	18	35
65+	2000	11.0	76	3	4	9	13	20	26	47
GRAND TOTAL	**5373**	**8.8**	**52**	**3**	**3**	**7**	**10**	**16**	**22**	**39**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	2	3	3	5	6	6	6	6
20-34	17	8.9	48	3	4	6	10	16	26	31
35-49	25	8.0	26	3	4	6	10	12	17	28
50-64	32	6.6	13	2	3	6	8	11	14	18
65+	32	8.4	20	3	4	8	11	13	15	25
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	9	13.8	57	4	5	13	20	24	25	25
35-49	54	14.6	90	4	6	12	19	26	27	53
50-64	55	14.3	54	6	6	13	18	24	28	37
65+	54	16.2	113	7	8	13	19	25	41	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	23	5.8	11	1	2	6	8	11	12	14
35-49	34	8.3	17	3	5	7	10	15	18	21
50-64	67	9.1	45	3	4	7	10	14	24	40
65+	96	11.2	61	2	4	9	16	22	26	38
B. *Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	21	16.5	138	6	8	12	20	32	42	52
35-49	72	16.7	125	4	6	13	22	34	40	54
50-64	100	19.0	158	7	8	16	23	35	54	99+
65+	156	20.9	241	6	8	16	25	39	55	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	7.7	23	3	4	6	9	12	16	29
B. *Operated*	173	14.9	83	5	7	13	19	24	29	52
2. MULTIPLE DX										
A. *Not Operated*	221	9.5	46	2	4	8	11	18	23	35
B. *Operated*	350	19.3	188	5	8	15	24	37	49	82
1. SINGLE DX	283	12.1	72	4	4	10	15	22	26	48
2. MULTIPLE DX	571	15.5	156	4	5	12	19	30	40	73
A. NOT OPERATED	331	8.9	39	2	4	7	11	17	22	31
B. OPERATED	523	17.8	158	5	7	14	22	33	45	76
TOTAL 0-19 YRS	7	9.3	94	3	3	6	8	26	31	31
20-34	70	10.8	81	2	3	8	13	23	31	48
35-49	185	13.4	94	4	5	10	17	26	34	51
50-64	254	13.8	110	4	5	11	17	27	35	81
65+	338	16.2	171	4	5	12	20	30	43	71
GRAND TOTAL	**854**	**14.4**	**130**	**4**	**5**	**11**	**18**	**28**	**37**	**63**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	841	2.9	6	1	1	3	3	5	6	8
20-34	1582	3.4	5	1	1	3	4	6	7	11
35-49	1159	3.9	7	1	2	3	5	7	8	14
50-64	793	4.2	9	1	1	3	5	7	9	15
65+	468	4.7	12	1	2	4	6	8	12	18
B. *Operated*										
0-19 YRS	20	4.2	5	1	2	4	5	7	9	9
20-34	104	6.6	21	2	2	5	8	13	14	25
35-49	147	7.2	38	2	2	6	9	14	19	34
50-64	145	8.3	50	1	2	7	10	16	21	34
65+	79	7.6	44	1	2	6	9	15	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1075	3.3	4	1	1	3	4	6	7	10
20-34	2506	4.5	11	1	2	4	5	8	10	15
35-49	3091	5.2	12	2	2	4	7	9	11	17
50-64	2970	5.7	14	2	2	5	7	10	13	20
65+	3125	6.9	25	2	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	54	7.3	76	1	2	5	7	11	14	50
20-34	436	7.7	36	2	3	6	10	14	17	31
35-49	700	9.4	55	2	3	8	12	17	22	42
50-64	701	9.7	58	3	3	8	11	19	23	35
65+	673	11.2	77	3	4	9	14	20	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4843	3.7	7	1	1	3	4	7	8	14
B. *Operated*	495	7.3	38	1	2	6	9	14	20	33
2. MULTIPLE DX										
A. *Not Operated*	12767	5.4	16	2	2	4	7	10	12	20
B. *Operated*	2564	9.6	60	2	3	8	12	18	23	43
1. SINGLE DX	5338	4.0	11	1	1	3	5	7	9	17
2. MULTIPLE DX	15331	6.1	26	2	2	5	8	11	15	25
A. NOT OPERATED	17610	5.0	14	1	2	4	6	9	11	18
B. OPERATED	3059	9.3	57	2	3	7	11	17	23	41
TOTAL 0-19 YRS	1990	3.3	7	1	1	3	4	6	7	11
20-34	4628	4.4	13	1	2	4	5	8	10	17
35-49	5097	5.6	20	2	2	4	7	10	13	22
50-64	4609	6.1	24	2	2	5	8	11	15	25
65+	4345	7.3	35	2	3	6	9	13	17	31
GRAND TOTAL	**20669**	**5.6**	**23**	**1**	**2**	**4**	**7**	**10**	**14**	**23**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	296	3.0	3	1	1	3	4	6	7	9
20-34	466	3.6	7	1	1	3	4	6	9	15
35-49	429	4.2	14	1	1	3	5	7	9	16
50-64	285	4.5	9	1	2	4	6	8	10	14
65+	167	4.9	12	1	1	4	6	10	12	17
B. *Operated*										
0-19 YRS	109	4.4	5	2	2	4	5	7	9	13
20-34	42	8.5	31	<1	1	8	11	16	18	27
35-49	60	11.0	80	1	2	9	14	19	29	48
50-64	52	16.1	131	5	6	14	19	30	38	59
65+	38	14.5	67	2	5	13	19	27	29	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	268	3.8	6	1	2	3	4	7	8	13
20-34	723	4.7	12	2	2	4	6	8	11	17
35-49	810	5.3	16	2	2	4	6	10	12	19
50-64	768	5.5	15	2	2	4	7	10	13	20
65+	740	7.1	31	2	3	6	9	13	19	29
B. *Operated*										
0-19 YRS	38	8.4	53	2	3	6	12	18	23	37
20-34	109	10.5	84	2	3	8	14	20	31	47
35-49	211	13.8	166	3	4	10	16	26	42	74
50-64	223	15.9	158	3	4	14	20	31	40	73
65+	240	16.9	154	3	5	14	21	32	44	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1643	3.9	9	1	1	3	5	7	9	14
B. *Operated*	301	9.6	73	2	2	7	13	19	27	44
2. MULTIPLE DX										
A. *Not Operated*	3309	5.5	18	2	2	4	7	10	13	23
B. *Operated*	821	14.6	150	3	4	11	18	29	41	68
1. SINGLE DX	1944	4.8	23	1	1	3	6	9	14	26
2. MULTIPLE DX	4130	7.3	58	2	2	5	8	15	21	41
A. NOT OPERATED	4952	5.0	16	1	2	4	6	9	12	21
B. OPERATED	1122	13.2	134	2	3	10	17	27	36	60
TOTAL 0-19 YRS	711	3.8	9	1	1	3	4	7	8	14
20-34	1340	4.9	20	1	2	4	6	9	13	25
35-49	1510	6.4	49	1	2	4	7	12	17	39
50-64	1328	7.5	61	2	2	5	9	15	21	40
65+	1185	9.0	72	2	3	6	11	19	24	45
GRAND TOTAL	**6074**	**6.5**	**48**	**1**	**2**	**4**	**8**	**13**	**18**	**37**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.0	5	1	1	3	4	5	6	14
20-34	26	2.6	5	<1	1	2	3	4	6	12
35-49	10	3.2	4	1	1	3	5	6	6	6
50-64	5	5.6	24	2	2	3	8	14	14	14
65+	4	3.0	7	1	1	2	5	7	7	7
B. *Operated*										
0-19 YRS	4412	3.6	3	2	2	3	4	5	6	10
20-34	2846	3.9	3	2	2	4	4	6	7	11
35-49	830	4.5	6	2	2	4	5	7	9	12
50-64	362	5.5	10	2	3	5	6	9	11	19
65+	146	6.6	19	3	3	6	7	11	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.0	6	1	1	2	4	6	9	10
20-34	8	5.6	98	1	1	2	3	22	30	30
35-49	4	6.0	18	2	2	5	9	11	11	11
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	5	10.2	46	1	1	10	13	20	20	20
B. *Operated*										
0-19 YRS	620	5.4	14	2	3	4	6	10	13	18
20-34	538	5.5	11	2	3	5	7	9	11	18
35-49	223	7.4	28	3	3	6	9	13	17	32
50-64	153	9.1	36	3	3	8	11	17	21	32
65+	119	11.9	54	4	4	11	15	20	28	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	3.1	6	1	1	3	4	6	7	14
B. *Operated*	8596	3.9	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	33	5.1	38	1	1	2	6	11	19	30
B. *Operated*	1653	6.5	23	2	3	5	8	12	16	27
1. SINGLE DX	8679	3.9	4	2	2	4	5	6	7	11
2. MULTIPLE DX	1686	6.5	23	2	3	5	8	12	16	27
A. NOT OPERATED	116	3.6	16	1	1	2	4	7	11	23
B. OPERATED	10249	4.3	8	2	2	4	5	7	9	16
TOTAL 0-19 YRS	5084	3.8	5	2	2	3	4	6	7	12
20-34	3418	4.2	5	2	2	4	5	6	8	13
35-49	1067	5.1	12	2	3	4	6	9	11	19
50-64	522	6.5	20	3	3	5	8	12	15	25
65+	274	8.9	42	3	3	7	11	17	20	36
GRAND TOTAL	**10365**	**4.3**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**16**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	6.5	10	1	2	7	9	11	11	11
20-34	12	4.6	11	1	1	4	6	9	12	12
35-49	10	8.5	11	4	4	9	10	13	14	14
50-64	5	7.8	26	<1	<1	8	10	15	15	15
65+	2	9.5	25	6	6	9	13	13	13	13
B. *Operated*										
0-19 YRS	922	7.1	16	2	3	6	9	12	15	21
20-34	499	6.9	19	2	3	6	9	12	15	25
35-49	274	8.2	21	3	3	7	10	13	16	28
50-64	251	10.1	28	4	5	9	11	17	20	28
65+	138	11.6	41	5	5	10	13	21	25	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	7.1	21	1	2	5	11	13	14	14
35-49	2	8.5	41	4	4	8	13	13	13	13
50-64	7	9.3	6	6	6	8	11	13	13	13
65+	7	14.1	121	2	3	8	21	32	34	34
B. *Operated*										
0-19 YRS	349	11.1	35	4	5	10	14	19	22	31
20-34	213	10.1	25	4	5	9	13	17	20	25
35-49	183	12.3	42	5	6	11	15	20	26	34
50-64	249	14.2	88	6	7	12	16	24	32	56
65+	256	18.3	193	6	8	14	22	34	46	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	6.7	13	1	2	7	9	12	13	15
B. *Operated*	2084	7.9	23	2	3	7	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	24	9.9	49	2	4	8	12	17	26	34
B. *Operated*	1250	13.2	85	5	6	11	16	23	30	56
1. SINGLE DX	2131	7.8	22	2	3	7	10	13	16	25
2. MULTIPLE DX	1274	13.1	85	4	6	11	15	22	30	55
A. NOT OPERATED	71	7.8	27	1	2	8	10	13	15	31
B. OPERATED	3334	9.8	53	3	3	8	12	17	22	36
TOTAL 0-19 YRS	1290	8.2	24	2	3	7	10	15	17	25
20-34	731	7.8	23	2	3	7	10	14	17	25
35-49	469	9.8	33	3	4	9	12	16	20	31
50-64	512	12.0	61	5	6	10	14	20	25	48
65+	403	15.9	148	5	6	12	19	28	36	71
GRAND TOTAL	**3405**	**9.8**	**52**	**3**	**3**	**8**	**12**	**17**	**22**	**36**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	2.0	1	1	1	2	3	3	4	6
20-34	74	2.8	5	1	1	2	3	5	7	15
35-49	18	3.8	5	2	2	3	4	7	9	11
50-64	7	4.6	2	2	2	5	5	6	6	6
65+	4	3.3	5	<1	<1	3	5	6	6	6
B. *Operated*										
0-19 YRS	653	3.8	4	2	2	3	5	6	7	11
20-34	412	4.3	4	2	2	4	5	7	9	13
35-49	131	5.3	14	2	2	4	6	10	12	21
50-64	52	7.6	20	2	3	7	9	13	16	28
65+	17	6.8	10	2	3	6	10	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.0	32	1	1	3	4	8	8	38
20-34	22	3.5	3	1	2	3	4	5	7	9
35-49	18	4.4	8	1	1	4	5	8	11	13
50-64	9	6.8	17	2	2	7	8	13	16	16
65+	5	5.0	9	1	1	6	7	8	8	8
B. *Operated*										
0-19 YRS	265	5.1	9	2	3	4	6	8	11	16
20-34	226	6.2	18	2	3	5	7	11	12	24
35-49	93	7.9	26	3	3	7	10	14	18	30
50-64	44	9.4	25	4	5	8	11	17	20	24
65+	27	13.4	59	3	5	13	19	24	29	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	2.6	4	1	1	2	3	5	6	10
B. *Operated*	1265	4.3	7	2	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	97	4.2	19	1	1	3	5	8	9	28
B. *Operated*	655	6.5	21	2	3	5	8	12	16	28
1. SINGLE DX	1474	4.1	7	1	2	4	5	7	9	14
2. MULTIPLE DX	752	6.2	22	2	3	5	7	11	15	28
A. NOT OPERATED	306	3.1	9	1	1	2	4	6	8	14
B. OPERATED	1920	5.1	13	2	2	4	6	9	11	20
TOTAL 0-19 YRS	1067	4.0	7	1	2	4	5	7	8	12
20-34	734	4.7	10	2	2	4	6	8	10	16
35-49	260	6.1	19	2	2	5	7	11	14	27
50-64	112	8.0	22	3	3	7	9	15	17	26
65+	53	9.7	49	2	3	7	13	20	24	32
GRAND TOTAL	**2226**	**4.8**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	**19**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	1.5	1	<1	<1	1	2	3	3	4
20-34	22	2.9	4	<1	1	3	4	5	7	8
35-49	18	3.1	2	<1	1	3	4	5	6	6
50-64	35	4.1	19	<1	1	3	5	8	10	25
65+	32	3.6	7	1	1	3	5	8	9	11
B. *Operated*										
0-19 YRS	3708	2.2	1	1	1	2	3	4	4	6
20-34	3481	3.8	2	2	2	4	4	5	6	8
35-49	3288	4.2	4	2	2	4	5	6	7	10
50-64	4634	4.6	4	2	3	4	5	7	8	11
65+	3607	5.2	6	2	3	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	1.8	3	<1	<1	1	2	4	6	9
20-34	12	2.0	2	<1	<1	1	3	4	5	5
35-49	31	3.5	7	<1	1	2	5	8	9	10
50-64	96	3.8	9	<1	1	3	5	8	10	15
65+	142	6.0	48	1	1	4	7	11	16	37
B. *Operated*										
0-19 YRS	1936	2.6	8	<1	1	2	3	4	6	10
20-34	1085	4.6	6	2	3	4	5	7	9	14
35-49	1596	5.3	9	2	3	5	6	8	10	17
50-64	2915	6.0	13	3	3	5	7	10	13	21
65+	3386	7.6	28	3	3	6	9	13	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.9	8	<1	1	2	4	6	8	11
B. *Operated*	18718	4.0	5	1	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	401	3.9	23	<1	<1	3	5	8	11	19
B. *Operated*	10918	5.6	18	2	2	5	7	10	13	21
1. SINGLE DX	18871	4.0	5	1	2	4	5	6	8	11
2. MULTIPLE DX	11319	5.6	19	1	2	5	7	10	13	21
A. NOT OPERATED	554	3.6	19	<1	<1	2	5	8	10	18
B. OPERATED	29636	4.6	10	1	2	4	6	8	10	16
TOTAL 0-19 YRS	5810	2.3	4	<1	1	2	3	4	5	8
20-34	4600	4.0	3	2	2	4	5	6	7	10
35-49	4933	4.5	6	2	3	4	5	7	8	13
50-64	7680	5.1	9	2	3	5	6	8	10	16
65+	7167	6.4	18	3	3	5	7	10	14	22
GRAND TOTAL	**30190**	**4.6**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**16**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	1	1	1	1	1
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49										
50-64	4	1.3		1	1	1	2	2	2	2
65+	10	3.4	20	<1	<1	1	2	11	14	14
B. *Operated*										
0-19 YRS	190	2.3	2	1	1	2	3	4	6	6
20-34	111	4.1	2	2	3	4	5	6	7	9
35-49	80	4.7	10	2	2	4	6	7	9	22
50-64	157	5.3	6	2	3	5	7	8	11	13
65+	285	6.9	16	3	3	6	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	2	<1	<1	2	4	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	10	6.9	64	2	2	4	6	20	28	28
65+	30	8.0	104	1	1	4	10	21	32	45
B. *Operated*										
0-19 YRS	122	3.2	9	1	1	2	3	6	8	20
20-34	34	6.3	44	2	3	4	8	10	20	37
35-49	33	7.3	13	3	3	7	10	14	14	14
50-64	118	8.3	32	3	4	7	10	15	18	32
65+	335	11.5	83	4	4	9	14	20	27	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.1	9	<1	<1	1	2	4	10	14
B. *Operated*	823	5.0	11	1	2	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	47	7.0	82	1	1	4	7	18	29	45
B. *Operated*	642	8.8	64	2	2	7	11	17	22	44
1. SINGLE DX	847	4.9	11	1	2	4	6	8	11	16
2. MULTIPLE DX	689	8.7	65	2	2	7	11	17	23	44
A. NOT OPERATED	71	5.4	62	<1	<1	2	5	14	24	42
B. OPERATED	1465	6.7	38	1	2	5	8	13	16	31
TOTAL 0-19 YRS	325	2.6	5	1	1	2	3	5	6	11
20-34	149	4.6	13	2	3	4	5	7	8	22
35-49	113	5.5	12	2	3	5	6	9	13	19
50-64	289	6.5	21	2	3	5	8	11	14	25
65+	660	9.2	59	3	3	7	11	16	22	44
GRAND TOTAL	**1536**	**6.6**	**39**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.3		<1	<1	1	2	2	2	2
20-34	1	8.0		8	8	8	8	8	8	8
35-49	3	4.7	30	1	1	2	9	11	11	11
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	3	8.3	30	3	3	8	12	14	14	14
B. *Operated*										
0-19 YRS	1077	2.3	2	1	1	2	2	3	4	7
20-34	288	3.5	2	2	2	3	4	6	6	8
35-49	268	3.8	3	2	2	4	5	6	8	11
50-64	204	4.8	8	2	2	4	6	8	9	12
65+	98	5.4	9	2	2	5	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.3	25	<1	<1	1	2	4	6	36
20-34	8	2.6	3	1	1	2	4	5	6	6
35-49	13	3.0	5	1	1	3	4	6	8	8
50-64	17	5.4	10	1	2	5	7	11	12	12
65+	17	6.4	20	1	2	5	8	15	17	17
B. *Operated*										
0-19 YRS	251	2.9	4	1	1	2	3	5	6	11
20-34	169	4.7	6	2	2	4	6	8	10	13
35-49	215	5.9	14	2	3	5	7	10	12	19
50-64	220	6.9	22	2	3	6	8	12	16	27
65+	151	9.2	41	3	4	7	11	16	26	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.3	15	<1	<1	2	3	10	13	14
B. *Operated*	1935	3.1	4	1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	106	3.6	20	<1	<1	2	5	7	10	25
B. *Operated*	1006	5.7	20	2	2	4	7	10	13	27
1. SINGLE DX	1954	3.1	4	1	1	2	4	5	7	11
2. MULTIPLE DX	1112	5.5	21	1	2	4	7	10	13	27
A. NOT OPERATED	125	3.5	19	<1	<1	2	5	8	11	22
B. OPERATED	2941	4.0	11	1	2	3	5	7	10	18
TOTAL 0-19 YRS	1388	2.4	3	<1	1	2	3	4	5	8
20-34	466	3.9	4	2	2	3	5	6	8	11
35-49	499	4.7	9	2	2	4	6	8	10	16
50-64	444	5.8	16	2	3	5	7	10	12	23
65+	269	7.7	31	2	3	6	9	13	17	32
GRAND TOTAL	**3066**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	12	2.6	4	1	1	2	4	6	7	7
35-49	12	2.4	2	<1	<1	2	4	5	5	5
50-64	9	5.2	10	2	2	6	7	10	11	11
65+	18	4.6	8	1	1	4	6	7	11	13
B. *Operated*										
0-19 YRS	147	2.7	2	1	1	2	3	4	6	8
20-34	432	4.4	4	2	2	4	5	7	9	11
35-49	625	5.8	9	2	3	5	7	9	11	19
50-64	812	6.5	19	3	3	6	8	10	12	17
65+	540	7.5	14	3	4	7	9	12	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	16	3.3	5	<1	1	3	5	7	7	7
35-49	43	4.7	22	1	1	3	5	10	14	24
50-64	60	5.1	9	1	1	5	7	9	10	15
65+	87	6.1	31	1	2	5	8	12	15	32
B. *Operated*										
0-19 YRS	46	2.9	4	1	1	2	3	5	7	11
20-34	253	6.7	28	2	3	5	8	11	15	32
35-49	530	8.3	25	3	4	7	10	14	17	25
50-64	756	9.5	41	3	4	8	11	16	20	34
65+	700	10.4	53	3	4	9	13	17	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.6	7	1	1	3	5	7	8	13
B. *Operated*	2556	6.0	14	2	2	5	7	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	208	5.2	21	1	1	4	7	10	12	26
B. *Operated*	2285	9.0	41	3	4	8	11	15	19	33
1. SINGLE DX	2610	5.9	14	2	2	5	7	10	11	17
2. MULTIPLE DX	2493	8.7	40	2	3	8	11	15	19	32
A. NOT OPERATED	262	4.9	19	1	1	4	6	9	12	24
B. OPERATED	4841	7.4	29	2	3	6	9	13	16	25
TOTAL 0-19 YRS	198	2.7	3	1	1	2	3	4	6	11
20-34	713	5.1	14	2	2	4	6	9	10	20
35-49	1210	6.8	18	2	3	6	8	11	15	23
50-64	1637	7.8	32	3	3	7	9	13	16	26
65+	1345	8.9	38	3	4	8	11	15	18	30
GRAND TOTAL	**5103**	**7.3**	**29**	**2**	**3**	**6**	**9**	**13**	**16**	**25**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	2	2	2	3	4	6	6	6
20-34	121	3.8	8	1	2	3	5	6	8	17
35-49	313	3.6	4	1	2	3	4	6	8	10
50-64	359	4.0	6	1	2	3	5	7	8	13
65+	268	4.8	36	2	2	4	6	8	9	20
B. *Operated*										
0-19 YRS	16	2.6	3	1	2	2	3	4	7	8
20-34	42	7.4	14	2	3	7	10	12	15	18
35-49	82	8.8	23	2	4	8	10	15	16	28
50-64	101	8.7	22	2	3	9	11	14	16	26
65+	57	8.9	32	1	2	8	12	18	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.5	9	1	1	4	6	7	9	17
20-34	454	4.5	7	1	2	4	6	8	9	14
35-49	1449	5.0	12	2	2	4	6	9	11	19
50-64	2316	5.1	10	2	2	4	6	9	11	16
65+	2888	6.1	15	2	3	5	7	11	13	21
B. *Operated*										
0-19 YRS	20	9.5	67	1	2	8	11	22	28	31
20-34	197	9.0	36	2	4	8	11	15	21	35
35-49	564	9.4	43	3	4	8	11	16	19	28
50-64	764	9.5	35	2	3	8	12	17	20	32
65+	658	10.9	68	2	3	9	13	20	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1068	4.0	13	1	2	3	5	7	8	14
B. *Operated*	298	8.3	24	2	2	8	11	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	7138	5.4	13	2	2	5	7	10	12	19
B. *Operated*	2203	9.8	48	2	3	9	12	17	21	35
1. SINGLE DX	1366	5.0	19	1	2	4	6	9	12	19
2. MULTIPLE DX	9341	6.5	25	2	2	5	8	12	15	25
A. NOT OPERATED	8206	5.3	13	2	2	4	7	9	12	18
B. OPERATED	2501	9.6	45	2	3	8	12	17	21	33
TOTAL 0-19 YRS	74	5.4	29	1	2	4	6	10	18	30
20-34	814	5.6	19	2	2	4	7	10	13	23
35-49	2408	6.0	23	2	2	5	8	11	14	23
50-64	3540	6.1	19	2	2	5	8	11	14	22
65+	3871	6.8	30	2	3	5	8	12	16	27
GRAND TOTAL	**10707**	**6.3**	**24**	**2**	**2**	**5**	**8**	**12**	**15**	**25**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	3.0	2	2	2	3	3	5	6	6
35-49	6	5.2	7	2	2	5	5	10	10	10
50-64	8	3.8	10	<1	<1	3	4	9	11	11
65+	4	3.8	4	<1	<1	4	5	5	5	5
B. *Operated*										
0-19 YRS	36	2.7	1	1	1	2	3	5	5	5
20-34	79	4.2	3	2	2	4	5	7	8	9
35-49	94	5.1	6	2	3	4	6	8	11	14
50-64	155	5.3	10	2	3	5	6	8	12	20
65+	145	6.0	10	3	3	5	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	6	3.2	4	1	1	3	4	6	6	6
35-49	14	5.3	18	<1	1	4	7	14	14	14
50-64	19	5.7	15	2	2	5	7	11	14	17
65+	28	6.6	22	1	1	6	9	13	16	18
B. *Operated*										
0-19 YRS	19	2.9	3	<1	1	3	4	5	7	8
20-34	32	6.4	11	3	3	5	8	12	14	16
35-49	69	6.3	17	1	2	5	8	12	14	23
50-64	100	8.4	22	3	4	7	10	15	19	23
65+	144	9.9	77	3	4	8	12	16	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.8	6	<1	2	3	5	6	10	11
B. *Operated*	509	5.1	8	2	2	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	71	5.5	18	1	1	4	7	12	14	18
B. *Operated*	364	8.1	44	2	3	7	10	15	17	26
1. SINGLE DX	537	5.0	8	2	2	4	6	8	11	16
2. MULTIPLE DX	435	7.7	41	2	3	6	9	15	17	25
A. NOT OPERATED	99	5.1	15	1	1	4	6	11	14	18
B. OPERATED	873	6.4	26	2	3	5	8	12	15	22
TOTAL 0-19 YRS	59	2.7	2	1	1	2	4	5	5	8
20-34	127	4.6	6	2	2	4	6	7	9	14
35-49	183	5.6	11	2	2	5	7	10	13	16
50-64	282	6.4	17	2	3	5	8	12	15	22
65+	321	7.8	44	3	3	6	9	14	17	27
GRAND TOTAL	**972**	**6.2**	**25**	**2**	**2**	**5**	**7**	**12**	**15**	**22**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.5	10	1	1	2	5	8	8	8
35-49	8	3.5	5	1	1	3	4	7	8	8
50-64	12	5.0	7	2	2	4	7	9	10	10
65+	16	5.9	19	<1	1	5	8	14	15	15
B. *Operated*										
0-19 YRS	70	2.6	3	1	1	2	3	4	6	10
20-34	114	5.1	20	2	2	4	6	9	12	25
35-49	178	5.4	10	2	2	5	7	10	11	17
50-64	203	6.1	10	3	3	5	8	10	11	18
65+	264	8.9	33	3	4	8	11	16	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	11	2	2	3	6	9	9	9
20-34	4	7.8	32	2	2	7	12	14	14	14
35-49	11	4.4	8	1	1	4	6	9	11	11
50-64	31	5.7	39	1	1	4	6	11	16	34
65+	79	7.1	52	2	2	6	9	10	14	48
B. *Operated*										
0-19 YRS	14	7.6	59	2	2	5	9	17	28	31
20-34	62	6.3	18	2	2	5	8	11	15	22
35-49	154	8.1	35	2	3	6	10	14	24	31
50-64	290	10.4	72	3	4	8	12	19	27	42
65+	462	14.4	121	4	5	11	17	28	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.9	12	1	1	4	7	9	12	15
B. *Operated*	829	6.4	22	2	2	5	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	129	6.5	43	1	2	5	8	11	14	44
B. *Operated*	982	11.6	93	3	4	9	14	23	30	49
1. SINGLE DX	869	6.4	21	2	2	5	8	11	15	22
2. MULTIPLE DX	1111	11.0	90	3	3	9	13	22	29	49
A. NOT OPERATED	169	6.1	36	1	2	5	8	10	14	40
B. OPERATED	1811	9.2	67	2	3	7	11	18	25	44
TOTAL 0-19 YRS	88	3.5	15	1	1	3	4	7	9	25
20-34	184	5.5	19	2	2	4	7	11	12	21
35-49	351	6.5	23	2	2	5	8	11	16	26
50-64	536	8.4	49	3	3	7	10	15	20	35
65+	821	11.8	93	3	4	9	15	23	30	51
GRAND TOTAL	**1980**	**9.0**	**65**	**2**	**3**	**7**	**11**	**17**	**24**	**44**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	3.2	6	1	1	3	4	7	8	13
20-34	254	4.6	9	1	2	4	6	8	9	15
35-49	383	5.0	10	1	2	4	6	9	11	19
50-64	487	5.8	17	1	2	5	7	10	13	24
65+	574	6.3	20	1	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	125	8.7	75	3	3	7	9	15	18	55
20-34	215	10.0	31	4	5	9	12	16	19	31
35-49	256	12.0	44	5	6	10	14	18	23	45
50-64	302	12.0	37	6	7	10	14	20	24	34
65+	368	14.3	61	6	7	13	17	23	28	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	5.1	20	1	2	4	6	9	12	29
20-34	206	5.6	14	2	2	5	7	10	13	21
35-49	330	6.1	18	2	2	5	7	10	15	25
50-64	697	7.5	33	2	3	6	9	13	16	34
65+	1448	9.2	53	2	3	7	12	17	21	36
B. *Operated*										
0-19 YRS	109	10.1	40	4	5	9	12	17	21	38
20-34	246	12.7	56	5	6	11	15	23	30	45
35-49	378	15.0	85	6	7	12	18	27	32	56
50-64	664	18.1	155	6	8	14	21	34	45	74
65+	1175	19.2	157	7	8	16	23	35	44	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1804	5.4	15	1	2	5	7	10	12	21
B. *Operated*	1266	12.0	51	5	6	10	14	20	25	40
2. MULTIPLE DX										
A. *Not Operated*	2757	8.0	42	2	3	6	10	15	19	32
B. *Operated*	2572	17.3	138	6	7	14	21	32	42	68
1. SINGLE DX	3070	8.1	41	2	2	7	10	16	20	31
2. MULTIPLE DX	5329	12.5	110	3	4	10	16	25	32	57
A. NOT OPERATED	4561	7.0	33	2	2	6	9	13	17	28
B. OPERATED	3838	15.5	116	6	7	13	18	28	37	61
TOTAL 0-19 YRS	416	7.0	46	1	2	6	9	13	17	34
20-34	921	8.2	39	2	3	7	10	15	21	34
35-49	1347	9.4	58	2	3	8	12	18	24	40
50-64	2150	11.0	94	2	3	8	13	21	30	52
65+	3565	12.6	108	3	4	10	16	24	32	55
GRAND TOTAL	**8399**	**10.9**	**89**	**2**	**3**	**8**	**14**	**21**	**28**	**50**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6013	3.1	4	1	1	3	4	5	6	10
20-34	2866	3.1	4	1	1	3	4	6	7	10
35-49	1394	3.6	5	1	1	3	5	6	8	11
50-64	1058	3.8	7	1	1	3	5	7	8	13
65+	999	4.7	11	1	2	4	6	8	11	18
B. *Operated*										
0-19 YRS	117	4.4	7	1	2	4	5	7	10	15
20-34	195	5.5	10	1	2	5	7	10	11	18
35-49	100	6.7	24	1	2	5	8	12	17	28
50-64	75	6.2	21	1	1	5	8	12	14	23
65+	47	8.1	36	2	2	6	11	16	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7268	3.8	7	1	2	3	5	7	8	13
20-34	2995	3.9	8	1	2	3	5	7	9	13
35-49	2227	5.0	13	1	2	4	6	9	11	18
50-64	2832	5.7	19	2	2	5	7	10	13	22
65+	5068	7.0	28	2	2	6	9	13	17	28
B. *Operated*										
0-19 YRS	159	6.2	15	2	3	5	8	11	15	20
20-34	277	7.6	28	2	3	6	9	12	19	28
35-49	248	8.9	53	2	3	8	10	17	20	39
50-64	307	10.5	59	3	4	8	13	21	27	36
65+	431	12.9	89	4	4	10	16	23	33	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12330	3.4	5	1	1	3	4	6	7	11
B. *Operated*	534	5.8	17	1	2	5	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	20390	5.0	16	1	2	4	6	9	12	21
B. *Operated*	1422	9.9	62	2	3	8	12	19	24	41
1. SINGLE DX	12864	3.5	6	1	1	3	4	6	8	12
2. MULTIPLE DX	21812	5.3	21	1	2	4	6	10	13	23
A. NOT OPERATED	32720	4.4	13	1	2	3	5	8	11	18
B. OPERATED	1956	8.8	53	2	3	7	11	17	22	38
TOTAL 0-19 YRS	13557	3.5	6	1	1	3	4	6	8	12
20-34	6333	3.8	8	1	1	3	5	7	9	14
35-49	3969	4.8	15	1	2	4	6	9	11	18
50-64	4272	5.6	21	1	2	4	7	10	13	24
65+	6545	7.0	33	2	2	5	9	13	17	30
GRAND TOTAL	**34676**	**4.6**	**16**	**1**	**2**	**4**	**6**	**9**	**11**	**21**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.3	7	3	3	4	7	10	10	10
20-34	71	4.8	5	2	2	5	6	8	9	12
35-49	520	4.7	7	2	2	4	6	8	10	14
50-64	1110	5.2	13	1	2	5	7	9	11	15
65+	1529	5.4	13	2	2	5	7	9	12	18
B. *Operated*										
0-19 YRS	9	6.4	24	2	2	5	8	14	18	18
20-34	38	10.1	24	4	4	10	13	17	21	22
35-49	112	11.0	23	4	5	10	14	17	20	26
50-64	308	12.2	35	3	5	12	15	19	23	30
65+	288	13.2	48	3	6	12	15	22	25	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	6.5	37	<1	2	4	8	15	22	24
20-34	100	5.3	9	2	2	4	7	10	12	14
35-49	633	5.6	11	2	2	5	7	10	12	16
50-64	2376	5.8	16	2	2	5	7	10	13	21
65+	5912	7.0	27	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	6	10.7	29	4	4	9	16	18	18	18
20-34	42	9.7	16	3	4	9	12	16	16	20
35-49	279	12.8	64	3	5	11	16	22	27	49
50-64	915	13.9	100	3	4	12	17	24	30	58
65+	1525	14.7	102	3	5	13	19	27	33	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3236	5.2	12	2	2	5	7	9	11	17
B. *Operated*	755	12.3	39	3	5	12	15	20	24	32
2. MULTIPLE DX										
A. *Not Operated*	9036	6.6	23	2	2	5	8	12	15	24
B. *Operated*	2767	14.2	97	3	5	12	18	25	32	53
1. SINGLE DX	3991	6.5	25	2	2	5	8	13	16	24
2. MULTIPLE DX	11803	8.4	51	2	3	6	10	16	21	35
A. NOT OPERATED	12272	6.2	21	2	2	5	8	11	14	22
B. OPERATED	3522	13.8	85	3	5	12	17	24	30	50
TOTAL 0-19 YRS	36	7.0	28	2	2	5	9	16	18	24
20-34	251	6.6	16	2	3	5	8	12	15	20
35-49	1544	7.0	30	2	2	5	9	14	17	27
50-64	4709	7.6	45	2	2	6	10	15	19	33
65+	9254	8.2	48	2	3	6	10	16	21	34
GRAND TOTAL	**15794**	**7.9**	**45**	**2**	**2**	**6**	**10**	**15**	**20**	**33**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.8	3	1	1	3	4	5	6	7
20-34	83	3.3	4	1	1	3	4	5	6	12
35-49	64	3.6	6	1	1	3	5	6	8	13
50-64	29	3.8	5	1	1	4	6	7	8	9
65+	21	5.5	16	2	3	4	6	12	15	18
B. *Operated*										
0-19 YRS	239	3.3	9	1	1	3	4	6	7	13
20-34	1390	3.7	5	1	2	3	4	6	8	12
35-49	1157	3.9	8	1	2	3	5	6	8	13
50-64	634	4.3	7	2	2	4	5	7	8	15
65+	208	5.5	19	2	2	4	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.7	5	1	1	3	5	7	8	11
20-34	100	3.6	6	1	1	3	5	6	9	12
35-49	85	5.5	17	1	1	5	7	11	15	21
50-64	93	4.9	15	1	1	4	6	10	13	19
65+	86	7.1	45	2	2	5	9	13	19	39
B. *Operated*										
0-19 YRS	126	4.1	14	1	1	3	5	7	9	22
20-34	1075	4.5	8	2	2	4	5	7	9	16
35-49	1201	5.3	20	2	2	4	6	9	11	23
50-64	863	6.3	43	2	3	5	7	11	15	33
65+	446	8.4	62	3	3	6	10	15	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	3.5	6	1	1	3	4	6	8	13
B. *Operated*	3628	4.0	7	1	2	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	394	5.1	20	1	1	4	6	10	13	22
B. *Operated*	3711	5.7	28	2	2	4	6	9	13	29
1. SINGLE DX	3866	3.9	7	1	2	3	5	7	8	13
2. MULTIPLE DX	4105	5.6	28	2	2	4	6	10	13	28
A. NOT OPERATED	632	4.5	15	1	1	3	5	9	11	19
B. OPERATED	7339	4.8	19	2	2	4	5	8	11	22
TOTAL 0-19 YRS	436	3.5	10	1	1	3	4	6	7	13
20-34	2648	4.0	6	1	2	3	5	7	8	13
35-49	2507	4.6	14	2	2	4	5	8	10	19
50-64	1619	5.4	27	2	2	4	6	9	12	24
65+	761	7.4	49	2	3	5	9	14	20	40
GRAND TOTAL	**7971**	**4.8**	**18**	**1**	**2**	**4**	**5**	**8**	**11**	**21**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	913	3.4	7	1	1	3	4	6	8	12
20-34	1926	4.4	11	1	2	4	5	8	11	17
35-49	1388	4.4	14	1	2	4	5	8	10	18
50-64	929	4.7	13	1	2	4	6	9	11	19
65+	813	5.0	18	1	1	4	6	9	12	21
B. *Operated*										
0-19 YRS	283	5.9	40	1	1	4	7	13	18	30
20-34	780	7.2	36	1	2	6	9	14	18	32
35-49	616	7.9	53	1	2	6	10	16	21	35
50-64	513	9.2	68	1	2	7	12	17	23	45
65+	426	9.8	108	1	2	7	12	20	26	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	732	4.2	13	1	1	3	5	8	10	17
20-34	2171	5.2	18	1	2	4	6	9	12	23
35-49	2438	5.4	16	2	2	4	7	10	13	22
50-64	2718	6.0	23	2	2	5	7	11	14	26
65+	4143	7.0	36	2	2	5	9	13	18	32
B. *Operated*										
0-19 YRS	269	8.3	45	2	2	6	10	17	23	34
20-34	1298	9.4	77	2	3	7	12	18	27	49
35-49	1334	10.0	84	2	3	8	12	19	26	44
50-64	1558	11.8	131	2	3	8	14	25	35	73
65+	1821	13.9	145	3	4	10	18	28	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5969	4.4	12	1	2	4	5	8	10	18
B. *Operated*	2618	8.0	60	1	2	6	10	16	21	38
2. MULTIPLE DX										
A. *Not Operated*	12202	6.0	25	2	2	5	7	11	15	27
B. *Operated*	6280	11.4	114	2	3	8	14	23	32	60
1. SINGLE DX	8587	5.5	30	1	2	4	7	11	15	27
2. MULTIPLE DX	18482	7.8	62	2	2	5	9	16	22	42
A. NOT OPERATED	18171	5.5	22	1	2	4	7	10	13	24
B. OPERATED	8898	10.4	100	2	2	8	13	21	29	54
TOTAL 0-19 YRS	2197	4.6	20	1	1	3	5	9	13	25
20-34	6175	6.1	34	1	2	4	7	12	16	31
35-49	5776	6.5	40	2	2	5	8	13	18	31
50-64	5718	7.6	62	2	2	5	9	15	21	43
65+	7203	8.7	76	2	2	6	10	18	24	46
GRAND TOTAL	**27069**	**7.1**	**53**	**1**	**2**	**5**	**8**	**14**	**20**	**38**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	39	7.1	20	1	2	6	10	13	17	19
35-49	95	8.5	53	2	3	6	10	17	27	38
50-64	88	8.4	60	2	3	6	9	17	24	45
65+	43	13.3	138	4	5	10	15	23	39	67
B. *Operated*										
0-19 YRS										
20-34	10	10.3	53	1	3	8	12	22	26	26
35-49	18	8.6	41	1	2	8	11	20	23	23
50-64	25	9.2	68	1	2	7	14	22	26	28
65+	8	6.4	21	1	1	8	12	65	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	10	3	3	8	9	9	9	9
20-34	135	10.5	68	3	3	8	13	23	27	38
35-49	558	12.5	101	3	3	9	16	28	34	49
50-64	710	12.9	123	3	3	9	16	28	35	59
65+	263	13.0	109	3	4	10	16	25	35	66
B. *Operated*										
0-19 YRS										
20-34	32	17.9	269	2	4	10	27	44	57	57
35-49	164	18.8	263	3	5	13	27	40	50	95
50-64	238	17.6	198	3	4	13	23	36	43	70
65+	91	17.2	124	4	6	15	23	33	37	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	9.0	67	2	3	7	11	18	24	44
B. *Operated*	61	8.8	51	1	2	8	12	22	25	91
2. MULTIPLE DX										
A. *Not Operated*	1669	12.6	109	3	3	9	16	27	35	50
B. *Operated*	525	17.9	209	3	5	13	24	36	46	75
1. SINGLE DX	327	9.0	64	2	2	7	11	19	25	47
2. MULTIPLE DX	2194	13.9	138	3	4	10	18	29	37	58
A. NOT OPERATED	1935	12.1	105	3	3	9	15	27	34	50
B. OPERATED	586	17.0	200	3	4	12	23	36	45	76
TOTAL 0-19 YRS	4	6.3	8	3	3	6	8	9	9	9
20-34	216	11.0	97	2	3	8	13	24	29	57
35-49	835	13.2	135	2	3	10	16	28	36	53
50-64	1061	13.5	140	3	3	10	17	28	37	61
65+	405	13.9	117	3	4	11	17	28	36	67
GRAND TOTAL	**2521**	**13.2**	**131**	**3**	**3**	**10**	**17**	**28**	**36**	**57**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.2	10	<1	<1	2	3	9	11	11
20-34	45	6.2	19	1	2	5	9	13	16	16
35-49	57	6.8	21	2	2	6	9	13	16	21
50-64	77	7.5	42	1	2	6	9	15	20	31
65+	58	10.4	92	2	2	7	11	22	31	47
B. *Operated*										
0-19 YRS	9	2.7	4	1	1	2	4	6	6	6
20-34	119	3.4	12	1	1	2	3	7	12	19
35-49	102	4.8	23	1	2	3	6	12	16	21
50-64	117	5.7	30	1	1	4	8	13	17	27
65+	59	7.9	45	2	2	6	10	18	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.2	25	2	2	5	7	13	19	20
20-34	66	7.8	46	1	1	6	10	19	21	30
35-49	241	9.7	60	2	3	7	11	19	26	41
50-64	511	10.6	79	2	3	8	14	21	26	44
65+	520	12.0	83	3	3	10	15	23	31	42
B. *Operated*										
0-19 YRS	17	10.1	120	1	2	6	13	27	38	42
20-34	100	7.4	59	1	2	5	9	17	21	43
35-49	189	11.3	116	2	2	8	15	27	33	54
50-64	338	11.7	96	2	2	9	16	24	31	48
65+	298	14.9	150	2	3	12	19	33	41	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	7.6	46	1	2	6	9	16	20	33
B. *Operated*	406	5.0	26	1	1	3	7	12	17	23
2. MULTIPLE DX										
A. *Not Operated*	1351	10.8	76	2	3	8	14	21	28	43
B. *Operated*	942	12.1	118	2	2	9	16	26	35	52
1. SINGLE DX	652	6.0	35	1	2	4	8	14	18	29
2. MULTIPLE DX	2293	11.4	94	2	3	9	15	23	31	46
A. NOT OPERATED	1597	10.3	73	2	3	8	13	21	27	42
B. OPERATED	1348	10.0	101	2	2	7	14	22	30	49
TOTAL 0-19 YRS	48	6.4	59	1	1	4	7	14	21	42
20-34	330	5.9	38	1	1	3	8	14	19	29
35-49	589	9.1	73	2	2	7	11	20	27	43
50-64	1043	10.2	80	2	2	8	14	21	27	43
65+	935	12.6	106	2	3	10	16	26	34	49
GRAND TOTAL	**2945**	**10.2**	**86**	**2**	**2**	**8**	**14**	**21**	**29**	**43**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	5.3	14	1	2	4	7	9	13	21
20-34	293	6.3	20	2	2	5	8	11	14	20
35-49	125	6.3	24	2	2	5	7	12	16	27
50-64	111	6.8	18	2	2	6	9	12	16	21
65+	71	8.1	28	2	2	7	10	14	18	29
B. *Operated*										
0-19 YRS	11	6.6	14	2	2	7	9	12	13	13
20-34	70	5.8	27	1	2	4	9	11	16	26
35-49	53	7.5	52	1	1	5	10	19	21	37
50-64	51	10.3	87	1	2	7	15	25	29	42
65+	37	11.7	78	1	2	11	17	22	29	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	6.2	14	2	2	6	8	11	13	17
20-34	201	6.9	34	2	2	6	8	12	15	33
35-49	227	9.6	71	2	3	7	12	19	25	47
50-64	412	10.6	85	3	3	8	14	19	27	50
65+	363	11.5	100	3	4	8	14	22	29	53
B. *Operated*										
0-19 YRS	9	10.2	40	2	2	12	13	19	22	22
20-34	59	14.7	149	2	3	11	17	35	42	54
35-49	92	14.0	227	2	3	9	18	36	45	99
50-64	143	14.5	136	2	3	11	20	30	42	99+
65+	158	14.8	116	2	3	13	19	29	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	699	6.4	20	2	2	5	8	12	14	23
B. *Operated*	222	8.3	59	1	2	6	11	19	24	36
2. MULTIPLE DX										
A. *Not Operated*	1259	9.9	78	2	3	7	12	19	25	50
B. *Operated*	461	14.4	146	2	3	11	19	31	39	72
1. SINGLE DX	921	6.9	30	2	2	6	8	13	18	28
2. MULTIPLE DX	1720	11.1	100	2	3	8	14	22	31	54
A. NOT OPERATED	1958	8.7	60	2	3	7	10	17	22	45
B. OPERATED	683	12.4	126	2	2	10	17	27	36	57
TOTAL 0-19 YRS	175	5.9	16	2	2	5	8	11	14	21
20-34	623	7.3	43	2	2	6	9	13	17	41
35-49	497	9.4	92	2	2	7	12	20	30	53
50-64	717	10.8	90	2	3	8	14	21	29	52
65+	629	11.9	98	2	3	9	15	23	31	51
GRAND TOTAL	**2641**	**9.6**	**80**	**2**	**2**	**7**	**12**	**20**	**27**	**48**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.3	5	1	1	3	4	6	7	15
20-34	399	3.5	5	1	1	3	4	6	7	13
35-49	365	3.5	6	1	1	3	4	6	8	11
50-64	413	4.2	7	1	2	4	5	7	9	14
65+	438	5.4	14	2	2	5	7	9	13	18
B. *Operated*										
0-19 YRS	367	7.1	7	4	5	7	8	11	12	14
20-34	3658	7.3	8	4	5	7	8	11	12	17
35-49	3180	7.7	9	4	5	7	9	11	13	18
50-64	3270	8.6	11	5	5	8	10	13	15	20
65+	2085	10.5	26	5	6	9	12	16	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.1	5	1	1	3	6	7	9	9
20-34	354	4.2	8	1	1	4	5	8	9	13
35-49	490	5.0	14	1	2	4	6	8	12	19
50-64	898	5.5	17	2	2	4	7	10	13	22
65+	1991	7.3	26	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	177	9.2	16	4	5	8	11	14	16	23
20-34	2203	9.1	23	5	5	8	11	14	17	25
35-49	2749	10.0	26	5	6	9	12	15	19	27
50-64	4019	11.3	37	5	6	10	13	18	22	32
65+	4605	14.7	68	6	7	13	17	24	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1671	4.1	9	1	2	3	5	7	9	16
B. *Operated*	12560	8.3	13	4	5	7	10	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	3764	6.2	22	2	2	5	8	11	15	23
B. *Operated*	13753	11.8	48	5	6	10	14	19	24	38
1. SINGLE DX	14231	7.8	14	3	4	7	9	12	15	21
2. MULTIPLE DX	17517	10.6	47	3	4	9	13	18	23	36
A. NOT OPERATED	5435	5.6	19	1	2	4	7	10	13	22
B. OPERATED	26313	10.1	34	5	5	9	12	16	20	32
TOTAL 0-19 YRS	631	7.2	12	2	3	7	9	12	13	19
20-34	6614	7.5	15	3	4	7	9	12	14	20
35-49	6784	8.2	20	3	4	7	10	13	16	23
50-64	8600	9.3	29	3	4	8	11	15	19	29
65+	9119	11.7	58	3	5	10	15	20	25	40
GRAND TOTAL	**31748**	**9.3**	**35**	**3**	**4**	**8**	**11**	**16**	**19**	**31**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	4.2	4	1	2	4	5	7	7	9
20-34	321	3.7	5	1	1	3	5	6	7	10
35-49	320	4.0	5	1	1	4	5	7	8	12
50-64	257	4.6	8	1	2	4	6	8	10	16
65+	228	5.8	13	1	2	5	8	11	13	17
B. *Operated*										
0-19 YRS	45	7.6	12	4	5	7	9	12	16	19
20-34	483	8.2	15	4	5	7	9	13	16	23
35-49	517	8.8	16	5	5	8	10	13	16	22
50-64	363	9.9	20	5	6	9	11	15	19	27
65+	284	11.5	27	5	6	10	14	19	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.3	8	1	1	3	6	9	10	11
20-34	292	4.8	9	2	2	4	6	8	10	16
35-49	330	5.8	14	2	2	5	7	10	13	18
50-64	509	5.9	16	2	2	5	8	10	12	23
65+	954	8.0	32	2	3	7	10	14	18	31
B. *Operated*										
0-19 YRS	24	9.4	21	4	5	8	11	14	19	25
20-34	565	10.3	44	4	5	9	12	17	21	35
35-49	712	10.5	27	5	5	10	13	17	20	29
50-64	819	12.4	53	6	6	10	15	21	26	38
65+	878	15.8	86	6	8	14	19	26	32	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1178	4.4	8	1	2	4	6	8	10	15
B. *Operated*	1692	9.3	20	5	5	8	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	2122	6.7	23	2	2	5	8	12	15	26
B. *Operated*	2998	12.5	60	5	6	11	15	21	26	44
1. SINGLE DX	2870	7.3	20	2	2	7	9	13	16	23
2. MULTIPLE DX	5120	10.1	53	3	3	9	13	18	23	36
A. NOT OPERATED	3300	5.9	19	1	2	5	7	11	14	22
B. OPERATED	4690	11.4	48	5	6	10	14	19	24	36
TOTAL 0-19 YRS	158	5.9	14	1	2	5	8	10	13	19
20-34	1661	7.4	29	2	3	6	9	13	16	24
35-49	1879	8.1	24	2	3	7	10	14	17	25
50-64	1948	9.2	42	2	3	8	11	16	21	32
65+	2344	11.2	65	3	4	9	14	20	26	43
GRAND TOTAL	**7990**	**9.1**	**43**	**2**	**3**	**8**	**11**	**16**	**21**	**33**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	21	4.2	10	1	1	4	5	7	11	15
35-49	27	4.0	9	1	1	3	4	9	12	13
50-64	24	5.1	12	1	1	4	7	10	13	14
65+	49	5.7	20	2	2	4	8	10	13	27
B. *Operated*										
0-19 YRS	10	10.1	11	6	6	9	13	15	17	17
20-34	97	9.7	27	3	4	9	12	15	19	30
35-49	80	10.0	27	4	5	9	12	16	23	26
50-64	111	10.8	35	3	5	10	13	20	23	28
65+	176	13.4	37	4	6	13	17	22	24	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	19	3.8	8	1	2	3	5	6	10	14
35-49	31	4.9	15	1	2	4	7	10	14	17
50-64	60	5.8	15	1	2	5	8	11	14	17
65+	157	7.8	28	2	3	7	10	13	16	27
B. *Operated*										
0-19 YRS	14	9.7	15	5	5	9	12	16	18	18
20-34	90	11.9	49	5	6	10	14	19	31	38
35-49	89	13.3	120	5	6	11	15	22	31	97
50-64	171	14.3	78	7	8	12	17	24	32	48
65+	393	17.4	83	6	8	16	21	28	34	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	4.9	14	1	1	4	6	9	13	18
B. *Operated*	474	11.4	34	3	5	10	14	20	23	28
2. MULTIPLE DX										
A. *Not Operated*	269	6.7	24	2	2	6	9	12	15	22
B. *Operated*	757	15.5	86	6	7	13	19	26	33	50
1. SINGLE DX	598	10.0	37	2	3	9	13	19	23	28
2. MULTIPLE DX	1026	13.2	84	3	4	11	17	23	31	46
A. NOT OPERATED	393	6.1	21	1	2	5	8	12	14	21
B. OPERATED	1231	13.9	70	5	6	12	17	23	29	44
TOTAL 0-19 YRS	29	8.9	16	3	4	8	11	15	17	18
20-34	227	9.6	40	2	3	9	12	16	20	35
35-49	227	9.9	72	2	3	8	13	18	23	56
50-64	365	11.3	62	2	3	10	14	20	26	38
65+	775	13.8	76	3	4	13	18	24	29	44
GRAND TOTAL	**1624**	**12.0**	**69**	**2**	**3**	**10**	**15**	**22**	**27**	**41**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	2	1	1	2	4	4	4	4
20-34	31	5.5	11	1	2	4	8	11	11	12
35-49	28	5.6	12	1	2	5	8	10	11	16
50-64	44	5.2	10	1	2	4	7	10	12	14
65+	80	6.1	19	1	2	5	8	11	15	22
B. *Operated*										
0-19 YRS	5	6.8	29	1	1	5	12	13	13	13
20-34	25	10.7	58	2	2	10	14	24	27	30
35-49	22	9.6	23	2	3	9	13	14	18	23
50-64	30	14.6	204	2	4	10	19	25	45	74
65+	30	17.1	109	2	5	16	21	26	45	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	10.3	51	2	2	9	14	21	22	22
20-34	27	6.6	18	2	2	6	9	11	17	18
35-49	51	6.7	30	1	2	5	10	14	19	27
50-64	110	7.0	20	2	2	6	9	13	14	23
65+	248	9.0	30	3	3	8	11	16	19	30
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	41	12.9	96	2	3	10	18	22	33	48
35-49	69	12.7	68	2	3	11	16	21	23	47
50-64	131	17.3	137	4	5	15	21	30	45	61
65+	243	20.5	169	6	8	17	26	38	46	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	5.6	14	1	2	4	8	11	12	20
B. *Operated*	112	13.1	110	2	3	11	16	23	29	57
2. MULTIPLE DX										
A. *Not Operated*	442	8.1	28	2	3	7	11	15	18	29
B. *Operated*	485	17.9	148	4	6	15	22	33	44	64
1. SINGLE DX	300	8.4	63	2	2	6	11	17	22	45
2. MULTIPLE DX	927	13.2	115	2	3	10	17	25	34	55
A. NOT OPERATED	630	7.4	25	2	2	6	10	13	17	26
B. OPERATED	597	17.0	145	3	5	14	21	31	43	64
TOTAL 0-19 YRS	17	7.0	36	1	1	5	11	14	19	22
20-34	124	9.3	59	2	2	7	12	18	23	44
35-49	170	9.3	50	2	2	8	13	18	21	39
50-64	315	11.8	112	2	3	9	15	22	29	56
65+	601	13.7	125	2	4	10	17	28	36	57
GRAND TOTAL	**1227**	**12.0**	**106**	**2**	**3**	**9**	**15**	**24**	**31**	**52**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	5.9	10	1	2	5	8	10	12	16
20-34	708	6.5	21	2	2	5	8	11	14	26
35-49	747	6.7	22	2	3	6	8	12	15	28
50-64	462	7.0	24	2	3	6	8	13	16	26
65+	331	7.5	22	2	3	6	10	13	16	24
B. *Operated*										
0-19 YRS	14	9.5	42	3	3	9	11	15	26	29
20-34	82	12.2	101	2	2	9	15	29	33	44
35-49	96	15.2	155	1	2	12	20	33	46	54
50-64	72	13.7	147	1	2	11	18	25	37	72
65+	43	14.3	125	2	3	11	18	27	41	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	6.6	22	2	2	6	9	11	15	26
20-34	954	7.3	26	2	3	6	9	13	17	24
35-49	1552	7.9	26	2	3	7	10	14	17	26
50-64	1248	8.9	40	3	4	7	11	16	21	35
65+	1152	9.9	48	3	4	8	12	18	23	36
B. *Operated*										
0-19 YRS	15	11.5	70	3	3	9	15	27	28	28
20-34	173	18.4	192	4	6	14	23	40	47	71
35-49	277	20.3	277	3	5	16	24	42	59	83
50-64	339	17.6	168	4	6	15	21	35	44	99+
65+	300	21.3	245	6	8	17	26	42	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2330	6.8	22	2	3	6	8	12	15	26
B. *Operated*	307	13.6	130	2	2	11	18	28	38	51
2. MULTIPLE DX										
A. *Not Operated*	4979	8.5	36	3	3	7	10	15	19	31
B. *Operated*	1104	19.3	221	5	6	16	24	39	54	98
1. SINGLE DX	2637	7.6	39	2	3	6	9	14	18	34
2. MULTIPLE DX	6083	10.4	87	3	4	8	12	20	27	55
A. NOT OPERATED	7309	7.9	32	2	3	7	10	14	18	29
B. OPERATED	1411	18.1	207	3	5	14	23	37	48	90
TOTAL 0-19 YRS	184	6.9	24	2	2	6	9	12	16	28
20-34	1917	8.2	54	2	3	6	9	15	21	42
35-49	2672	9.1	72	2	3	7	11	17	23	49
50-64	2121	10.1	73	2	3	8	12	19	25	45
65+	1826	11.4	98	3	4	9	14	22	28	56
GRAND TOTAL	**8720**	**9.6**	**74**	**2**	**3**	**7**	**11**	**18**	**25**	**47**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	3.4	3	1	1	3	4	6	7	9
20-34	214	4.3	13	1	1	4	5	7	8	22
35-49	210	4.3	6	1	2	4	6	8	8	11
50-64	292	5.0	14	1	2	4	7	9	11	27
65+	457	6.7	31	1	2	6	8	13	14	23
B. *Operated*										
0-19 YRS	7	5.9	24	1	1	4	8	14	15	15
20-34	16	7.3	41	<1	1	5	12	15	20	22
35-49	23	8.3	18	3	4	9	11	13	17	18
50-64	35	7.4	30	1	1	7	10	14	18	24
65+	52	9.0	29	1	3	9	11	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	4.0	16	1	1	3	5	7	11	23
20-34	503	4.8	9	1	2	4	6	8	11	14
35-49	867	6.1	18	2	2	5	7	11	14	22
50-64	1409	7.0	27	2	3	6	8	12	16	28
65+	3296	8.4	43	2	3	7	10	15	19	34
B. *Operated*										
0-19 YRS	22	7.7	29	2	3	7	9	13	21	25
20-34	86	8.4	41	2	3	7	10	17	20	36
35-49	165	11.4	120	3	4	9	13	19	24	69
50-64	394	12.2	97	3	4	10	15	23	33	68
65+	827	13.9	127	3	5	10	17	28	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1307	5.2	19	1	2	4	7	9	12	21
B. *Operated*	133	8.1	28	1	2	8	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	6256	7.3	34	2	3	6	9	13	17	31
B. *Operated*	1494	12.8	114	3	4	10	16	25	34	62
1. SINGLE DX	1440	5.5	20	1	2	4	7	10	13	22
2. MULTIPLE DX	7750	8.4	54	2	3	7	10	16	21	39
A. NOT OPERATED	7563	7.0	32	2	2	6	8	13	16	30
B. OPERATED	1627	12.4	109	3	4	9	15	23	33	61
TOTAL 0-19 YRS	344	4.0	13	1	1	3	5	7	10	19
20-34	819	5.1	15	1	2	4	6	9	12	20
35-49	1265	6.5	34	2	2	5	8	12	15	26
50-64	2130	7.7	44	2	2	6	9	14	19	36
65+	4632	9.2	62	2	3	7	11	17	23	43
GRAND TOTAL	**9190**	**7.9**	**50**	**2**	**2**	**6**	**9**	**15**	**20**	**38**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	4.3	8	2	2	4	5	7	8	19
20-34	12	5.8	12	2	2	5	8	12	12	12
35-49	11	5.2	7	1	2	5	7	9	11	11
50-64	24	12.0	94	2	3	8	19	24	32	40
65+	11	9.0	104	3	3	5	8	26	36	37
B. *Operated*										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	9	7.3	13	4	4	6	11	12	13	13
35-49	8	10.0	87	2	2	7	11	26	31	31
50-64	8	22.6	583	5	6	13	27	65	77	77
65+	6	8.8	18	3	3	8	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	5.0	13	2	2	4	6	9	14	20
20-34	31	7.8	29	2	3	6	10	16	18	24
35-49	37	8.3	41	2	3	7	10	16	24	30
50-64	60	9.9	91	3	3	8	11	18	23	63
65+	71	10.6	60	2	3	9	14	20	27	37
B. *Operated*										
0-19 YRS	5	5.4	11	1	1	5	8	10	10	10
20-34	22	9.1	17	3	5	8	12	14	17	19
35-49	25	18.3	194	5	6	15	20	36	46	69
50-64	41	13.5	100	3	4	11	16	30	35	42
65+	33	16.7	185	3	4	13	25	33	50	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	6.3	38	2	2	4	7	11	21	37
B. *Operated*	33	12.0	193	2	3	8	13	19	37	77
2. MULTIPLE DX										
A. *Not Operated*	281	8.2	52	2	2	6	10	16	22	33
B. *Operated*	126	14.2	133	3	4	11	18	28	37	57
1. SINGLE DX	168	7.4	73	2	2	5	8	14	22	40
2. MULTIPLE DX	407	10.1	84	2	3	7	13	21	27	49
A. NOT OPERATED	416	7.6	48	2	2	5	9	16	21	35
B. OPERATED	159	13.7	145	3	4	11	16	28	37	68
TOTAL 0-19 YRS	166	4.7	11	2	2	4	6	8	11	21
20-34	74	7.8	21	2	3	7	11	15	16	23
35-49	81	11.1	110	2	3	7	14	23	32	60
50-64	133	12.2	128	3	3	9	14	24	34	69
65+	121	12.0	102	2	3	9	15	26	32	52
GRAND TOTAL	**575**	**9.3**	**82**	**2**	**3**	**7**	**11**	**19**	**27**	**46**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	6.2	15	2	2	5	8	12	15	18
20-34	21	6.1	15	1	2	5	9	11	13	16
35-49	18	6.0	22	2	2	4	10	12	16	18
50-64	20	7.2	29	1	2	5	10	15	19	21
65+	24	7.9	18	2	3	7	12	14	14	14
B. *Operated*										
0-19 YRS	54	5.3	25	2	2	3	6	12	18	22
20-34	59	4.9	25	1	1	3	7	11	16	26
35-49	32	6.9	41	2	2	5	9	14	24	27
50-64	23	6.0	27	2	2	4	7	14	18	23
65+	11	9.1	82	1	1	7	12	23	31	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	6.1	20	1	2	5	8	12	18	20
20-34	53	6.7	30	1	2	5	9	11	14	33
35-49	54	8.1	30	2	3	7	11	16	20	24
50-64	99	9.5	86	3	3	7	11	17	25	58
65+	172	11.1	91	2	3	9	14	21	25	64
B. *Operated*										
0-19 YRS	31	8.4	28	2	2	8	12	15	16	19
20-34	64	7.2	26	2	2	6	9	14	19	23
35-49	71	8.9	57	2	2	6	11	20	23	37
50-64	93	13.0	158	2	3	9	15	28	42	64
65+	97	16.9	200	2	4	13	21	34	51	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	6.5	17	2	2	5	9	13	15	18
B. *Operated*	179	5.8	32	1	2	3	7	13	18	27
2. MULTIPLE DX										
A. *Not Operated*	453	9.1	67	2	3	7	11	17	23	39
B. *Operated*	356	11.8	127	2	3	9	15	23	33	57
1. SINGLE DX	371	6.2	24	2	2	4	8	13	17	25
2. MULTIPLE DX	809	10.3	95	2	3	7	13	20	26	54
A. NOT OPERATED	645	8.3	54	2	3	6	10	16	20	36
B. OPERATED	535	9.8	103	2	2	7	13	21	27	53
TOTAL 0-19 YRS	269	6.3	20	2	2	5	8	13	16	20
20-34	197	6.3	26	1	2	5	9	11	17	25
35-49	175	8.0	43	2	2	6	10	17	22	30
50-64	235	10.3	109	2	3	7	13	21	28	54
65+	304	12.6	128	2	3	10	15	24	32	66
GRAND TOTAL	**1180**	**9.0**	**77**	**2**	**2**	**7**	**11**	**18**	**23**	**49**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	5.0	10	1	2	4	6	9	12	17
20-34	5	5.0	7	2	2	5	7	8	8	8
35-49	7	7.1	39	2	2	6	9	18	20	20
50-64	6	7.8	66	3	3	4	8	22	24	24
65+										
B. *Operated*										
0-19 YRS	7	4.4	4	2	2	4	6	7	7	7
20-34	4	6.3	17	1	1	6	9	11	11	11
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+	2	6.5	1	6	6	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	7.9	26	2	3	7	10	13	19	26
20-34	10	6.5	8	3	3	6	8	10	12	12
35-49	5	4.8	5	2	2	4	6	8	8	8
50-64	9	9.3	64	<1	2	7	13	23	27	27
65+	14	8.9	45	2	3	6	13	21	22	22
B. *Operated*										
0-19 YRS	13	7.3	22	1	2	7	9	15	16	16
20-34	13	9.5	19	3	4	10	13	15	16	16
35-49	9	7.3	16	2	3	7	9	14	15	15
50-64	8	7.0	21	2	2	6	10	14	15	15
65+	10	9.6	46	2	2	9	13	20	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	5.4	16	2	2	4	6	10	12	22
B. *Operated*	15	4.9	8	1	2	5	7	7	10	11
2. MULTIPLE DX										
A. *Not Operated*	99	7.9	29	2	3	6	10	14	21	27
B. *Operated*	53	8.2	24	2	2	8	11	15	16	23
1. SINGLE DX	103	5.3	14	1	2	4	6	9	12	22
2. MULTIPLE DX	152	8.0	27	2	3	7	11	15	18	26
A. NOT OPERATED	187	6.7	24	2	2	5	8	12	18	26
B. OPERATED	68	7.5	22	2	2	7	10	15	16	22
TOTAL 0-19 YRS	151	6.3	19	2	2	5	8	12	15	25
20-34	32	7.4	15	2	3	7	10	13	14	16
35-49	23	6.3	20	2	2	5	8	13	17	20
50-64	23	8.1	46	1	2	5	10	18	25	27
65+	26	9.0	41	2	2	7	13	21	22	23
GRAND TOTAL	**255**	**6.9**	**24**	**2**	**2**	**6**	**9**	**13**	**17**	**25**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	62	<1	<1	1	9	17	17	17
20-34	15	4.8	13	<1	<1	4	7	10	12	13
35-49	19	2.7	5	<1	<1	2	3	5	8	11
50-64	42	7.0	142	1	1	3	6	12	43	54
65+	50	7.4	57	1	1	4	10	20	25	33
B. *Operated*										
0-19 YRS	18	5.6	72	<1	<1	2	6	17	28	33
20-34	48	10.7	200	<1	<1	4	14	30	49	56
35-49	80	6.6	80	1	2	4	6	15	21	48
50-64	136	6.6	44	1	2	5	8	14	19	35
65+	87	8.6	110	1	2	5	10	18	32	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	7.5	52	1	1	4	14	21	22	23
20-34	83	6.3	33	<1	1	5	9	13	15	33
35-49	172	6.4	32	1	1	5	9	15	18	27
50-64	370	7.6	67	1	1	5	9	17	27	43
65+	607	9.8	78	1	2	7	13	21	30	41
B. *Operated*										
0-19 YRS	44	7.6	39	<1	1	6	12	17	20	23
20-34	242	9.0	109	<1	<1	5	11	24	33	52
35-49	329	11.8	168	2	2	8	15	26	37	64
50-64	675	12.4	152	2	2	8	16	28	38	66
65+	581	13.7	168	2	3	10	18	30	41	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	6.2	73	1	1	3	7	13	22	48
B. *Operated*	369	7.6	90	1	1	4	8	17	27	50
2. MULTIPLE DX										
A. *Not Operated*	1261	8.4	67	1	1	6	11	18	26	39
B. *Operated*	1871	12.1	154	1	2	8	16	28	38	66
1. SINGLE DX	499	7.2	86	1	1	4	8	17	26	50
2. MULTIPLE DX	3132	10.6	122	1	2	7	14	24	33	57
A. NOT OPERATED	1391	8.2	68	1	1	6	10	18	26	40
B. OPERATED	2240	11.4	146	1	2	7	15	27	37	64
TOTAL 0-19 YRS	95	7.1	49	<1	1	4	11	19	22	29
20-34	388	8.5	102	<1	<1	5	10	21	32	52
35-49	600	9.2	120	1	2	5	12	20	30	54
50-64	1223	10.1	120	1	2	6	13	24	32	54
65+	1325	11.3	123	1	2	8	15	25	34	60
GRAND TOTAL	**3631**	**10.2**	**119**	**1**	**2**	**7**	**13**	**23**	**32**	**56**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.4	13	1	1	4	5	10	13	13
20-34	8	3.1	4	<1	<1	3	4	6	7	7
35-49	13	5.3	21	1	1	4	8	12	15	16
50-64	37	4.2	19	1	1	2	6	11	13	20
65+	42	7.5	48	<1	1	6	12	17	19	31
B. *Operated*										
0-19 YRS	5	4.4	18	1	1	2	8	10	10	10
20-34	13	9.3	102	<1	<1	6	12	23	34	37
35-49	6	5.0	29	<1	<1	3	7	14	15	15
50-64	29	6.2	44	<1	1	2	9	17	20	25
65+	23	9.5	80	<1	1	8	13	23	29	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.5	28	1	2	3	7	14	19	21
20-34	32	6.5	21	1	2	5	8	14	15	21
35-49	72	7.9	44	2	2	6	11	16	19	37
50-64	177	9.6	71	1	2	8	12	19	24	39
65+	561	13.5	137	2	4	10	16	28	35	64
B. *Operated*										
0-19 YRS	9	13.6	91	3	4	12	17	28	35	35
20-34	33	14.0	150	2	2	10	22	31	39	52
35-49	52	15.2	182	2	2	12	22	36	49	99
50-64	140	15.1	120	2	4	15	21	28	34	73
65+	222	20.2	244	3	5	16	27	41	56	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	5.6	31	1	1	3	8	14	17	25
B. *Operated*	76	7.5	63	<1	1	4	10	20	24	36
2. MULTIPLE DX										
A. *Not Operated*	861	11.8	115	2	3	9	14	24	32	58
B. *Operated*	456	17.5	195	2	4	15	24	35	49	90
1. SINGLE DX	185	6.4	45	<1	1	3	9	15	20	32
2. MULTIPLE DX	1317	13.8	150	2	3	10	18	29	38	69
A. NOT OPERATED	970	11.1	109	1	2	9	14	23	31	55
B. OPERATED	532	16.0	188	2	2	13	22	34	45	87
TOTAL 0-19 YRS	42	6.9	47	1	1	4	9	16	19	35
20-34	86	9.5	94	1	2	6	12	23	31	48
35-49	143	10.2	105	1	2	7	15	23	33	62
50-64	383	10.8	95	1	2	8	15	23	29	51
65+	848	14.8	170	2	3	11	19	32	41	72
GRAND TOTAL	**1502**	**12.8**	**143**	**1**	**2**	**10**	**17**	**28**	**36**	**66**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	274	4.3	4	2	2	4	5	7	7	11
20-34	491	4.2	3	2	2	4	5	7	7	9
35-49	152	5.0	5	2	3	5	6	8	10	12
50-64	89	5.4	7	2	3	5	6	8	12	15
65+	97	6.5	11	2	3	6	8	11	14	18
B. *Operated*										
0-19 YRS	27	5.4	5	2	3	5	7	9	10	11
20-34	32	5.8	5	2	3	6	7	9	10	10
35-49	12	7.6	9	4	4	7	9	12	13	13
50-64	8	7.5	8	4	4	7	10	11	12	12
65+	10	7.9	12	1	3	9	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	4.5	4	2	2	4	5	7	8	13
20-34	446	5.0	7	2	3	5	6	8	10	15
35-49	259	6.5	13	2	3	6	8	11	13	18
50-64	341	7.2	15	3	4	7	8	12	13	21
65+	644	9.0	30	3	4	8	11	15	20	30
B. *Operated*										
0-19 YRS	59	6.7	22	2	3	5	8	12	20	23
20-34	87	7.6	27	3	3	7	9	11	16	32
35-49	63	10.6	40	4	5	9	13	19	23	34
50-64	90	12.0	64	3	5	10	14	20	32	45
65+	129	14.0	94	5	6	11	17	23	30	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1103	4.6	5	2	2	4	6	7	9	13
B. *Operated*	89	6.3	7	2	3	6	8	10	11	13
2. MULTIPLE DX										
A. *Not Operated*	1938	6.8	19	2	3	6	8	12	15	23
B. *Operated*	428	10.8	64	3	4	8	13	20	27	44
1. SINGLE DX	1192	4.8	5	2	2	4	6	8	9	13
2. MULTIPLE DX	2366	7.6	29	2	3	6	9	13	18	29
A. NOT OPERATED	3041	6.0	15	2	3	5	7	10	13	21
B. OPERATED	517	10.0	57	3	4	8	12	18	23	40
TOTAL 0-19 YRS	608	4.7	6	2	2	4	6	7	8	15
20-34	1056	4.9	7	2	2	4	6	8	9	15
35-49	486	6.6	17	2	3	6	8	11	14	25
50-64	528	7.7	26	3	3	7	9	13	17	30
65+	880	9.4	41	3	4	8	11	17	21	33
GRAND TOTAL	**3558**	**6.6**	**23**	**2**	**3**	**5**	**8**	**12**	**15**	**26**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	349	4.3	20	1	2	4	5	7	8	11
20-34	652	4.4	4	2	2	4	5	7	8	11
35-49	210	4.9	6	2	2	4	6	8	10	14
50-64	133	5.1	12	1	2	4	6	8	10	19
65+	114	6.3	22	2	2	5	7	11	17	26
B. *Operated*										
0-19 YRS	50	4.7	15	1	1	4	6	10	11	20
20-34	77	5.9	12	2	2	5	8	11	13	16
35-49	50	7.3	28	1	2	6	9	14	19	25
50-64	39	7.4	50	2	2	5	9	21	24	28
65+	32	10.7	47	2	2	10	13	20	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	306	4.9	9	2	2	4	6	8	9	14
20-34	661	5.3	14	2	2	4	6	8	11	23
35-49	303	6.6	30	2	3	5	8	11	14	26
50-64	425	7.4	33	2	3	6	9	12	16	28
65+	720	9.2	41	3	4	8	11	17	21	34
B. *Operated*										
0-19 YRS	97	6.5	22	1	2	6	8	12	13	29
20-34	215	8.4	44	2	3	7	10	15	19	42
35-49	189	10.2	48	2	3	9	13	20	24	37
50-64	253	11.4	74	2	4	9	15	20	27	73
65+	269	14.4	127	3	4	12	17	28	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1458	4.7	10	2	2	4	6	7	9	14
B. *Operated*	248	6.8	29	1	2	5	9	13	18	28
2. MULTIPLE DX										
A. *Not Operated*	2415	6.9	30	2	3	6	8	12	16	29
B. *Operated*	1023	10.9	78	2	3	9	14	21	28	52
1. SINGLE DX	1706	5.0	14	2	2	4	6	8	10	19
2. MULTIPLE DX	3438	8.1	47	2	3	6	10	15	21	36
A. NOT OPERATED	3873	6.1	24	2	2	5	7	10	14	26
B. OPERATED	1271	10.1	71	2	2	8	13	20	26	49
TOTAL 0-19 YRS	802	4.8	16	1	2	4	6	8	10	15
20-34	1605	5.4	16	2	2	5	6	9	11	20
35-49	752	7.1	32	2	2	6	9	13	18	29
50-64	850	8.2	48	2	3	6	10	16	20	35
65+	1135	10.2	66	3	3	8	12	20	27	43
GRAND TOTAL	**5144**	**7.1**	**38**	**2**	**2**	**5**	**8**	**13**	**18**	**33**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	2.3	2	1	1	2	3	4	5	8
20-34	549	2.4	3	<1	1	2	3	5	6	9
35-49	575	2.3	3	<1	1	2	3	4	5	9
50-64	341	2.5	3	1	1	2	3	5	6	8
65+	133	3.4	5	1	1	3	5	6	7	12
B. *Operated*										
0-19 YRS	47	6.8	16	2	2	7	9	13	15	18
20-34	367	7.9	19	2	3	8	10	13	15	22
35-49	466	8.1	20	2	2	8	10	12	15	25
50-64	433	8.8	24	2	3	8	10	13	16	30
65+	211	9.7	26	2	3	9	12	16	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.5	5	<1	1	3	5	7	8	11
20-34	340	3.2	5	1	1	3	4	6	7	10
35-49	430	3.5	7	1	1	3	4	7	8	14
50-64	463	4.3	13	1	1	3	5	8	10	19
65+	351	5.5	17	1	2	4	7	11	13	23
B. *Operated*										
0-19 YRS	34	10.0	69	1	3	8	12	17	22	47
20-34	318	9.7	79	2	2	8	11	16	23	58
35-49	456	9.6	49	2	3	8	12	17	22	36
50-64	649	10.0	45	2	3	9	13	17	22	33
65+	556	12.9	107	2	3	11	16	23	28	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1670	2.5	3	1	1	2	3	5	6	9
B. *Operated*	1524	8.4	22	2	3	8	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	1623	4.1	11	1	1	3	5	8	10	18
B. *Operated*	2013	10.6	70	2	3	9	13	19	24	42
1. SINGLE DX	3194	5.3	21	1	1	4	8	11	13	20
2. MULTIPLE DX	3636	7.7	55	1	2	6	10	16	21	33
A. NOT OPERATED	3293	3.3	8	1	1	3	4	6	8	14
B. OPERATED	3537	9.7	51	2	3	9	12	17	21	38
TOTAL 0-19 YRS	192	5.0	26	1	1	3	7	11	15	21
20-34	1574	5.3	32	1	1	4	7	11	14	25
35-49	1927	5.7	28	1	1	4	8	11	15	24
50-64	1886	6.9	34	1	1	6	9	14	17	28
65+	1251	9.3	71	1	2	7	12	18	23	42
GRAND TOTAL	**6830**	**6.6**	**40**	**1**	**1**	**5**	**9**	**13**	**17**	**29**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	330	2.4	3	1	1	2	3	4	5	8
20-34	2667	2.1	2	1	1	2	3	4	4	6
35-49	2808	2.2	4	<1	1	2	3	4	5	7
50-64	1500	2.4	3	1	1	2	3	4	5	9
65+	486	2.6	3	1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	199	5.3	8	2	2	5	7	9	11	12
20-34	1803	5.7	12	2	2	5	7	10	12	16
35-49	2124	5.8	13	2	2	5	8	11	12	16
50-64	1599	6.7	17	2	2	6	9	12	14	20
65+	577	7.5	26	2	2	7	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.3	17	1	1	3	4	5	6	30
20-34	609	2.6	4	1	1	2	3	5	6	9
35-49	840	3.0	5	1	1	2	4	6	7	13
50-64	826	3.4	9	1	1	3	4	6	8	12
65+	448	4.0	9	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	54	7.9	38	2	2	6	10	17	20	28
20-34	561	7.1	30	2	2	6	9	13	16	27
35-49	898	7.4	21	2	3	6	9	14	16	22
50-64	1081	8.3	28	2	3	7	11	15	18	27
65+	770	10.6	51	3	4	9	13	20	24	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7791	2.2	3	1	1	2	3	4	5	7
B. *Operated*	6302	6.1	15	2	2	5	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	2783	3.2	7	1	1	3	4	6	7	12
B. *Operated*	3364	8.4	33	2	3	7	11	15	19	28
1. SINGLE DX	14093	4.0	12	1	1	3	5	9	11	16
2. MULTIPLE DX	6147	6.0	28	1	1	4	8	12	16	26
A. NOT OPERATED	10574	2.5	4	1	1	2	3	5	6	9
B. OPERATED	9666	6.9	23	2	2	6	9	12	15	24
TOTAL 0-19 YRS	643	3.8	12	1	1	3	5	8	10	17
20-34	5640	3.8	12	1	1	3	5	8	10	16
35-49	6670	4.1	13	1	1	3	5	9	11	17
50-64	5006	5.2	19	1	1	4	7	11	13	21
65+	2281	6.8	36	1	2	5	9	14	18	28
GRAND TOTAL	**20240**	**4.6**	**18**	**1**	**1**	**3**	**6**	**10**	**12**	**20**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.3	9	<1	1	1	3	4	7	19
20-34	73	3.2	10	1	1	2	4	6	10	19
35-49	63	3.2	6	1	1	2	5	6	8	13
50-64	73	4.4	20	1	1	3	5	10	12	25
65+	65	5.1	25	1	1	4	6	10	19	24
B. *Operated*										
0-19 YRS	380	5.9	25	1	1	6	9	11	13	25
20-34	218	7.3	28	1	2	7	10	14	18	24
35-49	172	6.7	37	2	2	5	9	13	17	29
50-64	220	7.1	33	1	2	6	10	14	18	27
65+	182	7.5	45	1	2	5	10	17	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.7	19	1	1	3	6	10	12	23
20-34	112	4.9	13	1	2	4	6	9	12	22
35-49	101	5.2	21	1	1	4	6	10	13	25
50-64	249	6.3	29	1	2	5	8	12	16	26
65+	464	10.1	84	2	3	7	12	20	27	51
B. *Operated*										
0-19 YRS	412	7.0	37	1	1	6	10	14	17	27
20-34	330	9.1	54	2	2	8	11	17	21	42
35-49	343	9.2	63	2	2	8	12	19	23	32
50-64	552	10.2	76	2	2	9	14	20	24	50
65+	672	11.8	101	2	3	9	15	24	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	3.7	15	1	1	2	5	7	10	23
B. *Operated*	1172	6.7	32	1	1	6	9	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	997	7.7	57	1	2	6	9	16	22	42
B. *Operated*	2309	9.8	74	1	2	8	13	20	24	44
1. SINGLE DX	1489	6.1	30	1	1	4	9	13	16	25
2. MULTIPLE DX	3306	9.2	70	1	2	7	12	18	24	44
A. NOT OPERATED	1314	6.7	49	1	1	5	8	14	20	35
B. OPERATED	3481	8.8	62	1	2	7	11	17	23	39
TOTAL 0-19 YRS	906	6.1	30	1	1	5	9	12	16	26
20-34	733	7.4	40	1	2	6	10	14	18	27
35-49	679	7.4	49	1	2	6	10	15	21	30
50-64	1094	8.3	57	1	2	7	11	17	21	36
65+	1383	10.3	87	2	2	8	13	22	28	50
GRAND TOTAL	**4795**	**8.2**	**59**	**1**	**2**	**7**	**11**	**17**	**22**	**39**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.5	2	<1	1	2	4	4	5	6
20-34	178	2.4	2	1	1	2	3	4	6	8
35-49	196	2.1	1	<1	1	2	3	4	4	6
50-64	90	2.1	2	1	1	2	3	4	4	7
65+	41	2.6	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	19	4.5	6	<1	1	5	6	8	10	11
20-34	107	5.6	11	2	2	5	7	10	12	16
35-49	143	6.3	19	1	2	5	8	12	14	22
50-64	114	5.7	20	1	2	5	8	11	12	24
65+	104	6.1	21	2	2	5	9	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	67	2.7	4	1	1	2	4	5	7	10
35-49	77	3.4	8	1	1	3	4	8	10	13
50-64	91	3.6	8	1	1	3	4	7	9	16
65+	57	5.2	19	1	2	4	6	10	15	22
B. *Operated*										
0-19 YRS	22	6.8	15	2	2	7	9	12	15	15
20-34	75	6.5	16	2	2	6	9	13	15	17
35-49	89	8.1	62	2	2	6	10	17	22	40
50-64	167	7.9	36	2	2	7	10	13	17	34
65+	320	9.0	42	2	3	8	12	16	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	2.3	2	1	1	2	3	4	5	7
B. *Operated*	487	5.9	17	1	2	5	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	295	3.7	10	1	1	3	4	7	9	19
B. *Operated*	673	8.2	40	2	2	7	11	15	19	38
1. SINGLE DX	1016	4.0	13	1	1	3	5	9	11	16
2. MULTIPLE DX	968	6.8	35	1	2	5	9	14	17	33
A. NOT OPERATED	824	2.8	5	1	1	2	3	5	7	12
B. OPERATED	1160	7.3	32	2	2	6	10	14	16	31
TOTAL 0-19 YRS	68	4.5	11	1	1	3	6	9	11	15
20-34	427	4.0	10	1	1	3	5	8	10	15
35-49	505	4.5	23	1	1	3	6	10	13	23
50-64	462	5.4	25	1	1	4	8	11	13	29
65+	522	7.5	36	2	2	6	10	15	18	31
GRAND TOTAL	1984	5.4	26	1	1	4	7	11	14	26

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.9	2	1	1	3	4	5	6	8
20-34	137	3.3	10	1	1	3	4	5	7	17
35-49	70	3.8	4	1	1	4	5	6	8	11
50-64	48	4.2	15	1	1	3	5	8	10	23
65+	82	4.4	7	1	2	4	6	8	10	13
B. *Operated*										
0-19 YRS	267	2.4	6	1	1	2	3	4	5	9
20-34	475	2.9	5	1	1	2	4	5	7	12
35-49	376	3.2	5	1	1	3	4	6	8	11
50-64	382	3.7	15	1	1	3	4	7	9	19
65+	421	4.6	16	1	2	3	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	3.7	6	1	2	3	5	6	9	13
20-34	222	4.2	5	1	2	4	5	7	9	11
35-49	165	5.5	37	1	2	4	6	9	12	27
50-64	205	6.1	23	2	2	5	8	12	15	28
65+	549	8.0	40	2	3	6	10	15	20	36
B. *Operated*										
0-19 YRS	400	2.8	5	1	1	2	4	5	6	11
20-34	786	4.5	17	1	1	3	5	9	12	21
35-49	756	5.3	20	1	2	4	7	10	14	25
50-64	854	5.0	17	1	2	4	6	10	13	20
65+	1191	7.3	45	2	2	5	9	14	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	464	3.6	7	1	1	3	4	6	8	13
B. *Operated*	1921	3.4	10	1	1	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	1268	6.3	30	2	2	5	8	12	15	29
B. *Operated*	3987	5.4	27	1	2	4	7	11	15	26
1. SINGLE DX	2385	3.5	9	1	1	3	4	6	8	15
2. MULTIPLE DX	5255	5.6	28	1	2	4	7	11	15	27
A. NOT OPERATED	1732	5.6	25	1	2	4	7	11	14	26
B. OPERATED	5908	4.8	22	1	1	3	6	10	13	23
TOTAL 0-19 YRS	921	2.9	5	1	1	2	3	5	6	11
20-34	1620	3.9	12	1	1	3	5	7	10	17
35-49	1367	4.7	18	1	2	3	6	9	13	19
50-64	1489	4.8	18	1	2	4	6	9	14	21
65+	2243	6.9	38	2	2	5	8	14	18	34
GRAND TOTAL	7640	4.9	23	1	1	4	6	10	13	24

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	6	<1	<1	3	5	7	7	7
20-34	12	1.8	2	<1	<1	1	2	3	6	6
35-49	8	3.8	7	1	1	3	5	7	8	8
50-64	9	2.8	3	<1	<1	2	4	5	6	6
65+	23	3.9	5	1	1	4	5	7	8	8
B. *Operated*										
0-19 YRS	1289	1.8	2	<1	1	1	2	3	4	6
20-34	496	3.1	7	1	1	2	3	6	9	15
35-49	392	3.5	10	1	1	3	4	6	9	16
50-64	366	3.9	10	1	1	3	5	8	10	17
65+	444	4.6	13	1	2	3	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.1	2	<1	<1	2	3	4	5	5
20-34	25	3.8	10	1	1	3	5	6	11	16
35-49	18	4.8	17	1	1	4	5	11	15	16
50-64	23	5.0	9	1	2	5	7	10	10	10
65+	85	5.8	33	2	2	4	7	9	16	36
B. *Operated*										
0-19 YRS	1030	2.2	4	1	1	2	2	4	5	9
20-34	752	3.6	13	1	1	3	4	7	10	16
35-49	661	4.6	19	1	1	3	5	10	13	24
50-64	804	5.3	23	1	2	4	7	11	15	23
65+	1245	7.6	45	2	2	6	10	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.2	5	<1	1	2	5	6	7	8
B. *Operated*	2987	2.9	8	<1	1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	175	4.8	22	1	1	4	6	9	13	28
B. *Operated*	4492	4.8	26	1	1	3	6	10	14	25
1. SINGLE DX	3045	2.9	7	<1	1	2	3	6	8	15
2. MULTIPLE DX	4667	4.8	26	1	1	3	6	10	14	25
A. NOT OPERATED	233	4.4	18	1	1	4	5	8	10	22
B. OPERATED	7479	4.1	20	1	1	3	5	9	12	22
TOTAL 0-19 YRS	2349	2.0	3	<1	1	2	2	3	4	8
20-34	1285	3.4	11	1	1	2	4	7	9	16
35-49	1079	4.2	16	1	1	3	5	9	12	22
50-64	1202	4.9	19	1	1	3	6	10	14	21
65+	1797	6.7	38	2	2	5	9	14	18	31
GRAND TOTAL	**7712**	**4.1**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	946	3.3	5	1	1	3	4	6	7	11
20-34	618	3.6	5	1	1	3	5	6	7	11
35-49	319	4.1	7	1	1	4	5	7	9	14
50-64	311	4.2	8	1	1	4	5	7	9	14
65+	634	6.3	21	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	1008	2.3	4	<1	1	2	3	5	6	10
20-34	828	2.9	5	1	1	2	3	6	7	11
35-49	723	3.4	10	1	1	2	4	7	9	18
50-64	799	3.9	11	1	1	3	5	8	10	18
65+	807	4.7	17	1	2	3	6	10	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1230	4.1	9	1	2	3	5	7	9	14
20-34	1450	4.9	14	1	2	4	6	9	11	21
35-49	1070	6.0	22	2	2	5	7	11	14	24
50-64	1754	6.9	23	2	3	6	9	12	15	25
65+	6300	9.4	53	3	3	8	12	17	22	39
B. *Operated*										
0-19 YRS	1320	3.1	10	1	1	2	4	6	9	16
20-34	1475	4.8	31	1	1	3	6	10	13	27
35-49	1456	5.2	32	1	1	4	6	11	14	26
50-64	1888	6.3	38	1	2	4	8	13	17	32
65+	3347	9.5	80	2	2	7	12	19	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2828	4.2	11	1	1	3	5	8	10	17
B. *Operated*	4165	3.4	10	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	11804	7.6	40	2	2	6	9	14	19	33
B. *Operated*	9486	6.6	53	1	1	4	8	14	19	37
1. SINGLE DX	6993	3.7	10	1	1	3	5	7	10	17
2. MULTIPLE DX	21290	7.2	46	1	2	5	9	14	19	34
A. NOT OPERATED	14632	7.0	36	2	2	5	9	13	17	31
B. OPERATED	13651	5.6	42	1	1	3	7	12	17	31
TOTAL 0-19 YRS	4504	3.2	8	1	1	2	4	6	8	13
20-34	4371	4.3	18	1	1	3	5	8	11	21
35-49	3568	5.0	23	1	1	4	6	10	13	23
50-64	4752	6.0	27	1	2	5	8	12	15	27
65+	11088	8.9	58	2	3	7	11	17	22	40
GRAND TOTAL	**28283**	**6.3**	**39**	**1**	**2**	**4**	**8**	**13**	**17**	**31**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	2.3	1	1	1	2	3	4	4	4
35-49	4	4.0	3	2	2	4	5	6	6	6
50-64	49	3.8	9	1	1	3	4	8	10	17
65+	59	3.9	11	<1	1	3	4	8	11	18
B. *Operated*										
0-19 YRS	10	5.3	4	1	2	6	6	7	8	8
20-34	23	4.1	8	<1	1	3	6	8	9	10
35-49	202	4.4	9	1	1	4	6	8	10	15
50-64	2515	5.9	11	2	2	6	7	9	12	16
65+	4510	7.1	15	2	3	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	4	8.0	35	3	3	6	12	16	16	16
35-49	16	5.3	12	2	2	5	6	7	14	17
50-64	147	4.3	8	1	1	4	5	8	9	15
65+	553	6.9	45	1	2	5	8	13	20	36
B. *Operated*										
0-19 YRS	15	8.3	53	2	2	7	10	16	26	29
20-34	36	5.9	30	<1	1	4	8	13	16	24
35-49	257	5.6	19	1	2	4	7	12	14	23
50-64	3217	7.6	25	2	3	7	9	13	17	25
65+	8368	9.9	45	3	4	8	12	18	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	3.8	9	1	1	3	4	7	10	17
B. *Operated*	7260	6.6	14	2	2	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	722	6.4	38	1	2	5	7	13	17	33
B. *Operated*	11893	9.1	41	2	3	8	11	16	21	33
1. SINGLE DX	7379	6.5	14	2	2	6	8	11	13	19
2. MULTIPLE DX	12615	9.0	41	2	3	8	11	16	21	33
A. NOT OPERATED	841	6.0	34	1	2	4	7	12	16	32
B. OPERATED	19153	8.2	32	2	3	7	10	14	18	29
TOTAL 0-19 YRS	28	6.7	32	2	2	6	8	13	17	29
20-34	69	5.1	21	1	1	3	7	12	16	23
35-49	479	5.1	15	1	2	4	6	10	13	20
50-64	5928	6.7	19	2	2	6	8	11	14	22
65+	13490	8.8	37	2	3	7	11	16	20	32
GRAND TOTAL	**19994**	**8.1**	**32**	**2**	**3**	**7**	**10**	**14**	**18**	**29**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.1	5	1	1	2	4	6	9	10
20-34	112	3.7	5	1	2	3	4	6	8	13
35-49	120	4.0	4	1	2	4	5	7	8	10
50-64	121	4.5	4	2	2	4	6	7	8	11
65+	58	4.3	6	1	2	4	6	8	9	11
B. *Operated*										
0-19 YRS	27	2.9	5	1	1	2	4	5	8	11
20-34	287	2.6	4	1	1	2	3	5	6	11
35-49	309	2.7	5	1	1	2	3	6	7	11
50-64	195	3.5	6	1	1	3	4	7	9	13
65+	97	5.9	45	1	2	4	7	13	15	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	3	1	2	3	4	6	7	7
20-34	135	4.4	10	1	2	4	5	7	9	22
35-49	220	5.1	8	2	2	5	6	9	10	14
50-64	270	5.5	11	2	2	5	7	9	11	18
65+	246	6.3	16	2	3	5	8	11	14	18
B. *Operated*										
0-19 YRS	32	4.1	33	1	1	3	5	7	9	33
20-34	292	3.4	7	1	1	2	4	7	9	13
35-49	482	4.0	10	1	1	3	5	8	10	14
50-64	512	5.3	18	1	2	4	7	11	14	20
65+	364	7.9	42	2	2	6	10	15	18	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	4.0	5	1	2	4	5	7	8	11
B. *Operated*	915	3.2	10	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	885	5.4	12	2	2	5	7	9	11	18
B. *Operated*	1682	5.1	22	1	1	4	7	11	13	25
1. SINGLE DX	1347	3.5	8	1	1	3	4	7	8	14
2. MULTIPLE DX	2567	5.2	18	1	2	4	7	10	13	22
A. NOT OPERATED	1317	5.0	10	2	2	4	6	8	11	17
B. OPERATED	2597	4.4	19	1	1	3	6	9	12	22
TOTAL 0-19 YRS	94	3.4	14	1	1	3	4	6	8	23
20-34	826	3.3	7	1	1	3	4	6	8	12
35-49	1131	3.8	9	1	1	3	5	8	9	13
50-64	1098	4.9	13	1	2	4	6	9	12	18
65+	765	6.9	32	2	2	6	8	13	16	32
GRAND TOTAL	**3914**	**4.6**	**16**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.1		<1	<1	1	1	2	2	2
20-34	3	2.7		2	2	3	3	3	3	3
35-49	3	2.7	4	<1	<1	2	4	5	5	5
50-64	5	3.2	2	2	2	3	4	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	363	2.6	2	1	1	2	3	4	5	7
20-34	145	3.5	2	2	2	3	4	5	6	9
35-49	174	3.6	3	2	2	3	4	6	7	10
50-64	276	3.7	3	2	2	3	4	6	7	9
65+	156	4.3	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.8	15	<1	<1	2	3	5	11	19
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	2.7		2	2	3	3	3	3	3
50-64	6	10.8	173	3	3	5	11	34	37	37
65+	12	4.8	21	1	1	3	7	11	16	17
B. *Operated*										
0-19 YRS	310	2.8	5	1	1	2	3	5	5	8
20-34	75	3.9	5	2	2	3	5	7	9	12
35-49	73	4.7	7	2	2	4	6	7	10	15
50-64	213	4.9	10	2	2	4	6	8	10	18
65+	188	6.9	23	2	3	5	8	14	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*	1114	3.4	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	45	4.4	39	<1	<1	3	4	8	17	37
B. *Operated*	859	4.5	13	1	2	4	5	8	11	19
1. SINGLE DX	1135	3.4	3	1	2	3	4	6	7	9
2. MULTIPLE DX	904	4.5	14	1	2	4	5	8	11	19
A. NOT OPERATED	66	3.7	28	<1	<1	2	4	6	12	34
B. OPERATED	1973	3.9	8	1	2	3	5	7	8	15
TOTAL 0-19 YRS	704	2.7	4	1	1	2	3	4	5	8
20-34	225	3.6	3	2	2	3	4	6	7	11
35-49	253	3.9	4	2	2	3	5	6	8	12
50-64	500	4.3	8	2	2	4	5	7	9	14
65+	357	5.7	16	2	2	5	7	10	14	25
GRAND TOTAL	**2039**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**8**	**16**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	4.4	8	1	1	4	6	8	11	13
20-34	329	4.6	7	2	2	4	6	7	9	15
35-49	156	5.3	6	2	3	5	7	8	9	14
50-64	126	5.8	8	2	3	5	7	9	11	15
65+	89	6.2	9	3	3	6	7	10	12	16
B. *Operated*										
0-19 YRS	44	4.1	8	1	1	3	6	8	10	11
20-34	100	4.1	5	2	2	3	5	7	9	13
35-49	101	4.6	8	2	2	4	6	9	11	14
50-64	82	5.3	14	1	2	4	6	10	14	19
65+	49	5.5	15	2	2	4	7	13	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	5.2	9	2	3	4	7	10	11	15
20-34	100	5.9	23	2	3	5	7	10	12	30
35-49	107	6.6	18	3	3	6	8	10	12	27
50-64	138	6.5	10	2	3	6	9	11	13	14
65+	163	8.4	37	3	3	7	10	15	19	38
B. *Operated*										
0-19 YRS	38	4.8	7	1	2	4	6	9	10	11
20-34	85	5.4	15	1	2	4	7	10	12	21
35-49	86	6.3	23	2	2	5	8	12	14	29
50-64	124	7.8	26	2	3	7	10	14	18	27
65+	141	9.8	48	3	3	8	13	18	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	840	5.0	8	2	2	5	6	8	10	14
B. *Operated*	376	4.7	10	2	2	4	5	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	551	6.9	23	2	3	6	8	12	14	26
B. *Operated*	474	7.4	32	2	2	6	10	14	18	29
1. SINGLE DX	1216	4.9	8	2	2	4	6	9	11	15
2. MULTIPLE DX	1025	7.1	27	2	3	6	9	13	16	27
A. NOT OPERATED	1391	5.8	14	2	2	5	7	10	12	19
B. OPERATED	850	6.2	24	2	2	5	8	12	15	26
TOTAL 0-19 YRS	265	4.6	8	1	2	4	6	9	11	13
20-34	614	4.8	11	2	2	4	6	8	10	17
35-49	450	5.7	13	2	2	5	7	9	11	20
50-64	470	6.4	15	2	3	5	8	11	14	20
65+	442	8.1	35	2	3	7	10	15	18	34
GRAND TOTAL	**2241**	**5.9**	**18**	**2**	**2**	**5**	**7**	**11**	**14**	**23**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	166	1.8	1	<1	<1	2	2	3	3	9
20-34	72	2.0	1	<1	1	2	2	3	3	8
35-49	31	2.2	3	<1	<1	2	2	3	6	10
50-64	9	1.3	1	1	1	1	2	2	2	2
65+	7	3.9	24	1	1	2	3	13	15	15
B. *Operated*										
0-19 YRS	1813	1.8	1	<1	1	2	2	2	3	4
20-34	703	2.1	2	1	1	2	2	3	3	5
35-49	260	2.0	1	1	1	2	2	3	3	5
50-64	115	2.3	2	1	1	2	2	3	4	10
65+	66	2.5	2	1	1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	1.7	1	<1	<1	1	2	3	4	5
20-34	28	2.5	4	<1	1	2	3	4	5	11
35-49	15	2.9	5	1	1	2	4	7	8	8
50-64	12	2.8	3	<1	1	2	3	5	8	8
65+	11	3.7	7	<1	1	3	5	8	9	9
B. *Operated*										
0-19 YRS	466	2.2	3	1	1	2	2	3	4	8
20-34	413	2.4	3	1	1	2	2	3	4	12
35-49	281	3.0	6	1	1	2	3	5	9	13
50-64	207	3.4	12	1	2	2	4	7	9	18
65+	184	4.5	16	2	2	3	5	9	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	1.9	2	<1	<1	2	2	3	4	9
B. *Operated*	2957	1.9	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	159	2.1	3	<1	<1	2	3	4	5	9
B. *Operated*	1551	2.8	7	1	1	2	3	5	7	14
1. SINGLE DX	3242	1.9	1	<1	1	2	2	3	3	5
2. MULTIPLE DX	1710	2.8	7	1	1	2	3	5	7	14
A. NOT OPERATED	444	2.0	2	<1	<1	2	2	3	4	9
B. OPERATED	4508	2.3	3	1	1	2	2	3	4	10
TOTAL 0-19 YRS	2538	1.9	1	<1	1	2	2	3	3	5
20-34	1216	2.2	3	1	1	2	2	3	4	9
35-49	587	2.5	4	1	1	2	3	4	6	11
50-64	343	2.9	9	1	1	2	3	5	8	16
65+	268	4.0	13	1	2	3	5	8	10	20
GRAND TOTAL	**4952**	**2.2**	**3**	**<1**	**1**	**2**	**2**	**3**	**4**	**10**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.0	2	<1	<1	2	3	3	5	7
20-34	63	2.7	8	<1	1	2	3	5	6	20
35-49	47	3.1	8	1	1	2	3	6	9	15
50-64	49	2.6	3	1	1	2	3	5	7	9
65+	17	4.0	14	1	1	2	5	8	13	16
B. *Operated*										
0-19 YRS	716	2.5	3	1	1	2	3	4	6	9
20-34	702	2.7	4	1	1	2	3	4	5	9
35-49	435	3.1	4	1	1	2	4	6	7	12
50-64	365	3.7	5	1	2	3	5	7	8	13
65+	144	4.5	17	2	2	4	5	7	9	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.7	9	1	1	2	5	8	11	12
20-34	53	4.4	21	<1	1	3	6	8	11	30
35-49	56	5.0	12	1	2	4	7	9	12	17
50-64	54	3.9	10	1	1	3	5	8	12	14
65+	62	6.6	31	1	2	5	8	12	17	30
B. *Operated*										
0-19 YRS	271	3.1	6	1	1	2	3	6	8	14
20-34	401	3.4	6	1	1	3	4	6	9	13
35-49	336	4.7	29	1	2	3	5	9	13	31
50-64	433	6.0	37	2	2	5	7	11	15	46
65+	267	8.2	93	2	2	5	8	18	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	2.7	6	<1	1	2	3	5	7	15
B. *Operated*	2362	3.0	5	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	255	4.9	19	1	1	4	6	11	12	28
B. *Operated*	1708	5.0	35	1	2	3	6	9	14	35
1. SINGLE DX	2601	2.9	5	1	1	2	3	5	7	12
2. MULTIPLE DX	1963	5.0	33	1	2	3	6	9	13	32
A. NOT OPERATED	494	3.8	14	1	1	2	5	8	11	18
B. OPERATED	4070	3.8	19	1	1	3	4	7	9	21
TOTAL 0-19 YRS	1080	2.7	4	1	1	2	3	5	7	11
20-34	1219	3.0	6	1	1	2	3	5	7	12
35-49	874	3.8	15	1	1	3	4	7	10	22
50-64	901	4.8	22	1	2	4	6	8	11	20
65+	490	6.7	63	2	2	5	7	13	21	40
GRAND TOTAL	**4564**	**3.8**	**18**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	24	2.3	3	<1	<1	2	3	4	7	7
35-49	40	2.7	7	<1	1	2	3	5	8	15
50-64	19	2.4	2	1	1	2	3	5	6	6
65+	5	2.8	6	<1	<1	2	4	7	7	7
B. *Operated*										
0-19 YRS	214	2.1	1	<1	1	2	2	3	3	4
20-34	1520	2.4	2	<1	1	2	3	4	5	8
35-49	3448	2.6	2	1	1	2	3	4	5	9
50-64	1416	2.6	5	1	2	2	3	4	5	8
65+	525	2.9	3	2	2	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	27	4.8	15	1	1	4	6	9	12	20
35-49	54	3.9	7	<1	1	3	5	7	8	15
50-64	26	3.5	4	1	1	3	5	6	8	8
65+	11	5.7	18	1	1	4	10	12	13	13
B. *Operated*										
0-19 YRS	47	2.6	2	1	1	2	3	5	6	9
20-34	683	3.1	5	1	1	2	4	6	7	11
35-49	1732	3.7	9	1	2	3	4	7	9	16
50-64	951	4.1	8	2	2	3	5	8	10	15
65+	473	4.9	20	2	2	3	5	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	2.5	5	<1	<1	2	3	5	7	13
B. *Operated*	7123	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	120	4.1	9	1	1	3	5	8	10	16
B. *Operated*	3886	3.9	10	1	2	3	5	7	9	17
1. SINGLE DX	7215	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	4006	3.9	10	1	2	3	5	7	9	17
A. NOT OPERATED	212	3.4	8	<1	1	3	4	7	9	15
B. OPERATED	11009	3.0	6	1	2	2	3	5	7	12
TOTAL 0-19 YRS	267	2.1	1	1	1	2	2	3	4	6
20-34	2254	2.7	3	1	1	2	3	5	6	9
35-49	5274	3.0	5	1	1	2	3	5	7	12
50-64	2412	3.2	7	1	2	2	4	6	8	12
65+	1014	3.9	12	2	2	3	4	7	10	21
GRAND TOTAL	**11221**	**3.0**	**6**	**1**	**2**	**2**	**3**	**5**	**7**	**12**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.1	4	<1	1	3	5	6	7	8
20-34	94	3.2	5	<1	1	3	4	5	6	13
35-49	46	2.8	5	<1	<1	2	5	6	6	11
50-64	21	2.6	6	<1	1	2	4	6	8	10
65+	19	4.1	6	1	2	3	5	7	10	11
B. *Operated*										
0-19 YRS	529	2.8	2	1	1	2	3	5	5	8
20-34	1006	3.1	3	1	1	3	4	5	6	9
35-49	731	3.0	4	1	1	2	4	5	7	9
50-64	492	3.2	4	1	2	2	4	6	8	10
65+	268	3.3	6	1	2	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.5	8	<1	<1	3	4	8	10	11
20-34	59	4.4	24	1	1	3	5	8	9	31
35-49	65	5.1	20	1	1	4	7	11	15	21
50-64	40	6.7	45	<1	<1	4	9	17	23	27
65+	47	5.3	13	<1	<1	5	7	10	12	18
B. *Operated*										
0-19 YRS	88	3.7	3	2	2	3	5	6	7	10
20-34	418	4.1	13	1	2	3	5	7	10	16
35-49	502	4.0	8	1	1	3	5	7	10	14
50-64	410	4.7	13	1	2	4	6	8	10	21
65+	270	5.2	22	2	2	3	6	10	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	3.1	5	<1	<1	3	4	6	7	11
B. *Operated*	3026	3.0	4	1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	228	5.1	23	<1	1	4	7	11	15	25
B. *Operated*	1688	4.4	13	1	2	3	5	8	10	19
1. SINGLE DX	3242	3.0	4	1	1	2	4	5	7	10
2. MULTIPLE DX	1916	4.5	14	1	2	3	5	8	11	20
A. NOT OPERATED	444	4.1	15	<1	1	3	5	8	11	21
B. OPERATED	4714	3.5	7	1	2	3	4	6	8	14
TOTAL 0-19 YRS	670	2.9	3	1	1	2	4	5	6	9
20-34	1577	3.4	7	1	1	3	4	6	7	12
35-49	1344	3.5	7	1	1	3	4	6	8	14
50-64	963	4.0	11	1	2	3	5	8	9	19
65+	604	4.3	15	1	2	3	5	8	11	20
GRAND TOTAL	**5158**	**3.6**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	2.6	2	1	1	2	3	4	6	8
20-34	535	2.6	3	1	1	2	3	5	6	9
35-49	124	3.0	3	1	1	3	4	5	7	8
50-64	12	3.5	1	2	2	3	4	5	6	6
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	438	4.5	6	1	2	4	6	8	9	14
20-34	1725	5.0	6	1	2	5	6	8	9	13
35-49	460	6.2	9	2	3	6	8	9	11	16
50-64	70	7.6	8	2	4	7	9	11	12	16
65+	34	10.8	21	4	5	10	13	17	19	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	3.5	7	<1	1	3	5	6	8	15
20-34	378	3.6	6	1	1	3	4	6	9	13
35-49	109	4.6	11	1	1	4	6	9	11	17
50-64	15	4.7	16	1	2	3	5	11	15	16
65+	8	6.1	63	1	1	4	6	20	25	25
B. *Operated*										
0-19 YRS	333	5.5	8	2	2	5	7	9	11	14
20-34	2774	6.2	11	2	2	6	8	10	12	18
35-49	1240	8.0	19	3	4	7	9	13	15	24
50-64	171	9.1	27	5	6	8	10	15	19	34
65+	58	14.9	121	6	7	11	16	29	40	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	907	2.7	3	1	1	2	3	5	6	9
B. *Operated*	2727	5.3	8	1	2	5	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	614	3.8	8	1	1	3	5	7	10	14
B. *Operated*	4576	6.9	17	2	3	6	8	11	14	22
1. SINGLE DX	3634	4.6	8	1	1	4	6	8	9	14
2. MULTIPLE DX	5190	6.5	17	2	2	6	8	11	13	21
A. NOT OPERATED	1521	3.1	5	1	1	3	4	6	7	11
B. OPERATED	7303	6.3	14	2	2	6	8	10	13	19
TOTAL 0-19 YRS	1109	4.3	7	1	1	4	6	8	9	13
20-34	5412	5.3	10	1	2	5	7	9	11	16
35-49	1933	7.0	17	2	3	7	8	11	14	22
50-64	268	8.2	22	2	4	7	9	13	16	26
65+	102	12.6	89	4	5	10	16	22	31	54
GRAND TOTAL	**8824**	**5.7**	**14**	**1**	**2**	**5**	**7**	**10**	**12**	**18**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1122	4.3	4	2	2	4	5	7	8	11
20-34	2640	4.5	5	2	2	4	6	7	9	11
35-49	313	5.5	9	2	2	5	7	9	11	15
50-64	22	5.8	44	1	2	5	7	8	18	34
65+	10	4.7	7	2	2	4	6	9	11	11
B. *Operated*										
0-19 YRS	335	5.4	10	1	2	5	7	9	11	17
20-34	1677	5.2	11	1	2	5	7	9	11	16
35-49	427	6.7	18	1	2	6	8	11	15	20
50-64	72	7.3	31	1	2	7	10	13	16	32
65+	13	7.5	19	1	2	7	9	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	577	5.0	13	2	2	4	6	8	9	14
20-34	1698	5.4	10	2	2	5	7	9	10	17
35-49	301	6.3	11	2	3	6	8	10	13	18
50-64	39	8.0	19	3	3	8	11	13	17	21
65+	23	6.9	17	3	3	6	8	13	17	17
B. *Operated*										
0-19 YRS	462	6.5	13	2	2	6	8	11	12	20
20-34	4428	6.0	13	1	2	6	8	10	12	18
35-49	1325	7.6	16	2	3	7	9	12	15	21
50-64	197	10.3	58	3	5	8	12	19	24	41
65+	57	15.1	176	5	6	11	17	30	39	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4107	4.5	6	2	2	4	6	7	9	12
B. *Operated*	2524	5.5	13	1	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	2638	5.5	11	2	2	5	7	9	11	17
B. *Operated*	6469	6.6	18	1	2	6	8	11	14	20
1. SINGLE DX	6631	4.9	9	1	2	4	6	8	10	15
2. MULTIPLE DX	9107	6.3	16	1	2	6	8	10	13	20
A. NOT OPERATED	6745	4.9	8	2	2	4	6	8	10	14
B. OPERATED	8993	6.3	17	1	2	6	8	11	13	20
TOTAL 0-19 YRS	2496	5.0	9	2	2	4	6	8	10	14
20-34	10443	5.4	11	1	2	5	7	9	11	16
35-49	2366	7.0	15	2	2	7	9	12	14	20
50-64	330	9.1	48	2	3	8	11	16	21	38
65+	103	11.3	122	3	3	8	13	19	32	69
GRAND TOTAL	**15738**	**5.7**	**13**	**1**	**2**	**5**	**7**	**10**	**12**	**18**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	2	1	2	3	4	5	6	6
20-34	82	3.4	6	1	1	3	4	6	7	14
35-49	14	4.5	7	1	2	4	7	8	10	10
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	61	3.1	4	<1	1	2	4	6	7	9
20-34	1652	4.6	8	<1	1	5	6	8	9	13
35-49	623	6.1	7	2	2	6	7	8	10	14
50-64	48	6.1	8	1	2	6	8	9	11	16
65+	3	7.3	26	3	3	6	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.5	3	1	1	4	4	6	7	7
20-34	86	4.6	14	1	1	3	7	9	12	18
35-49	36	4.4	14	<1	1	3	6	10	11	18
50-64	4	9.8	58	2	2	8	15	20	20	20
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	77	4.2	9	<1	1	4	6	7	9	15
20-34	4099	5.8	11	1	1	6	7	9	11	16
35-49	3169	7.2	9	2	5	7	8	10	12	17
50-64	363	7.9	14	4	5	7	9	11	13	21
65+	36	9.3	16	3	5	8	11	16	16	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	3.6	6	1	1	3	5	5	7	13
B. *Operated*	2387	5.0	8	1	1	5	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	144	4.6	14	1	1	3	6	9	12	20
B. *Operated*	7744	6.5	11	1	2	6	8	9	11	17
1. SINGLE DX	2498	4.9	8	1	1	5	7	8	9	13
2. MULTIPLE DX	7888	6.4	11	1	2	6	8	9	11	17
A. NOT OPERATED	255	4.1	11	1	1	3	5	8	11	18
B. OPERATED	10131	6.1	10	1	2	6	8	9	11	17
TOTAL 0-19 YRS	169	3.7	6	1	1	3	6	7	8	9
20-34	5919	5.4	10	1	1	6	7	9	10	15
35-49	3842	7.0	9	2	4	7	8	10	11	17
50-64	416	7.7	14	2	5	7	9	11	13	21
65+	40	9.1	17	3	4	8	11	16	16	19
GRAND TOTAL	**10386**	**6.1**	**10**	**1**	**2**	**6**	**8**	**9**	**11**	**17**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	9	3.0	2	1	1	3	4	5	5	5
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.1	1	1	1	2	3	3	4	4
20-34	271	3.1	4	1	1	2	4	6	8	10
35-49	142	3.5	5	1	1	2	5	7	8	9
50-64	52	2.9	4	1	2	2	3	5	7	11
65+	17	2.6	1	2	2	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0/19 YRS	7	4.7	10	1	1	5	7	9	9	9
20-34	25	4.1	7	1	1	3	5	7	9	13
35-49	7	5.1	6	2	2	4	6	9	10	10
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	5	7.4	3	5	5	7	8	10	10	10
B. *Operated*										
0-19 YRS	34	2.9	4	1	1	2	3	7	8	8
20-34	997	4.9	10	1	2	5	7	8	10	14
35-49	836	5.6	10	1	2	6	8	9	11	14
50-64	215	5.5	14	1	2	5	8	10	13	16
65+	99	6.7	21	2	2	6	9	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.7	1	1	1	3	4	4	5	5
B. *Operated*	498	3.1	4	1	1	2	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	47	4.7	7	1	1	4	6	8	10	13
B. *Operated*	2181	5.3	11	1	2	5	7	9	11	15
1. SINGLE DX	512	3.1	4	1	1	2	4	6	8	10
2. MULTIPLE DX	2228	5.3	11	1	2	5	7	9	11	15
A. NOT OPERATED	61	4.2	7	1	1	4	6	8	9	13
B. OPERATED	2679	4.9	10	1	2	4	7	9	11	14
TOTAL 0-19 YRS	60	2.9	4	1	1	2	3	6	8	9
20-34	1302	4.5	9	1	2	4	6	8	9	13
35-49	987	5.3	9	1	2	5	7	9	11	14
50-64	270	5.0	13	1	2	3	7	10	12	15
65+	121	6.1	19	2	2	5	8	11	14	22
GRAND TOTAL	**2740**	**4.9**	**10**	**1**	**2**	**4**	**7**	**9**	**11**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.3	3	1	1	3	4	5	7	9
20-34	216	3.8	6	1	1	3	5	7	8	12
35-49	31	4.7	7	2	2	4	5	8	10	14
50-64	8	5.9	11	1	1	6	8	10	10	10
65+	10	4.3	5	1	1	4	6	7	8	8
B. *Operated*										
0-19 YRS	160	2.4	2	1	1	2	3	4	5	7
20-34	925	2.5	3	<1	1	2	3	5	6	8
35-49	366	2.5	2	<1	1	2	3	4	5	8
50-64	111	2.7	5	1	1	2	3	4	6	14
65+	30	3.1	2	2	2	3	4	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	4.4	4	2	2	4	5	7	8	10
20-34	215	4.7	6	1	2	4	6	8	10	14
35-49	69	5.6	16	1	1	5	7	10	12	23
50-64	35	7.5	18	3	3	7	9	14	16	20
65+	41	8.5	25	2	3	7	12	16	18	20
B. *Operated*										
0-19 YRS	98	3.6	9	1	1	3	4	7	9	18
20-34	573	4.1	9	1	1	3	6	8	9	13
35-49	297	5.2	22	1	1	4	7	10	13	23
50-64	108	6.2	59	1	2	4	8	13	17	82
65+	60	7.8	37	2	2	7	10	14	22	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	3.8	5	1	1	3	5	7	8	11
B. *Operated*	1592	2.5	3	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	433	5.4	12	2	2	4	6	9	13	18
B. *Operated*	1136	4.7	19	1	1	3	6	9	11	21
1. SINGLE DX	1954	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	1569	4.9	17	1	2	4	6	9	12	20
A. NOT OPERATED	795	4.7	9	1	2	4	6	8	10	16
B. OPERATED	2728	3.4	11	1	1	2	4	7	9	16
TOTAL 0-19 YRS	428	3.2	5	1	1	3	4	6	7	10
20-34	1929	3.3	6	1	1	3	4	6	8	12
35-49	763	3.9	13	1	1	3	5	8	10	17
50-64	262	4.9	32	1	1	3	6	10	14	24
65+	141	6.8	28	2	2	5	9	14	17	42
GRAND TOTAL	3523	3.7	11	1	1	3	5	7	9	16

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	4.1	7	<1	<1	4	6	8	8	8
35-49	13	2.3	5	<1	<1	1	2	7	7	7
50-64	14	3.7	7	<1	1	3	7	8	8	8
65+	11	6.1	17	2	2	5	7	13	14	14
B. *Operated*										
0-19 YRS	12	4.8	15	<1	1	4	7	11	12	12
20-34	706	6.0	4	3	4	6	7	8	10	12
35-49	878	6.9	6	3	4	7	8	10	11	15
50-64	946	7.7	7	4	5	7	9	11	13	16
65+	723	8.1	10	4	5	8	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	35	3.2	9	<1	1	2	4	7	10	13
35-49	45	4.2	8	<1	1	4	6	8	10	11
50-64	75	5.0	18	1	1	4	7	10	12	24
65+	93	6.2	27	1	2	5	8	13	16	28
B. *Operated*										
0-19 YRS	15	8.8	40	2	3	6	12	16	23	25
20-34	2207	6.8	7	4	5	6	8	10	11	17
35-49	3268	7.8	11	4	5	7	9	11	13	20
50-64	2367	8.8	13	5	5	8	10	13	16	22
65+	1838	10.0	26	5	6	9	11	15	19	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.0	10	<1	<1	3	7	8	9	14
B. *Operated*	3265	7.2	8	4	4	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	248	5.0	19	1	1	4	7	10	13	26
B. *Operated*	9695	8.2	15	4	5	7	9	12	15	23
1. SINGLE DX	3311	7.2	8	4	4	7	8	10	12	17
2. MULTIPLE DX	9943	8.2	15	4	5	7	9	12	15	23
A. NOT OPERATED	294	4.9	18	1	1	4	7	10	13	24
B. OPERATED	12960	8.0	13	4	5	7	9	12	14	21
TOTAL 0-19 YRS	27	7.0	32	1	1	5	11	14	17	25
20-34	2956	6.6	7	4	4	6	7	9	11	15
35-49	4204	7.6	11	4	5	7	9	11	13	19
50-64	3402	8.4	12	4	5	8	10	12	15	21
65+	2665	9.4	23	4	5	8	11	14	18	26
GRAND TOTAL	13254	7.9	14	4	5	7	9	12	14	21

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	4.0	24	1	1	2	6	13	14	14
35-49	4	1.8	2	<1	<1	1	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.1	1	1	1	2	3	3	4	4
20-34	194	2.0	2	<1	1	2	2	3	5	7
35-49	172	2.1	2	<1	<1	2	2	3	5	9
50-64	17	1.8		1	1	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	6	1	1	2	4	7	8	8
20-34	16	2.7	3	<1	1	2	4	5	6	6
35-49	9	3.1	3	<1	<1	3	4	6	6	6
50-64	3	1.7		1	1	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	19	3.3	5	1	2	2	3	8	9	9
20-34	327	3.7	9	<1	1	2	6	8	9	13
35-49	337	3.8	8	<1	1	2	6	8	9	10
50-64	36	3.7	10	<1	1	2	5	9	10	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.2	15	<1	<1	2	3	9	13	14
B. *Operated*	399	2.0	2	<1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	35	2.8	3	<1	1	2	4	5	6	8
B. *Operated*	719	3.7	8	<1	1	2	6	8	9	12
1. SINGLE DX	411	2.1	2	<1	1	2	2	3	5	8
2. MULTIPLE DX	754	3.7	8	<1	1	2	6	8	9	12
A. NOT OPERATED	47	2.9	6	<1	1	2	4	6	7	14
B. OPERATED	1118	3.1	7	<1	1	2	4	7	8	11
TOTAL 0-19 YRS	43	2.8	4	1	1	2	3	5	8	9
20-34	544	3.1	7	<1	1	2	4	7	8	12
35-49	522	3.2	6	<1	1	2	5	7	8	10
50-64	56	3.0	7	1	1	2	3	8	10	12
65+										
GRAND TOTAL	**1165**	**3.1**	**6**	**<1**	**1**	**2**	**4**	**7**	**8**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	2.2	2	1	1	2	3	4	5	7
20-34	266	2.2	2	<1	1	2	3	4	5	7
35-49	87	2.2	2	<1	<1	2	3	4	5	9
50-64	6	1.5		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	502	2.0	1	<1	1	2	2	3	4	6
20-34	5159	2.4	4	<1	1	2	2	5	6	9
35-49	3842	2.4	4	<1	<1	2	2	6	7	9
50-64	455	2.1	3	<1	<1	2	2	3	6	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	3.1	4	1	1	3	4	6	7	11
20-34	387	3.2	5	1	1	3	4	6	8	11
35-49	223	3.5	15	<1	1	2	5	8	9	20
50-64	20	3.0	7	<1	<1	2	4	7	9	11
65+										
B. *Operated*										
0-19 YRS	417	3.0	5	1	1	2	4	6	8	10
20-34	7271	4.3	9	1	1	3	6	8	9	13
35-49	7914	4.9	11	1	1	5	7	9	10	15
50-64	790	4.9	18	1	1	3	7	9	11	20
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	467	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	9958	2.3	4	<1	<1	2	2	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	748	3.3	8	1	1	3	4	6	8	13
B. *Operated*	16392	4.6	11	1	1	4	7	8	10	14
1. SINGLE DX	10425	2.3	4	<1	<1	2	2	5	6	9
2. MULTIPLE DX	17140	4.5	11	1	1	4	7	8	10	14
A. NOT OPERATED	1215	2.8	6	<1	1	2	4	6	7	11
B. OPERATED	26350	3.7	9	<1	1	2	6	8	9	13
TOTAL 0-19 YRS	1145	2.5	3	1	1	2	3	5	6	9
20-34	13083	3.5	8	<1	1	2	5	7	8	12
35-49	12066	4.1	10	<1	1	2	6	8	9	14
50-64	1271	3.8	14	<1	1	2	6	8	10	14
65+										
GRAND TOTAL	**27565**	**3.7**	**9**	**<1**	**1**	**2**	**6**	**8**	**9**	**13**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	15	2.9	3	<1	1	3	4	5	6	6
50-64	18	2.0	1	<1	1	2	2	4	5	5
65+	12	4.3	24	<1	1	2	6	10	17	18
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	2.2	1	1	1	2	2	4	5	5
35-49	398	1.9	1	<1	1	2	2	2	3	8
50-64	1364	2.1	3	<1	1	2	2	3	4	9
65+	401	2.4	3	1	1	2	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	3.8	4	2	2	3	4	7	8	8
35-49	52	4.3	6	2	2	4	6	8	10	10
50-64	65	4.3	8	1	1	4	5	8	10	13
65+	59	5.4	18	1	2	4	7	11	13	24
B. *Operated*										
0-19 YRS										
20-34	8	5.9	10	2	2	6	7	11	12	12
35-49	384	3.3	12	<1	1	2	4	7	9	12
50-64	1684	3.8	12	1	1	2	5	8	10	16
65+	667	4.6	17	1	2	3	6	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.9	8	<1	1	2	4	6	7	18
B. *Operated*	2173	2.1	3	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	185	4.6	11	1	2	4	6	9	10	14
B. *Operated*	2743	3.9	13	1	1	2	5	9	11	17
1. SINGLE DX	2220	2.1	3	<1	1	2	2	3	4	9
2. MULTIPLE DX	2928	4.0	13	1	1	2	5	9	11	17
A. NOT OPERATED	232	4.3	10	1	1	3	6	8	10	15
B. OPERATED	4916	3.1	9	1	1	2	3	7	9	15
TOTAL 0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	27	3.9	6	1	2	3	5	7	9	12
35-49	849	2.7	7	<1	1	2	3	6	8	11
50-64	3131	3.1	9	<1	1	2	3	7	9	14
65+	1139	3.9	13	1	2	2	4	9	11	17
GRAND TOTAL	**5148**	**3.2**	**10**	**1**	**1**	**2**	**3**	**7**	**9**	**15**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.7	12	<1	1	2	3	4	7	23
20-34	164	2.3	3	<1	<1	2	3	5	5	8
35-49	49	3.8	21	1	1	3	4	7	9	31
50-64	18	4.0	9	<1	1	3	6	8	10	12
65+	12	3.8	13	<1	<1	2	6	9	12	13
B. *Operated*										
0-19 YRS	219	2.9	4	1	1	2	4	5	6	10
20-34	2503	3.2	5	1	1	2	4	6	7	11
35-49	1323	3.6	10	<1	1	2	5	8	9	15
50-64	772	3.2	8	1	1	2	3	7	9	13
65+	295	3.7	12	1	1	2	4	8	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	3.0	4	<1	<1	2	4	6	7	11
20-34	179	3.1	6	<1	1	2	5	6	8	11
35-49	90	4.6	26	1	1	3	6	10	12	30
50-64	49	5.6	24	1	1	4	8	13	16	19
65+	77	7.6	86	1	1	5	8	16	20	61
B. *Operated*										
0-19 YRS	206	4.4	31	1	1	3	5	8	9	17
20-34	2977	4.7	9	1	1	5	6	8	10	14
35-49	2843	5.6	14	1	2	6	7	9	11	17
50-64	1489	5.4	21	1	2	4	8	10	12	22
65+	658	7.4	54	2	2	5	9	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	2.8	9	<1	1	2	3	6	7	13
B. *Operated*	5112	3.3	7	1	1	2	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	448	4.4	28	<1	1	3	6	9	12	20
B. *Operated*	8173	5.3	18	1	2	5	7	9	12	20
1. SINGLE DX	5412	3.3	7	1	1	2	4	7	8	13
2. MULTIPLE DX	8621	5.3	18	1	2	5	7	9	12	20
A. NOT OPERATED	748	3.8	21	<1	1	2	5	8	11	20
B. OPERATED	13285	4.6	15	1	1	3	6	9	10	18
TOTAL 0-19 YRS	535	3.4	16	1	1	2	4	7	8	13
20-34	5823	3.9	8	1	1	3	6	7	9	13
35-49	4305	4.9	14	1	1	5	7	9	11	17
50-64	2328	4.7	18	1	1	3	7	9	12	21
65+	1042	6.3	47	1	2	4	8	13	18	33
GRAND TOTAL	**14033**	**4.5**	**15**	**1**	**1**	**3**	**6**	**8**	**10**	**18**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	2.2	2	1	1	2	3	4	5	7
20-34	414	2.5	3	<1	1	2	3	5	6	8
35-49	75	3.3	6	<1	1	3	4	7	8	13
50-64	27	4.0	8	1	1	3	6	8	9	12
65+	16	4.0	8	<1	2	3	4	9	11	11
B. *Operated*										
0-19 YRS	185	3.0	6	<1	1	2	4	6	7	13
20-34	1829	3.4	7	<1	1	2	5	7	8	11
35-49	719	6.5	12	1	2	7	9	10	12	16
50-64	443	8.4	12	2	4	8	10	12	14	20
65+	217	9.4	17	2	4	9	12	14	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	2.7	3	1	1	2	4	5	6	9
20-34	448	3.2	8	<1	1	3	4	6	7	13
35-49	128	3.8	8	<1	1	3	5	7	9	15
50-64	46	4.7	24	1	1	4	6	9	10	32
65+	38	6.0	27	1	2	4	7	12	18	25
B. *Operated*										
0-19 YRS	237	3.5	8	<1	1	2	5	7	9	12
20-34	4848	5.0	10	<1	1	5	7	8	10	14
35-49	2184	7.1	13	2	2	7	8	11	13	19
50-64	661	9.3	21	2	4	9	11	14	18	27
65+	331	10.4	34	2	3	9	13	17	22	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	751	2.6	4	<1	1	2	3	5	6	10
B. *Operated*	3393	5.1	14	<1	1	5	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	812	3.4	9	<1	1	3	4	7	8	14
B. *Operated*	8261	6.1	15	1	2	6	8	10	12	20
1. SINGLE DX	4144	4.6	13	<1	1	3	7	9	11	15
2. MULTIPLE DX	9073	5.8	15	1	1	6	8	10	12	19
A. NOT OPERATED	1563	3.0	7	<1	1	2	4	6	7	12
B. OPERATED	11654	5.8	15	1	1	6	8	10	12	18
TOTAL 0-19 YRS	793	2.9	5	<1	1	2	4	6	7	11
20-34	7539	4.3	9	<1	1	4	6	8	9	13
35-49	3106	6.7	13	1	2	7	8	10	13	18
50-64	1177	8.6	18	2	3	8	10	13	16	25
65+	602	9.6	29	2	3	9	12	16	19	26
GRAND TOTAL	**13217**	**5.4**	**15**	**1**	**1**	**5**	**8**	**10**	**12**	**18**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	28	2.5	4	<1	<1	1	4	6	7	7
35-49	2	10.5	181	1	1	10	20	20	20	20
50-64										
65+										
B. *Operated*										
0-19 YRS	108	5.4	3	3	4	5	6	7	9	10
20-34	1510	5.4	3	3	4	5	6	7	8	12
35-49	135	5.8	3	4	4	5	7	8	9	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	2	<1	<1	1	2	4	4	4
20-34	9	2.1	2	<1	<1	2	3	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	81	5.6	3	3	4	5	7	8	9	11
20-34	1147	5.9	5	4	4	6	7	8	9	14
35-49	165	6.2	6	4	4	6	7	9	10	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.0	13	<1	<1	1	4	6	7	20
B. *Operated*	1753	5.4	3	3	4	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	14	2.0	2	<1	<1	2	2	4	5	5
B. *Operated*	1393	5.9	5	4	4	6	7	8	9	14
1. SINGLE DX	1785	5.3	3	3	4	5	6	7	8	12
2. MULTIPLE DX	1407	5.9	5	3	4	6	7	8	9	14
A. NOT OPERATED	46	2.7	10	<1	<1	1	4	6	7	20
B. OPERATED	3146	5.6	4	3	4	5	6	8	9	12
TOTAL 0-19 YRS	196	5.4	3	2	4	5	6	8	9	10
20-34	2694	5.5	4	3	4	5	6	8	9	12
35-49	302	6.0	5	4	4	6	7	9	10	16
50-64										
65+										
GRAND TOTAL	**3192**	**5.6**	**4**	**3**	**4**	**5**	**6**	**8**	**9**	**13**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.1	1	1	1	2	2	4	5	5
20-34	36	1.9	2	<1	<1	2	2	4	5	7
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	706	1.8	1	<1	<1	2	2	3	4	6
20-34	1390	1.8	1	<1	<1	2	2	3	4	6
35-49	146	1.8	1	<1	<1	2	2	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	4	1	1	2	4	6	7	7
20-34	25	2.7	8	<1	<1	2	3	9	10	10
35-49	7	2.7	6	<1	<1	2	3	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	558	2.1	3	<1	<1	2	2	3	5	11
20-34	1651	2.4	5	<1	<1	2	3	5	6	13
35-49	427	2.7	6	<1	<1	2	3	6	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.0	2	<1	1	2	2	4	5	7
B. *Operated*	2242	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	42	2.7	6	<1	<1	2	3	7	9	10
B. *Operated*	2636	2.4	5	<1	<1	2	3	5	6	12
1. SINGLE DX	2299	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	2678	2.4	5	<1	<1	2	3	5	6	12
A. NOT OPERATED	99	2.3	4	<1	1	2	3	4	7	10
B. OPERATED	4878	2.1	3	<1	<1	2	2	4	5	9
TOTAL 0-19 YRS	1293	2.0	2	<1	<1	2	2	3	4	7
20-34	3102	2.1	3	<1	<1	2	2	4	5	9
35-49	582	2.5	5	<1	<1	2	3	6	7	11
50-64										
65+										
GRAND TOTAL	4977	2.1	3	<1	<1	2	2	4	5	9

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*	4	2.3	4	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	3.0	3	1	1	4	4	4	4	4
1. SINGLE DX	6	3.0	4	1	1	3	5	5	5	5
2. MULTIPLE DX	3	3.0	3	1	1	4	4	4	4	4
A. NOT OPERATED	2	4.5	1	4	4	4	5	5	5	5
B. OPERATED	7	2.6	3	1	1	2	4	5	5	5
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	3.4	3	1	1	4	5	5	5	5
35-49	3	3.0	3	1	1	4	4	4	4	4
50-64										
65+										
GRAND TOTAL	9	3.0	3	1	1	4	4	5	5	5

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	344	1.8	1	<1	1	2	2	3	3	6
20-34	914	1.7	1	<1	1	1	2	3	4	6
35-49	58	1.8	1	<1	1	1	2	3	4	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2090	1.6	1	<1	1	1	2	3	4	6
20-34	9663	1.5	2	<1	<1	1	2	3	3	6
35-49	1021	1.5	1	<1	<1	1	2	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.5	3	1	1	2	3	5	5	6
20-34	181	2.5	4	1	1	2	3	4	6	11
35-49	26	3.1	3	1	1	2	4	6	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	350	2.5	4	1	1	2	3	5	6	10
20-34	1665	2.5	4	<1	1	2	3	5	7	11
35-49	310	2.5	6	<1	1	2	3	5	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1316	1.7	1	<1	1	1	2	3	4	6
B. *Operated*	12774	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	261	2.5	4	1	1	2	3	5	6	11
B. *Operated*	2325	2.5	5	<1	1	2	3	5	7	10
1. SINGLE DX	14090	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	2586	2.5	5	<1	1	2	3	5	6	10
A. NOT OPERATED	1577	1.8	2	<1	1	1	2	3	4	7
B. OPERATED	15099	1.7	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	2838	1.8	2	<1	1	1	2	3	4	8
20-34	12423	1.7	2	<1	<1	1	2	3	4	7
35-49	1415	1.8	2	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**16676**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.9	4	<1	1	2	4	5	8	11
20-34	172	2.7	5	<1	1	2	3	5	6	12
35-49	17	3.2	6	<1	1	2	5	6	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	221	2.0	2	<1	1	2	2	4	5	8
20-34	1673	1.8	1	<1	<1	2	2	3	4	7
35-49	142	2.0	2	<1	<1	2	2	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.4	1	1	1	2	3	4	4	4
20-34	59	3.9	15	1	1	3	5	8	9	25
35-49	5	2.4	5	1	1	1	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	55	3.5	9	1	1	3	4	9	10	15
20-34	434	2.9	11	<1	<1	2	3	6	7	12
35-49	73	3.5	19	<1	<1	2	5	8	12	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	2.8	5	<1	1	2	3	5	7	11
B. *Operated*	2036	1.8	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	78	3.6	12	1	1	3	4	7	9	22
B. *Operated*	562	3.0	12	<1	1	2	4	6	8	15
1. SINGLE DX	2278	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	640	3.1	12	<1	1	2	4	6	8	15
A. NOT OPERATED	320	3.0	7	1	1	2	4	6	7	12
B. OPERATED	2598	2.1	4	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	343	2.4	4	<1	1	2	3	4	6	11
20-34	2338	2.1	4	<1	<1	2	2	4	5	9
35-49	237	2.5	8	<1	<1	2	3	5	7	13
50-64										
65+										
GRAND TOTAL	**2918**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**4**	**6**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	249	2.4	3	1	1	2	3	4	6	10
20-34	1303	2.5	3	1	1	2	3	4	6	9
35-49	81	2.8	3	1	1	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.4	2	1	1	2	4	5	5	5
20-34	26	3.0	5	<1	1	2	4	6	8	10
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.5	2	1	1	2	3	4	5	7
20-34	219	3.3	4	1	1	3	4	6	7	9
35-49	12	3.2	3	2	2	2	4	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	7	6.1	72	1	1	3	5	21	25	25
20-34	19	3.9	11	1	1	3	5	8	12	15
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1633	2.5	3	1	1	2	3	4	6	9
B. *Operated*	35	2.8	4	1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	273	3.2	4	1	1	3	4	5	7	9
B. *Operated*	30	4.3	23	1	1	3	4	8	15	25
1. SINGLE DX	1668	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX	303	3.3	6	1	1	3	4	6	7	12
A. NOT OPERATED	1906	2.6	3	1	1	2	3	4	6	9
B. OPERATED	65	3.5	13	1	1	2	4	6	9	23
TOTAL 0-19 YRS	305	2.5	4	1	1	2	3	4	6	11
20-34	1567	2.7	3	1	1	2	3	5	6	9
35-49	99	2.9	3	1	1	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	1971	2.6	3	1	1	2	3	5	6	9

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.1	1	1	1	2	3	3	4	4
20-34	61	2.8	17	1	1	2	3	5	6	29
35-49	3	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	1	1	1	2	3	3	3	3
20-34	23	3.1	6	<1	1	3	4	5	8	13
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.7	13	1	1	2	3	4	5	25
B. *Operated*	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	30	2.8	5	1	1	2	4	5	5	13
B. *Operated*	3	3.7	2	2	2	4	5	5	5	5
1. SINGLE DX	81	2.7	13	1	1	2	3	4	6	25
2. MULTIPLE DX	33	2.9	5	1	1	2	4	5	5	13
A. NOT OPERATED	109	2.7	11	1	1	2	3	4	5	21
B. OPERATED	5	4.0	8	1	1	4	6	8	8	8
TOTAL 0-19 YRS	21	2.1	1	1	1	2	3	3	4	4
20-34	89	3.0	13	1	1	2	3	5	7	25
35-49	4	2.0		2	2	2	2	2	2	2
50-64										
65+										
GRAND TOTAL	114	2.8	11	1	1	2	3	5	5	20

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	355	3.8	9	1	1	3	4	7	9	14
20-34	1355	3.8	10	1	1	3	5	7	9	17
35-49	87	4.1	13	1	2	3	5	7	9	24
50-64										
65+										
B. *Operated*										
0-19 YRS	18	4.3	4	1	2	4	6	7	8	9
20-34	84	5.4	36	<1	1	3	6	10	21	30
35-49	6	2.7	2	1	1	3	3	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	4.8	11	1	1	4	7	10	12	16
20-34	336	4.6	16	1	2	4	5	9	11	17
35-49	39	4.6	17	2	2	3	6	7	8	27
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.5	8	1	1	3	5	8	8	8
20-34	45	4.8	21	<1	1	4	6	10	15	21
35-49	7	11.0	44	2	3	13	15	20	21	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1797	3.8	10	1	1	3	5	7	9	17
B. *Operated*	108	5.0	29	1	1	3	6	9	19	30
2. MULTIPLE DX										
A. *Not Operated*	442	4.6	15	1	2	4	6	8	11	17
B. *Operated*	58	5.4	26	<1	1	4	7	14	17	21
1. SINGLE DX	1905	3.9	11	1	1	3	5	7	9	19
2. MULTIPLE DX	500	4.7	16	1	1	4	6	9	12	20
A. NOT OPERATED	2239	4.0	11	1	1	3	5	7	9	17
B. OPERATED	166	5.2	28	<1	1	4	6	10	18	29
TOTAL 0-19 YRS	446	3.9	9	1	1	3	5	7	10	14
20-34	1820	4.1	13	1	1	3	5	7	10	19
35-49	139	4.6	17	1	2	3	5	7	13	27
50-64										
65+										
GRAND TOTAL	**2405**	**4.1**	**12**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	332	3.2	2	1	2	3	4	5	6	8
20-34	1356	3.7	6	1	2	3	4	6	8	12
35-49	20	3.3	3	1	1	3	4	6	6	6
50-64										
65+										
B *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	3.3	4	1	1	3	4	7	8	9
20-34	522	4.2	11	1	2	3	5	7	10	16
35-49	11	3.9	5	1	1	4	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.8	5	2	2	3	4	8	8	8
20-34	22	7.0	17	2	3	6	8	15	15	15
35-49	1	20.0		20	20	20	20	20	20	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1708	3.6	6	1	2	3	4	6	7	12
B. *Operated*	4	4.0	22	1	1	2	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	639	4.0	10	1	1	3	5	7	9	15
B. *Operated*	29	6.8	21	2	2	6	8	15	16	20
1. SINGLE DX	1712	3.6	6	1	2	3	4	6	7	12
2. MULTIPLE DX	668	4.1	11	1	2	3	5	7	9	15
A. NOT OPERATED	2347	3.7	7	1	2	3	4	6	8	13
B. OPERATED	33	6.5	22	2	2	6	8	15	15	20
TOTAL 0-19 YRS	445	3.2	3	1	2	3	4	5	7	9
20-34	1902	3.9	8	1	2	3	5	6	8	15
35-49	33	3.9	11	1	1	4	5	6	7	20
50-64										
65+										
GRAND TOTAL	**2380**	**3.8**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1561	1.3	1	<1	<1	1	1	2	3	5
20-34	5146	1.4	2	<1	<1	1	1	2	3	6
35-49	227	1.4	3	<1	<1	1	1	2	3	9
50-64										
65+										
B. *Operated*										
0-19 YRS	69	1.7	3	<1	<1	1	1	4	6	8
20-34	253	1.5	2	<1	<1	1	1	2	4	8
35-49	9	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	1.8	2	<1	<1	1	2	4	5	6
20-34	502	2.1	6	<1	<1	1	2	4	6	15
35-49	30	2.2	9	<1	<1	1	2	4	11	14
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.2	3	<1	<1	1	4	5	6	6
20-34	52	2.4	5	<1	<1	1	3	6	7	12
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6934	1.3	2	<1	<1	1	1	2	3	6
B. *Operated*	331	1.5	2	<1	<1	1	1	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	698	2.1	5	<1	<1	1	2	4	5	13
B. *Operated*	62	2.4	5	<1	<1	1	3	5	7	11
1. SINGLE DX	7265	1.4	2	<1	<1	1	1	2	3	6
2. MULTIPLE DX	760	2.1	5	<1	<1	1	2	4	6	12
A. NOT OPERATED	7632	1.4	2	<1	<1	1	1	2	3	7
B. OPERATED	393	1.6	2	<1	<1	1	1	3	5	9
TOTAL 0-19 YRS	1806	1.4	1	<1	<1	1	1	2	3	6
20-34	5953	1.4	3	<1	<1	1	1	2	3	7
35-49	266	1.4	3	<1	<1	1	1	2	3	12
50-64										
65+										
GRAND TOTAL	**8025**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	3.5	12	1	1	3	4	7	12	19
20-34	464	3.3	9	1	1	3	4	6	7	13
35-49	28	3.6	7	1	1	3	4	7	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	21	5.6	38	1	2	4	5	10	21	30
35-49	3	8.0	37	4	4	5	12	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.0	26	1	2	4	5	7	18	23
20-34	114	4.9	34	1	1	3	5	10	14	34
35-49	12	4.4	7	1	2	4	6	8	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	11	10.1	152	2	2	5	8	31	42	43
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	550	3.3	9	1	1	3	4	6	8	14
B. *Operated*	26	5.7	35	1	2	4	5	12	18	30
2. MULTIPLE DX										
A. *Not Operated*	142	4.8	30	1	1	3	5	10	13	31
B. *Operated*	12	9.7	140	2	3	5	8	29	41	43
1. SINGLE DX	576	3.5	10	1	1	3	4	6	8	15
2. MULTIPLE DX	154	5.2	40	1	1	3	5	10	15	40
A. NOT OPERATED	692	3.7	14	1	1	3	4	7	9	20
B. OPERATED	38	6.9	69	1	2	4	7	14	27	43
TOTAL 0-19 YRS	77	3.8	14	1	1	3	5	7	12	22
20-34	610	3.8	18	1	1	3	4	7	9	25
35-49	43	4.1	9	1	1	3	5	8	12	15
50-64										
65+										
GRAND TOTAL	**730**	**3.8**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**23**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	2.3	4	<1	1	2	3	4	6	8
20-34	560	2.5	5	<1	1	2	3	4	6	11
35-49	26	2.5	2	<1	1	2	3	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.0	2	1	1	2	3	4	5	5
20-34	34	2.7	5	<1	<1	2	4	5	7	10
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.7	3	<1	1	2	3	5	8	8
20-34	104	3.1	10	<1	1	2	4	6	8	19
35-49	7	2.9	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	18	3.4	13	<1	1	2	6	8	12	14
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	735	2.4	5	<1	1	2	3	4	6	11
B. *Operated*	43	2.7	5	<1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	143	3.0	8	<1	1	2	4	6	8	18
B. *Operated*	20	3.3	12	<1	1	2	5	8	11	14
1. SINGLE DX	778	2.5	5	<1	1	2	3	4	6	11
2. MULTIPLE DX	163	3.1	9	<1	1	2	4	6	8	17
A. NOT OPERATED	878	2.5	6	<1	1	2	3	4	6	12
B. OPERATED	63	2.9	7	<1	1	2	4	6	8	13
TOTAL 0-19 YRS	191	2.3	4	<1	1	2	3	4	6	8
20-34	716	2.6	6	<1	1	2	3	5	7	14
35-49	34	2.7	3	<1	1	2	4	5	6	7
50-64										
65+										
GRAND TOTAL	**941**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**13**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	384	3.4	3	1	1	3	4	6	6	9
20-34	812	3.3	3	1	1	3	4	5	6	8
35-49	21	3.4	5	<1	1	3	4	7	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.7	3	1	2	4	5	6	7	7
20-34	36	3.5	9	1	1	3	4	7	10	14
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	334	4.1	8	1	1	4	5	7	8	15
20-34	644	3.8	6	1	1	3	5	6	8	11
35-49	15	3.9	4	1	1	4	5	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	13	4.4	9	1	1	4	5	9	11	12
20-34	43	4.9	14	1	2	4	7	10	14	15
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1217	3.3	3	1	1	3	4	6	7	9
B. *Operated*	52	3.6	7	1	1	3	5	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	993	3.9	7	1	1	3	5	6	8	13
B. *Operated*	58	4.9	12	1	1	4	7	10	13	15
1. SINGLE DX	1269	3.3	3	1	1	3	4	6	7	9
2. MULTIPLE DX	1051	3.9	7	1	1	3	5	7	8	14
A. NOT OPERATED	2210	3.6	5	1	1	3	5	6	7	10
B. OPERATED	110	4.3	10	1	1	4	5	8	11	15
TOTAL 0-19 YRS	746	3.7	5	1	1	3	5	6	7	11
20-34	1535	3.5	5	1	1	3	4	6	7	11
35-49	39	3.8	5	<1	1	3	6	7	8	9
50-64										
65+										
GRAND TOTAL	**2320**	**3.6**	**5**	**1**	**1**	**3**	**5**	**6**	**7**	**11**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	3.7	16	1	1	3	4	7	10	24
20-34	549	4.5	14	1	2	3	5	8	11	19
35-49	51	5.5	18	2	2	4	7	10	14	23
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	40	4.0	7	1	1	3	5	8	9	11
35-49	4	10.3	93	1	1	8	17	23	23	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	3.7	11	1	1	3	4	7	10	18
20-34	907	4.5	13	1	1	4	6	9	12	19
35-49	92	6.2	31	1	2	4	8	12	19	29
50-64										
65+										
B. *Operated*										
0-19 YRS	24	4.6	22	<1	1	3	6	10	15	22
20-34	90	5.4	22	1	1	4	7	10	15	25
35-49	9	3.8	6	2	2	2	5	8	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	693	4.4	15	1	1	3	5	8	11	20
B. *Operated*	48	4.5	15	1	1	3	5	9	11	23
2. MULTIPLE DX										
A. *Not Operated*	1214	4.5	14	1	1	3	6	9	12	20
B. *Operated*	123	5.1	21	1	1	3	6	10	13	24
1. SINGLE DX	741	4.4	15	1	1	3	5	8	11	20
2. MULTIPLE DX	1337	4.5	15	1	1	3	6	9	12	21
A. NOT OPERATED	1907	4.5	14	1	1	3	6	9	11	20
B. OPERATED	171	4.9	19	1	1	3	6	10	12	24
TOTAL 0-19 YRS	336	3.7	13	1	1	3	4	7	10	19
20-34	1586	4.5	14	1	1	3	6	9	11	20
35-49	156	5.9	27	1	2	4	8	11	18	26
50-64										
65+										
GRAND TOTAL	**2078**	**4.5**	**15**	**1**	**1**	**3**	**6**	**9**	**11**	**21**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	670	2.6	9	<1	<1	2	3	5	7	13
20-34	2356	2.7	11	<1	<1	2	3	5	7	15
35-49	132	3.0	9	<1	<1	2	4	6	8	15
50-64										
65+										
B. *Operated*										
0-19 YRS	121	3.4	6	<1	1	3	4	6	8	13
20-34	863	3.1	7	<1	1	3	4	5	7	11
35-49	39	2.8	3	<1	1	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	282	3.1	9	<1	1	2	4	6	8	14
20-34	1012	3.5	13	<1	1	3	4	7	10	18
35-49	46	3.5	4	<1	<1	3	5	7	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	51	4.3	10	<1	1	4	6	9	11	12
20-34	302	4.1	12	<1	1	3	5	8	11	18
35-49	38	3.5	12	<1	<1	2	4	8	10	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3158	2.7	11	<1	<1	2	3	5	7	15
B. *Operated*	1023	3.2	7	<1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	1340	3.5	12	<1	1	3	4	7	9	18
B. *Operated*	391	4.0	12	<1	1	3	5	8	11	18
1. SINGLE DX	4181	2.8	10	<1	<1	2	3	5	7	14
2. MULTIPLE DX	1731	3.6	12	<1	1	3	4	7	10	18
A. NOT OPERATED	4498	2.9	11	<1	<1	2	4	6	8	16
B. OPERATED	1414	3.4	8	<1	1	3	4	6	8	15
TOTAL 0-19 YRS	1124	2.9	9	<1	<1	2	4	6	7	13
20-34	4533	3.1	11	<1	<1	2	4	6	8	16
35-49	255	3.1	7	<1	<1	3	4	6	8	13
50-64										
65+										
GRAND TOTAL	**5912**	**3.0**	**11**	**<1**	**<1**	**2**	**4**	**6**	**8**	**16**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	2.8	1	2	2	3	3	4	4	6
20-34	449	3.1	8	2	2	3	3	4	5	10
35-49	24	3.0	1	2	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	46	5.8	89	2	3	3	5	8	14	65
20-34	234	5.0	33	2	2	4	5	7	10	27
35-49	8	4.0	4	2	2	3	5	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	3.5	11	2	2	3	3	5	7	23
20-34	401	3.7	27	1	2	3	4	5	6	37
35-49	22	5.7	25	2	2	4	8	13	18	20
50-64										
65+										
B. *Operated*										
0-19 YRS	126	5.9	46	2	2	3	6	13	19	41
20-34	869	6.1	39	2	3	4	6	11	17	45
35-49	89	6.5	43	2	3	5	6	11	25	37
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	631	3.0	6	2	2	3	3	4	5	9
B. *Operated*	288	5.1	41	2	2	4	5	7	10	32
2. MULTIPLE DX										
A. *Not Operated*	568	3.8	23	1	2	3	4	5	7	31
B. *Operated*	1084	6.1	40	2	2	4	6	11	18	41
1. SINGLE DX	919	3.7	18	2	2	3	4	5	7	15
2. MULTIPLE DX	1652	5.3	36	2	2	4	5	9	14	39
A. NOT OPERATED	1199	3.4	14	2	2	3	3	4	6	19
B. OPERATED	1372	5.9	41	2	2	4	6	10	15	41
TOTAL 0-19 YRS	475	4.1	26	2	2	3	4	6	8	31
20-34	1953	4.8	30	2	2	3	5	8	11	36
35-49	143	5.6	32	2	2	4	6	9	16	32
50-64										
65+										
GRAND TOTAL	**2571**	**4.7**	**30**	**2**	**2**	**3**	**5**	**7**	**11**	**34**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12348	2.7	1	2	2	3	3	4	4	5
20-34	48171	2.8	1	1	2	3	3	4	4	6
35-49	1811	2.9	1	1	2	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1668	2.7	1	1	2	3	3	4	4	6
20-34	7772	2.9	1	1	2	3	3	4	5	6
35-49	334	3.2	1	1	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	521	3.3	3	2	2	3	4	5	6	10
20-34	1759	3.2	4	2	2	3	4	5	6	9
35-49	98	3.2	3	2	2	3	4	5	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	293	3.3	2	2	2	3	4	5	5	8
20-34	9477	3.5	2	2	2	3	4	5	5	7
35-49	965	3.6	1	2	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62330	2.8	1	1	2	3	3	4	4	5
B. *Operated*	9774	2.9	1	1	2	3	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	2378	3.2	4	2	2	3	4	5	6	9
B. *Operated*	10735	3.5	2	2	2	3	4	5	5	7
1. SINGLE DX	72104	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX	13113	3.4	2	2	2	3	4	5	5	7
A. NOT OPERATED	64708	2.8	1	1	2	3	3	4	4	6
B. OPERATED	20509	3.2	2	2	2	3	4	4	5	7
TOTAL 0-19 YRS	14830	2.7	1	1	2	3	3	4	4	6
20-34	67179	2.9	2	2	2	3	3	4	5	6
35-49	3208	3.1	2	1	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**85217**	**2.9**	**1**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.6	8	1	1	3	5	8	9	9
20-34	46	2.9	3	1	2	3	3	4	5	11
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	21	7.0	36	3	3	5	6	14	22	29
20-34	225	7.3	71	3	3	5	7	9	22	50
35-49	26	7.3	33	3	4	6	7	13	23	28
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.7	28	2	2	3	8	15	16	16
20-34	46	4.2	8	1	2	3	5	9	9	15
35-49	5	4.4	24	<1	<1	2	6	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	37	6.8	24	2	3	6	7	13	20	25
20-34	396	7.8	58	3	3	6	7	14	23	42
35-49	58	8.0	32	3	4	6	8	16	21	33
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.9	3	1	2	3	3	5	7	11
B. *Operated*	272	7.3	65	3	3	5	7	10	22	42
2. MULTIPLE DX										
A. *Not Operated*	58	4.4	11	1	2	3	5	9	12	16
B. *Operated*	491	7.8	52	3	3	6	8	14	22	38
1. SINGLE DX	330	6.5	57	2	3	5	6	9	16	41
2. MULTIPLE DX	549	7.4	49	2	3	6	7	14	22	37
A. NOT OPERATED	116	3.7	8	1	2	3	4	7	10	15
B. OPERATED	763	7.6	57	3	3	6	7	13	22	40
TOTAL 0-19 YRS	73	6.4	26	2	2	5	7	12	17	28
20-34	713	7.1	57	2	3	5	7	11	22	41
35-49	93	7.4	32	2	3	6	8	14	21	31
50-64										
65+										
GRAND TOTAL	879	7.1	52	2	3	5	7	12	21	38

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.5	1	1	2	2	3	4	4	8
20-34	184	2.8	3	1	1	3	3	4	5	13
35-49	14	3.0	2	1	2	3	3	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	44	4.4	4	2	2	4	5	7	8	10
20-34	235	4.5	4	2	2	5	5	7	7	9
35-49	10	5.4	2	4	4	5	6	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.9	8	1	1	2	3	5	7	19
20-34	148	3.3	10	1	2	3	4	5	7	11
35-49	8	3.0	1	2	2	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	89	4.4	4	2	2	4	5	7	8	12
20-34	508	5.3	13	2	2	5	6	8	11	22
35-49	49	6.2	8	3	3	6	8	10	11	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	2.8	3	1	1	3	3	4	5	8
B. *Operated*	289	4.5	4	2	2	5	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	206	3.2	9	1	2	3	3	5	7	15
B. *Operated*	646	5.3	12	2	2	5	6	8	11	21
1. SINGLE DX	538	3.7	4	1	2	3	5	6	7	9
2. MULTIPLE DX	852	4.8	12	2	2	4	6	8	10	19
A. NOT OPERATED	455	3.0	5	1	2	3	3	4	6	11
B. OPERATED	935	5.0	10	2	2	5	6	7	10	16
TOTAL 0-19 YRS	234	3.7	5	1	2	3	5	6	8	11
20-34	1075	4.5	10	2	2	4	5	7	9	14
35-49	81	5.3	7	2	2	5	6	9	10	[illegible]
50-64										
65+										
GRAND TOTAL	1390	4.4	9	1	2	4	5	7	9	16

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	1	1	1	2	3	3	3	3
20-34	35	3.0	2	1	1	3	4	5	6	7
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	83	2.7	1	1	2	3	3	4	4	7
20-34	423	2.9	1	1	1	3	3	4	5	6
35-49	16	3.5	6	2	2	3	4	6	10	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	3.1	7	1	1	3	3	5	10	12
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	35	2.5	1	1	1	3	3	4	4	5
20-34	286	3.5	6	1	2	3	4	5	7	14
35-49	26	4.5	16	1	2	4	5	7	10	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.9	2	1	1	3	4	4	5	7
B. *Operated*	522	2.9	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	16	3.1	6	1	1	3	3	4	10	12
B. *Operated*	347	3.5	7	1	2	3	4	5	7	14
1. SINGLE DX	566	2.9	1	1	2	3	3	4	5	6
2. MULTIPLE DX	363	3.4	7	1	2	3	4	5	7	14
A. NOT OPERATED	60	2.9	3	1	1	3	4	4	6	11
B. OPERATED	869	3.1	4	1	2	3	4	4	6	10
TOTAL 0-19 YRS	125	2.6	1	1	2	3	3	4	4	6
20-34	758	3.1	3	1	2	3	4	5	6	11
35-49	46	4.0	11	1	2	3	4	7	8	22
50-64										
65+										
GRAND TOTAL	929	3.1	4	1	2	3	4	4	6	11

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.8	1	1	1	3	3	4	5	5
20-34	144	2.9	1	1	2	3	3	4	5	6
35-49	7	2.6	2	1	1	3	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	25	4.0	12	2	2	3	4	6	10	20
20-34	95	3.2	7	1	1	3	4	5	5	17
35-49	7	3.1	2	2	2	3	3	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.4	2	2	2	3	4	5	6	8
20-34	58	3.4	2	2	2	3	4	5	6	8
35-49	3	5.7	22	2	2	4	9	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	22	4.0	5	1	2	4	5	8	9	9
20-34	133	3.6	2	2	2	3	4	6	6	8
35-49	11	4.0	2	1	2	4	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	2.8	1	1	1	3	3	4	5	6
B. *Operated*	127	3.4	7	1	2	3	4	5	6	21
2. MULTIPLE DX										
A. *Not Operated*	82	3.5	2	2	2	3	4	5	6	10
B. *Operated*	166	3.7	2	2	2	3	4	6	7	8
1. SINGLE DX	328	3.0	4	1	2	3	3	4	5	7
2. MULTIPLE DX	248	3.6	2	2	2	3	4	6	6	8
A. NOT OPERATED	283	3.0	2	1	2	3	4	4	5	7
B. OPERATED	293	3.5	5	1	2	3	4	5	6	9
TOTAL 0-19 YRS	118	3.4	4	1	2	3	4	5	7	13
20-34	430	3.3	3	1	2	3	4	5	6	7
35-49	28	3.6	4	1	1	3	5	6	7	11
50-64										
65+										
GRAND TOTAL	576	3.3	3	1	2	3	4	5	6	8

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	4.7	25	2	2	3	5	7	16	26
20-34	124	3.4	1	2	2	3	4	5	6	8
35-49	3	3.3	5	2	2	2	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	14	3.5	2	2	2	3	4	5	6	7
20-34	86	5.3	52	2	3	4	5	7	9	52
35-49	7	6.1	14	2	2	6	8	12	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.5	5	1	1	3	4	6	8	11
20-34	113	5.0	77	2	2	3	5	7	10	47
35-49	7	6.6	24	3	3	4	10	14	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	96	5.3	11	2	2	5	6	9	14	17
20-34	635	5.8	20	2	3	5	6	9	12	26
35-49	49	6.6	31	2	2	6	7	13	17	29
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	3.6	5	2	2	3	4	5	6	10
B. *Operated*	107	5.1	43	2	3	4	5	7	9	48
2. MULTIPLE DX										
A. *Not Operated*	146	4.8	62	1	2	3	5	7	11	24
B. *Operated*	780	5.8	20	2	3	5	6	9	13	27
1. SINGLE DX	257	4.2	21	2	2	3	4	6	7	25
2. MULTIPLE DX	926	5.6	26	2	2	5	6	9	12	26
A. NOT OPERATED	296	4.2	33	2	2	3	4	6	8	19
B. OPERATED	887	5.7	23	2	3	5	6	9	12	28
TOTAL 0-19 YRS	159	4.8	11	2	2	4	5	8	11	17
20-34	958	5.3	28	2	3	4	6	8	11	26
35-49	66	6.4	27	2	2	5	7	13	15	29
50-64										
65+										
GRAND TOTAL	1183	5.3	26	2	2	4	6	8	11	26

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.7	1	1	2	2	3	5	6	6
20-34	242	2.9	2	1	2	3	3	4	5	7
35-49	7	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	374	4.5	2	2	3	5	5	6	7	8
20-34	2027	4.7	3	2	3	5	6	6	7	9
35-49	77	4.8	6	2	2	5	6	7	7	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.8	1	2	2	2	4	4	5	5
20-34	74	3.5	10	1	1	3	4	5	7	20
35-49	7	2.4	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	339	5.6	7	2	3	5	6	9	10	16
20-34	2284	5.3	8	3	3	5	6	7	8	15
35-49	207	5.8	10	3	3	5	7	8	10	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	2.9	1	1	2	3	3	4	5	7
B. *Operated*	2478	4.7	3	2	3	5	6	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	104	3.2	7	1	2	3	4	5	6	19
B. *Operated*	2830	5.4	8	2	3	5	6	7	9	15
1. SINGLE DX	2774	4.5	3	2	2	4	5	6	7	9
2. MULTIPLE DX	2934	5.3	8	2	3	5	6	7	9	15
A. NOT OPERATED	400	3.0	3	1	2	3	3	4	5	9
B. OPERATED	5308	5.0	6	2	3	5	6	7	8	13
TOTAL 0-19 YRS	783	4.8	5	2	2	5	6	7	8	12
20-34	4627	4.9	6	2	3	5	6	7	8	12
35-49	298	5.4	9	2	3	5	6	8	9	21
50-64										
65+										
GRAND TOTAL	5708	4.9	6	2	3	5	6	7	8	12

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.7	1	2	2	3	3	4	4	5
20-34	298	3.0	1	2	2	3	3	4	5	6
35-49	16	2.5	1	1	2	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	273	3.9	2	2	2	4	5	6	7	9
20-34	1372	4.1	8	2	2	4	5	6	7	9
35-49	62	4.6	3	2	2	5	6	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.9	1	<1	1	3	4	4	4	6
20-34	145	3.4	5	2	2	3	4	5	6	13
35-49	7	3.9	3	2	2	4	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	472	4.5	5	2	3	4	5	7	8	12
20-34	2571	4.7	4	2	3	4	6	7	8	11
35-49	217	5.4	9	3	3	5	6	8	9	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	391	2.9	1	2	2	3	3	4	5	6
B. *Operated*	1707	4.0	7	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	184	3.3	4	2	2	3	4	5	6	12
B. *Operated*	3260	4.7	5	2	3	4	6	7	8	12
1. SINGLE DX	2098	3.8	6	2	2	3	5	6	6	8
2. MULTIPLE DX	3444	4.7	5	2	3	4	6	7	8	12
A. NOT OPERATED	575	3.0	2	2	2	3	3	4	5	7
B. OPERATED	4967	4.5	6	2	3	4	5	7	8	11
TOTAL 0-19 YRS	854	4.1	4	2	2	4	5	6	7	11
20-34	4386	4.4	5	2	2	4	5	6	7	11
35-49	302	5.1	7	2	3	5	6	7	8	18
50-64										
65+										
GRAND TOTAL	5542	4.4	5	2	2	4	5	6	7	11

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	2	1	1	3	4	5	5	5
20-34	44	3.9	5	1	2	3	5	6	6	13
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	948	5.6	6	4	4	5	6	7	8	12
20-34	3484	5.4	2	4	4	5	6	7	7	9
35-49	102	5.6	2	4	4	5	6	7	8	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.9	2	2	2	5	5	5	5	5
20-34	20	4.3	3	2	2	4	6	6	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1136	6.3	6	4	4	6	7	9	11	14
20-34	4558	5.9	6	4	4	6	6	8	9	13
35-49	226	6.2	7	4	4	6	7	8	10	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.7	4	1	1	3	4	6	8	13
B. *Operated*	4534	5.4	3	4	4	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	29	4.2	3	2	2	5	5	6	6	7
B. *Operated*	5920	6.0	6	4	4	5	7	8	9	14
1. SINGLE DX	4592	5.4	3	4	4	5	6	7	8	10
2. MULTIPLE DX	5949	6.0	6	4	4	6	7	8	9	14
A. NOT OPERATED	87	3.8	4	1	2	3	5	6	7	12
B. OPERATED	10454	5.7	5	4	4	5	6	7	9	12
TOTAL 0-19 YRS	2104	5.9	6	4	4	5	7	8	10	14
20-34	8106	5.7	4	4	4	5	6	7	8	12
35-49	331	6.0	5	4	4	6	6	8	9	17
50-64										
65+										
GRAND TOTAL	10541	5.7	5	4	4	5	6	7	9	12

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	3.2	1	2	2	3	4	4	5	8
20-34	367	3.1	1	2	2	3	4	4	5	7
35-49	10	3.0	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	157	4.3	4	2	2	4	6	7	8	9
20-34	740	4.4	3	2	2	4	6	7	7	9
35-49	25	5.1	2	2	3	5	6	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	3.2	2	2	2	3	4	5	5	8
20-34	190	3.4	2	2	2	3	4	5	6	8
35-49	6	4.0	10	2	2	3	5	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	313	4.6	6	2	2	4	5	7	9	14
20-34	1517	4.7	12	2	3	4	6	7	8	13
35-49	103	5.7	13	2	3	5	7	8	9	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	488	3.1	1	2	2	3	4	4	5	7
B. *Operated*	922	4.4	3	2	2	4	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	243	3.4	2	2	2	3	4	5	6	9
B. *Operated*	1933	4.7	11	2	3	4	6	7	8	14
1. SINGLE DX	1410	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX	2176	4.6	10	2	2	4	6	7	8	13
A. NOT OPERATED	731	3.2	1	2	2	3	4	5	5	8
B. OPERATED	2855	4.6	8	2	2	4	6	7	8	12
TOTAL 0-19 YRS	628	4.1	4	2	2	4	5	6	8	13
20-34	2814	4.3	8	2	2	4	5	6	7	11
35-49	144	5.3	10	2	2	5	6	8	9	22
50-64										
65+										
GRAND TOTAL	3586	4.3	7	2	2	4	5	7	8	11

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.9	1	2	2	3	3	5	5	5
20-34	90	2.9	1	1	2	3	3	4	5	6
35-49	11	3.2		2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	60	4.6	5	2	2	4	6	7	8	13
20-34	380	4.7	3	2	3	5	6	7	8	10
35-49	25	4.6	4	2	3	4	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	2	1	2	3	4	5	7	8
20-34	58	3.9	8	1	1	3	4	7	9	18
35-49	6	3.3	2	2	2	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	102	5.7	8	2	3	5	7	9	10	18
20-34	910	5.5	10	2	3	5	6	8	9	18
35-49	78	5.9	5	3	3	6	7	9	11	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	2.9	1	1	2	3	3	4	5	6
B. *Operated*	465	4.7	3	2	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	80	3.7	6	1	2	3	4	6	8	16
B. *Operated*	1090	5.6	9	2	3	5	6	8	10	18
1. SINGLE DX	581	4.4	3	2	2	4	6	7	7	10
2. MULTIPLE DX	1170	5.5	9	2	3	5	6	8	9	18
A. NOT OPERATED	196	3.3	3	1	2	3	4	5	6	9
B. OPERATED	1555	5.3	8	2	3	5	6	8	9	15
TOTAL 0-19 YRS	193	4.9	7	2	2	5	6	8	9	16
20-34	1438	5.1	8	2	3	5	6	7	8	15
35-49	120	5.3	5	2	3	5	7	8	10	12
50-64										
65+										
GRAND TOTAL	1751	5.1	8	2	3	5	6	7	9	15

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	3	1	1	2	5	5	5	5
20-34	43	3.7	4	1	2	3	5	6	7	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	517	5.3	2	4	4	5	6	7	7	9
20-34	4968	5.6	2	4	4	6	6	7	8	9
35-49	179	5.8	1	4	4	6	6	7	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	20	5.0	7	2	2	5	6	7	11	14
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	395	5.9	5	4	4	6	6	8	9	12
20-34	6353	5.9	5	4	4	6	6	7	8	13
35-49	455	6.3	4	4	4	6	7	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.6	4	1	2	3	5	6	7	8
B. *Operated*	5664	5.6	2	4	4	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	21	4.9	7	2	2	4	6	7	11	14
B. *Operated*	7203	6.0	5	4	4	6	6	8	8	14
1. SINGLE DX	5713	5.6	2	4	4	5	6	7	8	9
2. MULTIPLE DX	7224	6.0	5	4	4	6	6	8	8	14
A. NOT OPERATED	70	4.0	5	2	2	3	5	6	7	13
B. OPERATED	12867	5.8	4	4	4	6	6	7	8	11
TOTAL 0-19 YRS	919	5.5	3	4	4	5	6	7	8	11
20-34	11384	5.8	4	4	4	6	6	7	8	11
35-49	634	6.1	4	4	4	6	7	8	9	13
50-64										
65+										
GRAND TOTAL	12937	5.8	4	4	4	6	6	7	8	11

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	268	3.2	1	2	2	3	4	4	5	6
20-34	1138	3.4	3	2	2	3	4	5	5	9
35-49	42	3.3	2	1	2	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	156	3.7	3	2	2	3	4	6	7	9
20-34	788	3.9	4	2	2	3	4	6	7	10
35-49	43	4.2	3	2	2	4	6	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	3.5	3	2	2	3	4	6	7	8
20-34	594	3.9	10	2	2	3	4	6	8	17
35-49	27	4.1	4	2	2	3	5	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	459	4.6	5	2	2	4	6	7	9	13
20-34	2477	4.7	6	2	3	4	6	7	9	13
35-49	187	4.9	5	2	3	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1448	3.3	3	2	2	3	4	5	5	9
B. *Operated*	987	3.8	4	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	783	3.8	8	2	2	3	4	6	7	16
B. *Operated*	3123	4.7	6	2	3	4	6	7	9	13
1. SINGLE DX	2435	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX	3906	4.5	7	2	2	4	5	7	8	14
A. NOT OPERATED	2231	3.5	5	2	2	3	4	5	6	10
B. OPERATED	4110	4.5	6	2	2	4	5	7	8	13
TOTAL 0-19 YRS	1045	3.9	4	2	2	3	5	6	7	11
20-34	4997	4.1	6	2	2	4	5	6	8	12
35-49	299	4.5	4	2	2	4	6	7	8	10
50-64										
65+										
GRAND TOTAL	6341	4.1	5	2	2	4	5	6	8	12

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	637	2.7	1	2	2	3	3	4	4	5
20-34	2603	2.8	1	2	2	3	3	4	4	5
35-49	105	2.9	1	2	2	3	3	4	5	5
50-64										
65+										
B. Operated										
0-19 YRS	209	3.0	1	2	2	3	3	5	6	6
20-34	1245	3.1	2	2	2	3	3	4	5	7
35-49	49	3.2	2	2	2	3	3	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	139	2.6	1	1	2	2	3	4	5	7
20-34	540	2.9	1	1	2	3	3	4	5	7
35-49	13	2.9		2	2	3	3	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	279	3.4	4	2	2	3	4	5	6	10
20-34	2183	3.4	2	2	2	3	4	5	6	8
35-49	143	3.8	4	2	2	3	4	6	7	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3345	2.7	1	2	2	3	3	4	4	5
B. *Operated*	1503	3.1	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	692	2.8	1	1	2	3	3	4	5	7
B. *Operated*	2605	3.4	3	2	2	3	4	5	6	8
1. SINGLE DX	4848	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX	3297	3.3	2	2	2	3	4	5	6	8
A. NOT OPERATED	4037	2.8	1	2	2	3	3	4	4	6
B. OPERATED	4108	3.3	2	2	2	3	4	5	6	8
TOTAL 0-19 YRS	1264	2.9	2	2	2	3	3	4	5	7
20-34	6571	3.0	2	2	2	3	3	4	5	7
35-49	310	3.4	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	8145	3.0	2	2	2	3	3	4	5	7

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	154	2.7	1	1	2	3	3	4	4	5
20-34	498	2.6	2	1	2	3	3	4	4	6
35-49	18	2.6	1	1	1	3	3	4	5	6
50-64										
65+										
B. Operated										
0-19 YRS	1304	2.7	1	2	2	3	3	4	4	6
20-34	5461	2.7	2	1	2	3	3	4	4	6
35-49	301	2.7	1	1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	2.9	2	1	2	3	3	4	6	8
20-34	118	2.8	3	1	1	2	3	4	6	10
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	524	3.1	5	2	2	3	3	4	5	8
20-34	2990	3.3	6	2	2	3	4	5	5	8
35-49	243	3.4	2	2	2	3	4	5	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	2.6	2	1	2	3	3	4	4	6
B. *Operated*	7066	2.7	2	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	164	2.8	2	1	1	3	3	4	6	8
B. *Operated*	3757	3.2	5	2	2	3	4	5	5	8
1. SINGLE DX	7736	2.7	2	1	2	3	3	4	4	6
2. MULTIPLE DX	3921	3.2	5	2	2	3	4	5	5	8
A. NOT OPERATED	834	2.7	2	1	2	3	3	4	4	7
B. OPERATED	10823	2.9	3	1	2	3	3	4	5	7
TOTAL 0-19 YRS	2024	2.8	2	2	2	3	3	4	4	6
20-34	9067	2.9	3	1	2	3	3	4	5	7
35-49	566	3.0	1	1	2	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	11657	2.9	3	1	2	3	3	4	5	7

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	2.8	1	2	2	3	3	4	4	6
20-34	311	3.0	2	2	2	3	3	4	5	7
35-49	7	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1309	3.0	4	2	2	3	3	4	4	6
20-34	4150	3.1	1	2	2	3	4	4	5	6
35-49	87	3.1	1	2	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	2.9	2	1	2	3	3	5	6	7
20-34	89	3.3	3	2	2	3	4	5	7	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	853	3.3	2	2	2	3	4	5	6	9
20-34	2668	3.5	5	2	2	3	4	5	6	8
35-49	90	3.7	1	2	2	4	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	2.9	1	2	2	3	3	4	5	6
B. *Operated*	5546	3.1	2	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	134	3.2	3	2	2	3	4	5	6	11
B. *Operated*	3611	3.5	4	2	2	3	4	5	6	8
1. SINGLE DX	5975	3.1	2	2	2	3	3	4	5	6
2. MULTIPLE DX	3745	3.5	4	2	2	3	4	5	6	8
A. NOT OPERATED	563	3.0	2	2	2	3	3	4	5	7
B. OPERATED	9157	3.2	3	2	2	3	4	4	5	7
TOTAL 0-19 YRS	2317	3.1	3	2	2	3	3	4	5	7
20-34	7218	3.3	3	2	2	3	4	4	5	7
35-49	185	3.4	1	2	2	3	4	5	6	7
50-64										
65+										
GRAND TOTAL	9720	3.2	3	2	2	3	4	4	5	7

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.9	1	2	2	3	3	4	5	7
20-34	256	2.8	1	1	2	3	3	4	4	7
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	458	2.9	1	2	2	3	3	4	4	6
20-34	1560	3.0	2	2	2	3	3	4	5	6
35-49	57	3.0	1	1	2	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.8	3	1	2	2	3	4	6	10
20-34	79	3.3	3	2	2	3	4	5	7	11
35-49	5	2.8	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	288	3.2	1	2	2	3	4	4	6	7
20-34	1173	3.5	6	2	2	3	4	5	6	9
35-49	61	3.6	2	2	2	3	4	6	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	2.8	1	1	2	3	3	4	4	7
B. *Operated*	2075	2.9	1	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	106	3.2	3	2	2	3	3	4	6	11
B. *Operated*	1522	3.5	5	2	2	3	4	5	6	9
1. SINGLE DX	2413	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX	1628	3.4	5	2	2	3	4	5	6	9
A. NOT OPERATED	444	2.9	2	1	2	3	3	4	9	10
B. OPERATED	3597	3.2	3	2	2	3	4	4	5	7
TOTAL 0-19 YRS	847	3.0	1	2	2	3	3	4	5	7
20-34	3068	3.2	3	2	2	3	4	4	5	8
35-49	126	3.2	2	1	2	3	4	5	6	7
50-64										
65+										
GRAND TOTAL	4041	3.1	3	2	2	3	4	4	5	7

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1628	3.2	4	1	2	3	4	5	6	10
20-34	4808	3.2	4	1	2	3	4	5	6	10
35-49	215	3.1	3	1	2	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	5144	3.3	3	2	2	3	4	5	6	9
20-34	21943	3.5	3	2	2	3	4	5	6	9
35-49	800	3.6	3	2	2	3	4	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	830	3.5	8	1	2	3	4	6	8	14
20-34	2361	3.5	9	1	2	3	4	6	8	17
35-49	159	3.8	11	1	2	3	4	7	10	21
50-64										
65+										
B. *Operated*										
0-19 YRS	3371	4.6	12	2	2	4	5	8	10	18
20-34	17222	4.6	12	2	2	4	5	7	9	18
35-49	1372	5.3	21	2	3	4	6	8	12	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6651	3.2	4	1	2	3	4	5	6	10
B. *Operated*	27887	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	3350	3.5	9	1	2	3	4	6	8	16
B. *Operated*	21965	4.6	12	2	2	4	5	7	9	18
1. SINGLE DX	34538	3.4	3	2	2	3	4	5	6	9
2. MULTIPLE DX	25315	4.5	12	2	2	4	5	7	9	18
A. NOT OPERATED	10001	3.3	5	1	2	3	4	5	7	12
B. OPERATED	49852	4.0	8	2	2	3	4	6	8	14
TOTAL 0-19 YRS	10973	3.7	6	2	2	3	4	6	7	13
20-34	46334	3.9	7	2	2	3	4	6	7	13
35-49	2546	4.5	14	2	2	4	5	7	10	19
50-64										
65+										
GRAND TOTAL	59853	3.9	7	2	2	3	4	6	7	14

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	4.7	18	2	2	4	5	6	7	31
20-34	121	4.1	7	2	2	4	5	6	8	16
35-49	5	3.4	1	2	2	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.7	3	2	2	3	5	7	7	7
20-34	8	7.5	45	2	2	5	8	19	23	23
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.5	3	1	2	5	6	7	8	8
20-34	62	4.8	9	2	3	4	5	9	12	16
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	7	5.7	16	2	2	5	8	12	13	13
20-34	15	4.1	7	<1	1	3	6	7	9	10
35-49	2	19.5	113	12	12	19	27	27	27	27
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	4.3	10	2	2	4	5	6	8	20
B. *Operated*	17	5.4	26	1	2	4	6	9	18	23
2. MULTIPLE DX										
A. *Not Operated*	82	4.8	9	2	2	4	6	8	12	16
B. *Operated*	24	5.8	32	1	2	4	7	12	17	27
1. SINGLE DX	188	4.4	11	2	2	4	5	7	8	23
2. MULTIPLE DX	106	5.0	14	2	2	4	6	9	12	21
A. NOT OPERATED	253	4.5	9	2	2	4	5	7	9	16
B. OPERATED	41	5.7	29	1	2	4	7	11	17	27
TOTAL 0-19 YRS	78	4.7	13	2	2	4	5	7	8	26
20-34	206	4.5	9	2	2	4	5	8	10	19
35-49	10	7.5	63	1	1	4	12	20	27	27
50-64										
65+										
GRAND TOTAL	294	4.6	12	2	2	4	5	7	10	23

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.5	1	<1	<1	1	2	2	3	4
20-34	86	1.7	1	<1	1	2	2	3	3	4
35-49	6	3.0	1	2	2	3	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	55	1.7	1	<1	1	2	2	3	4	4
20-34	343	1.9	2	<1	<1	2	2	3	5	8
35-49	16	1.6	1	1	1	1	2	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.1	4	1	1	3	4	6	7	7
20-34	54	2.7	3	<1	1	2	3	4	6	11
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	29	4.2	57	1	1	2	4	7	12	42
20-34	170	2.9	6	1	1	2	3	6	9	12
35-49	15	4.1	7	1	1	3	7	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	1.7	1	<1	1	2	2	3	3	5
B. *Operated*	414	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	65	2.7	3	<1	1	2	3	5	6	11
B. *Operated*	214	3.2	13	1	1	2	4	6	9	13
1. SINGLE DX	528	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	279	3.1	11	1	1	2	3	6	9	12
A. NOT OPERATED	179	2.1	2	<1	1	2	3	3	4	8
B. OPERATED	628	2.3	6	<1	1	2	3	4	6	11
TOTAL 0-19 YRS	114	2.4	16	1	1	2	2	4	5	21
20-34	653	2.2	3	<1	1	2	3	4	6	11
35-49	40	2.8	4	1	1	2	3	6	8	8
50-64										
65+										
GRAND TOTAL	**807**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.5	7	<1	1	3	4	8	9	10
20-34	101	5.2	71	1	1	3	6	10	14	50
35-49	5	4.0	4	2	2	3	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	29	3.1	4	1	1	3	4	6	9	9
20-34	119	3.8	11	1	1	3	4	8	10	21
35-49	4	6.8	31	<1	<1	7	11	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.6	8	1	2	4	7	9	10	10
20-34	52	4.1	7	1	1	4	5	8	11	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	16	4.6	28	<1	2	3	5	8	18	23
20-34	80	5.7	74	1	1	4	6	11	20	90
35-49	7	8.3	48	2	2	5	14	18	19	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	4.9	56	1	1	3	6	9	11	34
B. *Operated*	152	3.8	10	1	1	3	4	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	64	4.2	7	1	2	4	5	8	10	12
B. *Operated*	103	5.7	65	1	1	4	6	12	20	83
1. SINGLE DX	283	4.3	32	1	1	3	5	8	10	21
2. MULTIPLE DX	167	5.1	43	1	1	4	5	10	14	62
A. NOT OPERATED	195	4.6	40	1	1	3	5	9	11	22
B. OPERATED	255	4.5	33	1	1	3	5	9	12	28
TOTAL 0-19 YRS	81	3.7	10	1	1	3	4	8	9	19
20-34	352	4.7	42	1	1	3	5	9	11	28
35-49	17	6.4	28	1	2	4	11	14	17	19
50-64										
65+										
GRAND TOTAL	**450**	**4.6**	**36**	**1**	**1**	**3**	**5**	**9**	**11**	**23**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	735	4.4	7	2	2	4	5	7	9	14
20-34	638	4.6	8	2	2	4	6	8	10	14
35-49	471	5.4	10	2	2	5	7	9	12	17
50-64	349	6.8	20	2	3	6	8	12	16	26
65+	355	6.9	19	2	3	6	8	12	15	23
B. *Operated*										
0-19 YRS	409	4.4	12	1	1	4	5	8	10	18
20-34	484	6.0	28	1	2	4	7	11	16	28
35-49	288	7.0	36	2	2	5	9	15	20	27
50-64	209	8.2	69	2	3	6	10	15	22	38
65+	163	9.3	42	2	3	7	12	19	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	624	4.8	9	2	2	4	6	9	10	15
20-34	660	6.1	23	2	2	5	7	11	14	22
35-49	725	6.8	24	2	3	6	8	12	14	26
50-64	1124	8.5	44	3	3	7	10	15	19	37
65+	1789	10.1	57	3	4	8	12	18	23	38
B. *Operated*										
0-19 YRS	264	6.4	27	2	2	5	8	13	16	26
20-34	418	9.4	97	2	2	7	11	18	29	54
35-49	408	11.3	147	3	3	8	13	22	31	73
50-64	562	15.0	210	3	4	10	19	31	47	87
65+	574	16.4	190	4	5	12	20	32	44	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2548	5.3	12	2	2	4	6	9	12	19
B. *Operated*	1553	6.4	34	1	2	5	8	13	18	27
2. MULTIPLE DX										
A. *Not Operated*	4922	8.0	42	2	3	6	10	15	19	33
B. *Operated*	2226	12.6	162	2	3	9	16	26	37	68
1. SINGLE DX	4101	5.7	21	2	2	4	7	10	14	23
2. MULTIPLE DX	7148	9.5	84	2	3	7	11	18	25	51
A. NOT OPERATED	7470	7.1	34	2	3	6	9	13	17	29
B. OPERATED	3779	10.1	119	2	2	7	12	21	30	61
TOTAL 0-19 YRS	2032	4.8	12	1	2	4	6	8	11	18
20-34	2200	6.3	36	2	2	5	7	12	16	33
35-49	1892	7.5	53	2	3	6	9	14	19	36
50-64	2244	9.8	93	3	3	7	11	19	26	58
65+	2881	10.9	86	3	4	8	13	20	27	53
GRAND TOTAL	**11249**	**8.1**	**64**	**2**	**3**	**6**	**10**	**16**	**21**	**43**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	233	4.1	5	1	2	4	5	7	8	12
20-34	147	4.6	8	2	2	4	6	8	10	12
35-49	67	6.3	49	2	2	5	7	11	15	46
50-64	57	6.2	19	2	3	5	7	10	16	24
65+	52	7.5	33	2	2	6	10	15	18	32
B. *Operated*										
0-19 YRS	203	4.3	15	1	1	3	6	8	12	20
20-34	234	4.7	18	1	1	3	6	9	12	23
35-49	139	5.9	33	1	2	4	8	11	17	32
50-64	108	6.6	69	1	1	4	7	18	24	47
65+	85	6.2	50	1	2	4	7	12	17	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	274	4.8	11	2	2	4	6	8	10	18
20-34	188	6.1	29	2	2	5	7	11	13	31
35-49	156	7.1	34	3	3	5	8	13	21	31
50-64	209	9.3	39	3	3	8	12	16	21	33
65+	287	10.4	66	2	4	9	12	19	24	45
B. *Operated*										
0-19 YRS	111	5.9	17	1	2	5	8	12	14	19
20-34	157	7.0	47	1	2	5	9	14	19	40
35-49	168	9.1	82	2	2	6	12	18	25	45
50-64	206	12.3	125	2	3	9	16	26	33	59
65+	215	13.4	122	2	3	10	18	29	36	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	556	5.0	16	2	2	4	6	9	11	22
B. *Operated*	769	5.3	31	1	1	4	6	10	16	27
2. MULTIPLE DX										
A. *Not Operated*	1114	7.6	42	2	3	6	9	14	19	31
B. *Operated*	857	10.1	95	2	2	7	13	22	29	49
1. SINGLE DX	1325	5.2	25	1	2	4	6	9	13	25
2. MULTIPLE DX	1971	8.7	67	2	2	6	11	17	24	43
A. NOT OPERATED	1670	6.8	35	2	2	5	8	13	17	31
B. OPERATED	1626	7.8	71	1	2	5	9	17	24	46
TOTAL 0-19 YRS	821	4.6	11	1	2	4	6	8	11	17
20-34	726	5.6	26	1	2	4	7	10	13	31
35-49	530	7.3	52	2	2	5	8	14	22	38
50-64	580	9.6	78	2	3	7	12	19	26	47
65+	639	10.6	86	2	3	8	13	22	29	50
GRAND TOTAL	**3296**	**7.3**	**53**	**1**	**2**	**5**	**9**	**15**	**21**	**39**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.0	3	1	1	3	4	5	6	6
20-34	30	3.3	3	1	1	3	4	6	8	8
35-49	4	5.3	11	2	2	5	8	9	9	9
50-64	2	6.0	32	2	2	6	10	10	10	10
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	909	3.8	12	2	2	3	4	6	7	11
20-34	1690	3.9	5	2	2	3	5	6	8	12
35-49	218	4.0	7	2	2	4	5	6	7	11
50-64	68	5.4	34	2	2	4	6	9	12	40
65+	16	5.3	5	2	2	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	49	<1	<1	1	8	15	15	15
20-34	12	4.4	14	<1	1	3	6	11	12	12
35-49	6	4.5	9	2	2	4	5	10	10	10
50-64	3	9.3	162	1	1	3	19	24	24	24
65+	3	7.0	3	6	6	6	8	9	9	9
B. *Operated*										
0-19 YRS	102	5.2	11	1	2	5	7	9	12	17
20-34	284	5.2	12	2	2	5	6	9	11	18
35-49	91	5.3	17	2	2	4	6	9	12	27
50-64	37	6.8	34	2	3	5	7	15	19	30
65+	7	7.7	22	4	4	6	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	3.4	4	1	1	3	4	6	8	10
B. *Operated*	2901	3.9	8	2	2	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	28	5.3	28	<1	1	4	7	11	16	24
B. *Operated*	521	5.4	14	2	2	5	6	9	12	19
1. SINGLE DX	2962	3.9	8	2	2	3	5	6	8	12
2. MULTIPLE DX	549	5.4	15	2	2	5	6	9	12	19
A. NOT OPERATED	89	4.0	12	1	1	3	5	8	10	20
B. OPERATED	3422	4.1	9	2	2	4	5	7	8	14
TOTAL 0-19 YRS	1039	3.9	12	1	2	3	5	6	8	14
20-34	2016	4.1	6	2	2	4	5	7	8	13
35-49	319	4.4	10	2	2	4	5	7	9	17
50-64	110	6.0	36	2	2	4	6	11	18	36
65+	27	6.0	11	2	2	6	7	9	14	15
GRAND TOTAL	**3511**	**4.1**	**9**	**2**	**2**	**4**	**5**	**7**	**8**	**14**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	7	<1	<1	<1	2	7	7	7
20-34	6	2.0	2	<1	<1	1	2	5	5	5
35-49	5	2.4	1	<1	<1	3	3	3	3	3
50-64	4	2.8	8	<1	<1	1	4	7	7	7
65+	3	4.3	9	<1	<1	5	6	7	7	7
B. *Operated*										
0-19 YRS	290	1.8	1	<1	<1	2	2	3	3	8
20-34	325	2.1	2	<1	<1	2	2	4	4	7
35-49	214	2.2	2	<1	<1	2	3	4	6	8
50-64	153	2.7	6	<1	<1	2	3	5	8	12
65+	91	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9	1	1	1	2	2	4	4	4
20-34	8	4.9	8	1	2	5	6	9	10	10
35-49	6	3.2	1	2	2	3	4	4	4	4
50-64	6	3.0	4	<1	<1	3	5	5	5	5
65+	9	6.6	10	2	2	6	9	11	11	11
B. *Operated*										
0-19 YRS	42	2.2	1	1	1	2	3	3	4	7
20-34	137	3.4	5	1	1	3	4	7	8	12
35-49	148	3.7	11	1	1	3	5	7	11	20
50-64	144	4.4	16	1	1	3	6	9	13	21
65+	99	5.3	30	1	2	4	6	11	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.6	5	<1	<1	2	3	7	7	7
B. *Operated*	1073	2.1	2	<1	<1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	36	4.1	8	1	1	4	5	9	10	11
B. *Operated*	570	4.0	14	1	1	3	5	8	11	22
1. SINGLE DX	1096	2.2	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX	606	4.0	14	1	1	3	5	8	11	22
A. NOT OPERATED	59	3.5	7	<1	<1	3	5	7	9	11
B. OPERATED	1643	2.8	7	<1	1	2	3	5	8	14
TOTAL 0-19 YRS	344	1.8	1	<1	<1	2	2	3	3	8
20-34	476	2.5	3	<1	1	2	3	5	6	10
35-49	373	2.8	6	<1	1	2	3	6	7	12
50-64	307	3.5	11	<1	1	2	4	8	10	18
65+	202	4.1	19	1	1	3	5	8	11	26
GRAND TOTAL	**1702**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**8**	**14**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	421	3.8	12	1	1	3	4	7	9	21
20-34	313	5.9	36	1	2	4	6	13	20	29
35-49	270	7.8	58	1	2	5	10	19	24	36
50-64	251	9.1	86	1	2	6	12	23	30	40
65+	288	11.0	96	2	3	8	14	23	28	54
B. *Operated*										
0-19 YRS	1016	2.8	17	<1	1	2	3	5	7	18
20-34	1200	5.3	71	<1	1	3	5	10	17	46
35-49	886	6.1	94	1	1	3	6	13	24	49
50-64	856	5.3	55	1	1	3	5	12	20	40
65+	699	9.3	135	1	1	4	13	24	32	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	437	4.6	20	1	1	3	5	8	12	24
20-34	443	7.6	84	1	2	5	8	15	27	45
35-49	500	8.5	55	2	3	6	10	17	27	40
50-64	696	10.1	91	2	3	7	13	21	28	56
65+	1652	12.8	129	3	4	10	16	25	35	70
B. *Operated*										
0-19 YRS	336	5.7	75	1	1	3	5	13	24	45
20-34	794	10.9	210	1	2	5	13	30	45	91
35-49	885	10.1	169	1	2	5	11	27	41	93
50-64	1161	10.6	191	1	2	5	13	27	40	84
65+	1515	18.3	312	2	3	13	25	43	60	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1543	7.1	59	1	2	4	8	17	24	36
B. *Operated*	4657	5.5	74	1	1	3	5	12	22	44
2. MULTIPLE DX										
A. *Not Operated*	3728	10.1	102	2	2	7	13	21	29	55
B. *Operated*	4691	12.7	237	1	2	6	17	33	48	91
1. SINGLE DX	6200	5.9	71	1	1	3	6	14	22	42
2. MULTIPLE DX	8419	11.6	179	2	2	7	14	28	40	81
A. NOT OPERATED	5271	9.3	91	1	2	6	12	20	28	50
B. OPERATED	9348	9.1	169	1	1	4	10	25	37	76
TOTAL 0-19 YRS	2210	3.8	27	<1	1	2	4	7	10	28
20-34	2750	7.3	115	1	2	4	7	18	29	64
35-49	2541	8.2	112	1	2	4	9	20	31	61
50-64	2964	8.8	124	1	2	5	11	21	31	66
65+	4154	14.1	206	2	2	10	18	32	45	83
GRAND TOTAL	**14619**	**9.2**	**141**	**1**	**2**	**5**	**11**	**23**	**33**	**68**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	7.0	21	2	2	6	9	15	17	18
20-34	75	7.1	48	2	2	6	8	10	13	48
35-49	77	7.4	34	2	2	6	9	16	18	30
50-64	66	6.4	32	1	2	5	8	14	15	35
65+	35	7.7	14	2	3	8	10	12	15	16
B. *Operated*										
0-19 YRS	12	11.4	248	1	2	7	9	32	55	59
20-34	39	9.6	47	2	2	9	13	18	22	33
35-49	29	7.3	26	1	2	6	11	15	16	17
50-64	31	10.0	99	2	2	6	14	20	31	47
65+	17	8.7	48	1	2	8	11	16	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	10.0	91	2	3	7	11	20	28	52
20-34	155	9.0	89	2	2	6	10	21	30	66
35-49	208	10.4	119	2	3	7	12	19	32	64
50-64	204	9.2	74	2	3	7	11	18	21	47
65+	191	12.5	130	3	3	9	14	26	34	63
B. *Operated*										
0-19 YRS	19	17.1	223	3	5	10	28	34	50	62
20-34	80	15.1	193	3	4	13	21	29	42	95
35-49	104	14.3	125	3	4	11	19	33	40	78
50-64	115	14.6	140	3	4	11	17	31	42	60
65+	98	18.1	227	3	3	15	24	32	51	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	7.1	33	2	2	6	9	13	16	32
B. *Operated*	128	9.2	72	2	2	7	13	17	21	50
2. MULTIPLE DX										
A. *Not Operated*	795	10.3	104	2	3	7	12	19	29	58
B. *Operated*	416	15.6	171	3	4	12	21	32	42	75
1. SINGLE DX	405	7.8	46	2	2	6	10	15	18	35
2. MULTIPLE DX	1211	12.1	133	2	3	9	15	26	35	67
A. NOT OPERATED	1072	9.5	88	2	3	7	11	18	27	56
B. OPERATED	544	14.1	155	3	3	10	18	30	39	69
TOTAL 0-19 YRS	92	10.8	128	2	3	7	12	24	31	61
20-34	349	10.1	107	2	2	7	13	23	30	71
35-49	418	10.6	104	2	3	8	13	22	33	58
50-64	416	10.3	95	2	3	7	12	20	28	50
65+	341	13.4	152	3	3	10	16	28	35	61
GRAND TOTAL	**1616**	**11.0**	**115**	**2**	**3**	**8**	**14**	**23**	**32**	**59**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	5.3	13	1	2	4	7	10	13	17
20-34	82	6.8	19	2	2	6	9	11	14	25
35-49	159	7.1	26	2	3	6	8	13	17	28
50-64	300	7.9	32	2	3	6	9	15	18	30
65+	190	8.8	27	3	4	8	11	16	19	27
B. *Operated*										
0-19 YRS	24	6.1	71	1	1	3	7	12	22	42
20-34	71	9.2	105	2	2	5	12	23	38	44
35-49	177	8.8	72	2	3	6	10	18	21	39
50-64	379	11.0	70	2	3	9	16	21	25	34
65+	202	14.8	91	3	4	14	20	27	31	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	7.5	46	2	3	5	8	17	25	33
20-34	77	7.4	24	2	3	6	10	14	20	79
35-49	267	8.1	36	2	3	7	10	15	20	28
50-64	767	9.6	69	3	3	7	12	17	22	42
65+	985	10.4	63	3	4	8	13	19	24	46
B. *Operated*										
0-19 YRS	19	9.9	58	2	3	7	16	21	25	29
20-34	70	13.3	227	2	2	7	15	32	41	74
35-49	181	11.2	134	2	3	8	14	23	30	98
50-64	478	12.3	146	2	3	9	16	24	39	69
65+	385	16.3	196	3	4	12	22	36	49	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	821	7.5	27	2	3	6	10	14	17	29
B. *Operated*	853	11.2	83	2	3	9	16	22	28	41
2. MULTIPLE DX										
A. *Not Operated*	2146	9.7	61	3	3	8	12	18	22	41
B. *Operated*	1133	13.5	168	2	3	9	17	29	42	81
1. SINGLE DX	1674	9.4	59	2	3	7	12	19	24	34
2. MULTIPLE DX	3279	11.0	101	3	3	8	14	21	29	57
A. NOT OPERATED	2967	9.1	52	2	3	7	11	17	21	37
B. OPERATED	1986	12.5	133	2	3	9	17	25	33	71
TOTAL 0-19 YRS	183	6.5	36	1	2	5	8	13	18	32
20-34	300	9.0	94	2	2	6	10	20	28	60
35-49	784	8.8	67	2	3	7	11	17	22	40
50-64	1924	10.3	85	2	3	8	13	20	25	49
65+	1762	12.0	99	3	4	9	15	23	30	56
GRAND TOTAL	**4953**	**10.4**	**88**	**2**	**3**	**8**	**13**	**20**	**27**	**52**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	7.1	38	<1	1	4	11	18	18	18
20-34	21	5.0	6	2	2	5	7	9	10	10
35-49	63	5.5	35	1	1	4	7	10	11	41
50-64	189	6.1	17	1	2	5	8	11	14	23
65+	345	6.9	29	1	2	6	9	14	17	27
B. *Operated*										
0-19 YRS	19	7.4	68	2	2	4	10	23	27	27
20-34	201	5.6	36	1	2	4	7	10	18	32
35-49	383	6.5	35	1	2	4	9	14	17	27
50-64	1198	10.7	50	2	2	10	15	19	23	31
65+	1957	15.6	54	4	7	15	19	24	29	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.4	7	1	2	5	7	9	9	9
20-34	33	7.1	131	1	2	4	6	15	23	65
35-49	244	6.6	19	2	2	5	9	12	15	21
50-64	827	7.0	28	2	3	6	9	13	16	23
65+	2328	8.4	39	2	3	7	11	16	20	33
B. *Operated*										
0-19 YRS	14	6.1	30	2	2	4	7	12	20	22
20-34	153	6.0	35	1	2	4	7	14	17	34
35-49	276	8.3	48	2	2	6	11	17	24	34
50-64	945	11.6	91	2	2	10	16	23	29	50
65+	1650	17.7	120	3	5	16	22	31	38	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	629	6.5	26	1	2	5	8	13	16	25
B. *Operated*	3758	12.5	62	2	3	12	17	22	26	36
2. MULTIPLE DX										
A. *Not Operated*	3442	8.0	36	2	3	6	10	15	18	30
B. *Operated*	3038	14.3	115	2	3	13	19	28	34	51
1. SINGLE DX	4387	11.6	61	2	2	11	16	21	25	36
2. MULTIPLE DX	6480	10.9	83	2	3	8	15	22	28	46
A. NOT OPERATED	4071	7.7	35	2	3	6	10	15	18	29
B. OPERATED	6796	13.3	87	2	3	13	18	24	30	45
TOTAL 0-19 YRS	54	6.6	39	2	2	4	7	17	21	27
20-34	408	5.8	41	1	2	4	7	12	17	36
35-49	966	7.0	35	1	2	5	9	14	17	30
50-64	3159	9.7	59	2	2	8	14	19	23	35
65+	6280	13.0	82	3	3	12	17	24	30	44
GRAND TOTAL	**10867**	**11.2**	**75**	**2**	**3**	**9**	**16**	**22**	**27**	**42**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	6.5	27	1	2	5	9	14	18	23
20-34	121	6.3	19	2	2	5	8	11	14	23
35-49	93	6.2	24	1	2	5	8	11	12	30
50-64	100	6.1	18	2	2	5	8	11	15	21
65+	126	7.0	43	1	2	5	9	15	19	33
B. *Operated*										
0-19 YRS	89	10.4	66	2	3	8	15	22	25	38
20-34	229	6.2	35	2	2	4	8	12	15	31
35-49	220	6.4	44	2	2	5	8	12	16	32
50-64	219	9.4	57	2	2	7	13	19	25	37
65+	194	15.0	91	3	4	14	19	25	33	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	9.2	61	3	3	7	12	17	22	46
20-34	119	7.0	41	2	2	5	8	14	18	35
35-49	154	7.0	24	2	2	6	9	12	15	28
50-64	287	7.9	38	2	3	6	10	15	19	36
65+	535	9.0	43	2	3	7	11	17	22	33
B. *Operated*										
0-19 YRS	56	15.0	86	2	2	15	22	28	30	33
20-34	133	9.2	100	2	2	6	11	20	29	51
35-49	132	9.8	79	2	2	6	13	22	28	58
50-64	224	12.6	165	2	3	9	15	25	39	83
65+	242	18.5	186	3	5	17	23	36	50	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	563	6.4	27	1	2	5	8	13	16	28
B. *Operated*	951	9.2	67	2	2	6	13	19	24	42
2. MULTIPLE DX										
A. *Not Operated*	1174	8.3	41	2	3	7	10	16	21	33
B. *Operated*	787	13.6	153	2	3	10	19	28	38	68
1. SINGLE DX	1514	8.2	54	2	2	6	11	17	21	37
2. MULTIPLE DX	1961	10.4	93	2	3	7	13	21	28	51
A. NOT OPERATED	1737	7.7	37	2	2	6	10	15	20	31
B. OPERATED	1738	11.2	111	2	2	8	15	23	31	55
TOTAL 0-19 YRS	347	9.5	62	2	2	7	14	21	26	33
20-34	602	7.0	48	2	2	5	8	13	18	34
35-49	599	7.3	45	2	2	5	9	14	18	40
50-64	830	9.4	80	2	3	7	12	19	25	45
65+	1097	11.9	101	2	3	9	16	23	31	53
GRAND TOTAL	**3475**	**9.4**	**77**	**2**	**2**	**7**	**12**	**20**	**25**	**46**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.0	2	<1	1	2	2	3	5	7
20-34	41	1.9	2	<1	<1	1	2	4	5	6
35-49	19	3.3	14	<1	<1	2	4	9	12	15
50-64	11	3.5	10	<1	<1	3	5	9	11	11
65+	6	6.5	19	<1	<1	6	7	13	14	14
B. *Operated*										
0-19 YRS	864	3.2	3	1	2	3	4	6	6	8
20-34	1870	3.4	4	1	2	3	4	6	7	10
35-49	901	3.8	5	1	2	3	5	6	8	12
50-64	388	4.1	6	1	2	4	5	7	8	13
65+	107	5.8	42	2	2	4	6	13	17	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	2.2	3	<1	<1	1	3	5	6	6
20-34	44	3.2	7	<1	<1	3	5	8	9	11
35-49	22	6.6	131	1	1	3	6	12	35	54
50-64	16	6.5	67	1	1	4	8	10	28	35
65+	19	8.6	36	1	2	8	11	17	22	26
B. *Operated*										
0-19 YRS	455	3.7	5	1	2	3	5	6	8	13
20-34	1131	4.0	8	1	2	3	5	7	9	14
35-49	761	4.3	13	1	2	3	5	8	10	19
50-64	575	5.0	16	2	2	4	7	10	12	21
65+	231	6.0	50	2	2	4	7	11	15	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	2.6	6	<1	<1	2	3	6	7	14
B. *Operated*	4130	3.6	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	120	5.0	45	<1	1	3	6	10	14	41
B. *Operated*	3153	4.4	13	1	2	3	5	8	10	18
1. SINGLE DX	4242	3.6	5	1	2	3	4	6	7	11
2. MULTIPLE DX	3273	4.4	15	1	2	3	5	8	10	19
A. NOT OPERATED	232	3.8	28	<1	1	2	5	8	11	28
B. OPERATED	7283	3.9	9	1	2	3	5	7	9	15
TOTAL 0-19 YRS	1373	3.3	4	1	1	3	4	6	7	9
20-34	3086	3.6	5	1	2	3	5	6	8	12
35-49	1703	4.0	10	1	2	3	5	7	9	17
50-64	990	4.7	13	2	2	4	6	9	11	20
65+	363	6.1	47	2	2	4	7	12	16	42
GRAND TOTAL	**7515**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	3.8	7	1	1	3	5	7	9	13
20-34	160	3.9	10	<1	1	3	5	8	11	15
35-49	104	4.5	9	1	2	4	6	8	10	16
50-64	85	5.8	21	1	2	5	7	11	15	25
65+	122	6.6	26	1	1	6	9	13	16	25
B. *Operated*										
0-19 YRS	922	3.7	6	1	2	3	4	6	8	14
20-34	1445	4.0	8	1	2	3	5	7	8	15
35-49	529	4.3	10	1	2	3	5	8	10	18
50-64	301	6.3	44	1	2	4	7	14	20	40
65+	169	9.8	96	2	2	7	12	20	29	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	4.4	15	1	1	3	5	9	13	19
20-34	161	5.3	24	1	1	4	7	10	14	27
35-49	182	6.2	46	1	2	4	7	11	17	38
50-64	210	6.5	25	2	2	5	8	12	16	20
65+	301	8.4	42	2	2	7	11	16	20	33
B. *Operated*										
0-19 YRS	275	4.3	15	1	2	3	5	8	10	22
20-34	589	5.4	55	2	2	4	6	9	12	29
35-49	370	6.6	56	2	2	4	8	14	18	40
50-64	284	8.2	58	2	2	5	11	19	23	37
65+	209	12.7	115	2	3	11	18	26	34	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	652	4.7	14	1	1	4	6	9	12	19
B. *Operated*	3366	4.4	17	1	2	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	998	6.5	34	1	2	5	8	13	17	29
B. *Operated*	1727	6.8	63	2	2	4	8	15	21	41
1. SINGLE DX	4018	4.5	17	1	2	3	5	8	11	21
2. MULTIPLE DX	2725	6.7	52	2	2	4	8	14	19	36
A. NOT OPERATED	1650	5.8	27	1	2	4	7	12	15	25
B. OPERATED	5093	5.2	34	1	2	4	6	10	16	31
TOTAL 0-19 YRS	1522	3.9	9	1	2	3	5	7	8	16
20-34	2355	4.4	21	1	2	3	5	8	10	19
35-49	1185	5.3	31	1	2	4	6	10	15	29
50-64	880	6.9	42	2	2	5	9	15	20	35
65+	801	9.5	74	2	2	7	12	20	25	50
GRAND TOTAL	**6743**	**5.4**	**32**	**1**	**2**	**4**	**6**	**11**	**15**	**29**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	9	6.2	9	1	2	6	8	11	11	11
35-49	9	6.4	8	3	3	6	8	11	12	12
50-64	8	7.8	23	2	2	7	10	15	17	17
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	5	10.2	45	2	2	11	16	18	18	18
35-49	5	7.4	23	2	2	8	11	13	13	13
50-64	5	8.0	22	3	3	6	13	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	13	6.0	18	1	2	4	8	12	15	16
35-49	23	6.0	12	2	3	5	7	10	13	17
50-64	21	9.[illegible]	170	2	2	5	10	16	38	63
65+	23	11.6	156	3	4	10	14	23	75	99+
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	2	9.0	72	3	3	9	15	15	15	15
35-49	5	29.0	372	3	3	35	43	51	51	51
50-64	7	24.7	237	2	5	25	28	48	53	53
65+	8	14.5	55	7	7	13	21	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.8	12	2	3	6	8	12	13	17
B. *Operated*	16	8.8	26	2	2	9	13	15	17	18
2. MULTIPLE DX										
A. *Not Operated*	81	8.4	97	2	3	6	10	16	18	89
B. *Operated*	23	20.2	202	2	3	17	27	42	52	53
1. SINGLE DX	44	7.5	17	2	3	7	11	13	16	18
2. MULTIPLE DX	104	11.0	143	2	3	7	14	25	43	81
A. NOT OPERATED	109	8.0	75	2	3	6	10	15	17	79
B. OPERATED	39	15.5	160	2	3	13	20	32	46	53
TOTAL 0-19 YRS	4	9.5	12	6	6	9	12	13	13	13
20-34	29	7.0	22	1	2	5	10	15	16	18
35-49	42	9.0	102	2	3	6	9	16	37	51
50-64	41	11.5	164	2	3	7	14	26	39	63
65+	32	12.2	125	3	4	10	14	24	59	99+
GRAND TOTAL	**148**	**10.0**	**108**	**2**	**3**	**7**	**12**	**18**	**29**	**65**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	37	5.2	8	2	2	5	7	9	11	13
35-49	163	5.7	9	2	2	5	7	10	11	15
50-64	330	6.5	18	2	2	6	9	12	14	21
65+	328	6.8	19	2	3	6	9	12	14	21
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	78	7.4	30	2	2	6	9	16	18	27
35-49	407	7.8	36	2	2	7	10	13	18	25
50-64	474	8.9	46	2	2	8	11	15	20	38
65+	180	12.1	87	2	3	10	16	24	30	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	52	6.9	24	1	2	6	9	15	18	20
35-49	416	6.6	22	2	2	5	8	13	15	26
50-64	1200	7.1	27	2	3	6	9	13	16	23
65+	1884	8.2	37	3	3	7	10	15	19	33
B. *Operated*										
0-19 YRS	4	5.0	13	2	2	5	8	9	9	9
20-34	77	10.6	130	3	3	8	12	18	30	75
35-49	314	9.6	46	2	3	8	13	18	20	38
50-64	637	10.5	54	2	3	[illegible]	14	21	25	36
65+	494	13.7	109	3	4	11	18	25	35	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	860	6.4	16	2	2	5	8	12	13	21
B. *Operated*	1140	8.9	50	2	2	8	11	17	21	38
2. MULTIPLE DX										
A. *Not Operated*	3554	7.6	32	2	3	6	9	14	17	27
B. *Operated*	1526	11.4	77	2	3	9	15	21	26	50
1. SINGLE DX	2000	7.8	37	2	2	7	10	14	18	32
2. MULTIPLE DX	5080	8.8	48	2	3	7	11	16	21	35
A. NOT OPERATED	4414	7.4	29	2	3	6	9	13	17	26
B. OPERATED	2666	10.3	67	2	3	8	13	19	25	44
TOTAL 0-19 YRS	9	5.9	9	2	2	6	9	9	9	9
20-34	244	8.0	60	2	2	6	9	15	19	34
35-49	1300	7.6	32	2	2	6	9	14	18	25
50-64	2641	8.2	38	2	3	7	10	15	19	31
65+	2886	9.3	56	2	3	7	11	18	22	41
GRAND TOTAL	**7080**	**8.5**	**45**	**2**	**3**	**7**	**11**	**16**	**20**	**35**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	7.2	42	1	1	6	9	16	21	31
20-34	773	7.4	25	2	2	7	10	13	16	22
35-49	1212	7.6	23	2	2	7	10	13	16	23
50-64	804	7.8	23	2	2	7	10	14	17	25
65+	241	9.5	37	2	3	8	12	16	19	36
B. *Operated*										
0-19 YRS	114	8.9	31	2	3	8	12	17	22	26
20-34	3055	9.2	29	2	3	8	12	16	20	26
35-49	4818	9.7	31	2	3	9	12	17	20	27
50-64	2332	10.8	39	2	4	10	14	19	22	31
65+	510	12.5	45	3	5	11	16	21	25	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	9.8	78	3	3	5	15	24	30	30
20-34	260	8.4	30	2	3	7	11	15	19	26
35-49	715	8.6	39	2	3	8	11	15	18	35
50-64	822	9.1	35	2	3	8	11	16	20	29
65+	702	9.8	45	3	4	8	12	17	21	33
B. *Operated*										
0-19 YRS	23	10.6	73	1	2	8	14	27	30	31
20-34	626	11.8	59	3	4	10	15	21	25	36
35-49	1435	12.1	61	3	4	11	15	21	26	38
50-64	1233	13.7	76	3	5	12	17	24	30	43
65+	541	16.7	112	4	6	15	22	29	34	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3068	7.8	25	2	2	7	10	14	16	24
B. *Operated*	10829	9.9	34	2	3	9	13	17	21	28
2. MULTIPLE DX										
A. *Not Operated*	2508	9.1	39	2	3	8	11	16	20	31
B. *Operated*	3858	13.2	75	3	4	11	17	24	29	43
1. SINGLE DX	13897	9.4	33	2	3	8	12	17	20	28
2. MULTIPLE DX	6366	11.6	65	3	4	10	15	21	26	40
A. NOT OPERATED	5576	8.4	32	2	3	7	11	15	18	28
B. OPERATED	14687	10.7	47	2	3	9	14	19	23	34
TOTAL 0-19 YRS	184	8.8	41	2	2	7	11	17	23	31
20-34	4714	9.2	34	2	3	8	12	17	20	29
35-49	8180	9.7	38	2	3	9	12	17	20	30
50-64	5191	10.7	48	2	3	9	14	19	24	35
65+	1994	12.3	71	3	4	10	16	22	27	41
GRAND TOTAL	**20263**	**10.1**	**44**	**2**	**3**	**9**	**13**	**18**	**22**	**33**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.3	6	1	1	4	6	7	8	8
20-34	242	7.0	19	1	2	6	10	14	16	21
35-49	435	7.6	19	2	3	7	10	13	16	24
50-64	282	7.3	16	2	3	7	10	13	15	19
65+	92	8.0	21	3	3	7	10	13	16	26
B. *Operated*										
0-19 YRS	17	7.1	13	3	3	5	10	12	14	15
20-34	594	8.4	20	2	3	8	11	14	17	22
35-49	1304	9.2	30	3	4	8	11	16	19	27
50-64	708	9.8	39	3	4	9	12	16	20	30
65+	87	11.2	34	3	5	10	15	20	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.0	5	2	2	6	7	7	7	7
20-34	122	8.4	38	2	3	7	11	15	19	31
35-49	407	7.8	27	2	3	7	10	14	17	26
50-64	485	8.2	23	3	3	7	11	15	17	23
65+	411	8.6	30	2	3	7	11	16	20	28
B. *Operated*										
0-19 YRS	3	5.3	17	2	2	4	8	10	10	10
20-34	154	11.1	51	2	3	9	15	21	24	32
35-49	489	11.3	60	3	4	10	14	20	23	39
50-64	494	11.8	73	3	4	10	15	21	26	46
65+	152	14.2	126	3	5	12	17	25	28	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1061	7.4	19	2	3	7	10	13	16	22
B. *Operated*	2710	9.2	31	2	3	8	11	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	1432	8.2	28	2	3	7	10	15	18	25
B. *Operated*	1292	11.8	72	3	4	10	15	21	26	42
1. SINGLE DX	3771	8.7	28	2	3	8	11	15	18	25
2. MULTIPLE DX	2724	9.9	52	2	3	8	13	18	22	33
A. NOT OPERATED	2493	7.9	24	2	3	7	10	14	17	24
B. OPERATED	4002	10.1	46	3	4	9	13	17	21	32
TOTAL 0-19 YRS	37	5.8	10	2	2	5	7	11	12	15
20-34	1112	8.5	28	2	3	8	11	15	18	24
35-49	2635	9.1	35	2	3	8	11	16	19	28
50-64	1969	9.5	43	2	3	8	12	16	20	32
65+	742	10.0	54	3	3	9	13	19	24	31
GRAND TOTAL	**6495**	**9.2**	**38**	**2**	**3**	**8**	**12**	**16**	**20**	**29**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.1	9	2	3	6	8	11	11	11
20-34	205	7.0	23	2	2	6	9	13	15	24
35-49	246	7.6	21	2	3	7	10	13	14	20
50-64	110	6.6	11	2	3	6	9	12	13	14
65+	23	8.0	14	3	4	7	10	14	16	17
B. *Operated*										
0-19 YRS	12	5.7	14	2	2	5	7	11	14	15
20-34	231	6.7	21	2	2	6	9	13	15	22
35-49	236	7.4	30	2	2	6	10	14	19	25
50-64	77	9.6	49	2	3	8	13	17	23	36
65+	8	13.6	102	1	2	10	23	27	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.1	3	2	2	3	3	6	7	7
20-34	98	7.4	29	2	2	6	10	15	17	31
35-49	195	8.1	26	2	3	7	10	16	18	25
50-64	153	8.2	19	2	3	8	11	14	16	22
65+	99	10.1	38	3	3	8	13	18	23	32
B. *Operated*										
0-19 YRS	5	10.0	30	2	2	10	13	17	17	17
20-34	98	10.3	57	2	2	8	15	22	25	33
35-49	124	9.9	51	2	3	8	13	19	21	39
50-64	70	11.7	49	2	3	11	17	21	25	28
65+	18	12.9	115	3	4	9	17	27	39	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	598	7.2	19	2	3	6	9	13	14	20
B. *Operated*	564	7.5	31	2	2	6	10	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	553	8.3	28	2	3	7	11	15	18	28
B. *Operated*	315	10.6	56	2	3	9	15	20	25	35
1. SINGLE DX	1162	7.3	25	2	2	6	9	13	16	25
2. MULTIPLE DX	868	9.1	39	2	3	8	12	17	21	31
A. NOT OPERATED	1151	7.7	24	2	3	7	10	14	17	26
B. OPERATED	879	8.6	42	2	2	7	12	17	21	32
TOTAL 0-19 YRS	39	5.9	14	2	2	5	8	11	14	17
20-34	632	7.5	30	2	2	6	10	15	18	28
35-49	801	8.0	30	2	3	7	10	15	18	30
50-64	410	8.6	30	2	3	8	11	16	19	28
65+	148	10.3	48	3	3	8	13	19	24	32
GRAND TOTAL	**2030**	**8.1**	**32**	**2**	**3**	**7**	**10**	**15**	**19**	**29**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	81	7.0	13	2	3	7	9	11	13	21
35-49	120	7.1	21	2	2	6	10	12	13	27
50-64	120	7.4	16	2	3	7	10	12	15	20
65+	82	7.7	24	2	3	7	10	14	18	23
B. *Operated*										
0-19 YRS	3	7.0	13	4	4	6	10	11	11	11
20-34	53	7.0	29	2	2	6	10	13	18	29
35-49	65	8.5	29	2	2	8	12	16	18	23
50-64	29	10.6	99	1	3	7	14	22	34	44
65+	14	13.2	51	3	3	13	18	24	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.2	41	3	3	5	11	19	20	20
20-34	56	7.7	27	3	3	7	9	14	21	25
35-49	118	8.1	25	3	3	7	10	15	18	27
50-64	197	8.5	36	3	4	7	10	14	18	29
65+	225	9.7	34	3	4	8	12	16	23	30
B. *Operated*										
0-19 YRS	2	9.0	32	5	5	9	13	13	13	13
20-34	41	9.5	36	2	2	9	15	18	20	22
35-49	52	9.1	35	2	3	8	13	17	20	25
50-64	54	11.5	64	2	3	10	16	21	25	40
65+	53	14.2	56	5	5	13	19	22	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	7.2	18	2	3	7	9	12	15	22
B. *Operated*	164	8.8	45	2	2	8	12	17	20	33
2. MULTIPLE DX										
A. *Not Operated*	602	8.8	33	3	4	7	11	15	20	29
B. *Operated*	202	11.2	52	2	3	10	15	21	24	37
1. SINGLE DX	569	7.7	27	2	2	7	10	14	17	25
2. MULTIPLE DX	804	9.4	38	3	4	8	12	17	21	30
A. NOT OPERATED	1007	8.2	27	2	3	7	10	14	18	27
B. OPERATED	366	10.1	50	2	3	9	14	19	23	35
TOTAL 0-19 YRS	13	7.2	26	2	3	5	11	14	19	20
20-34	231	7.6	25	2	2	7	10	15	18	23
35-49	355	8.0	26	2	3	7	11	15	17	25
50-64	400	8.8	39	2	3	7	11	16	20	32
65+	374	10.0	39	3	4	9	13	19	23	30
GRAND TOTAL	**1373**	**8.7**	**34**	**2**	**3**	**7**	**11**	**16**	**20**	**29**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	4.3	11	1	1	4	6	8	10	16
20-34	1307	6.3	17	2	2	5	8	12	14	20
35-49	1790	6.7	22	2	2	6	8	12	15	24
50-64	1020	7.3	25	2	2	6	9	14	18	25
65+	477	8.1	32	2	2	7	10	15	20	26
B. *Operated*										
0-19 YRS	99	4.6	13	2	2	3	6	10	11	19
20-34	1372	6.5	27	2	2	5	9	13	16	26
35-49	1725	7.4	31	2	2	6	10	14	18	25
50-64	954	8.5	37	2	2	8	11	16	20	30
65+	279	11.6	65	2	3	10	15	22	28	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	4.0	11	1	1	3	5	7	12	19
20-34	1020	6.8	25	1	2	6	9	13	16	25
35-49	1763	7.8	26	2	3	7	10	14	18	26
50-64	1635	7.8	31	2	3	7	10	14	17	28
65+	1461	9.0	44	2	3	7	11	16	20	33
B. *Operated*										
0-19 YRS	48	7.2	26	2	2	6	11	14	18	20
20-34	887	8.4	46	2	2	7	11	17	22	35
35-49	1435	9.2	54	2	3	7	12	18	23	33
50-64	1044	10.9	70	2	3	9	15	20	25	41
65+	499	14.3	99	3	4	12	20	29	34	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4758	6.8	22	2	2	6	9	12	16	24
B. *Operated*	4429	7.6	34	2	2	6	10	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	5993	7.8	32	2	3	7	10	14	18	29
B. *Operated*	3913	10.1	65	2	3	8	13	20	25	39
1. SINGLE DX	9187	7.2	28	2	2	6	9	14	17	26
2. MULTIPLE DX	9906	8.7	46	2	3	7	11	17	21	34
A. NOT OPERATED	10751	7.4	28	2	2	6	9	14	17	26
B. OPERATED	8342	8.8	50	2	2	7	11	17	22	34
TOTAL 0-19 YRS	425	4.6	14	1	2	3	6	10	12	19
20-34	4586	6.9	28	2	2	5	9	13	17	27
35-49	6713	7.7	33	2	2	6	10	15	19	28
50-64	4653	8.5	41	2	3	7	11	16	20	31
65+	2716	10.1	59	2	3	8	13	19	25	38
GRAND TOTAL	**19093**	**8.0**	**38**	**2**	**2**	**6**	**10**	**15**	**20**	**31**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	3.7	6	1	2	3	5	7	9	12
20-34	144	4.1	6	1	2	4	5	7	9	14
35-49	177	4.8	13	1	1	4	6	9	10	19
50-64	185	5.0	10	1	2	4	7	9	11	17
65+	124	6.3	21	2	2	5	8	12	18	21
B. *Operated*										
0-19 YRS	283	2.8	5	1	1	2	3	5	5	12
20-34	820	3.2	6	1	1	3	4	5	7	12
35-49	1310	3.3	6	1	1	3	4	5	7	13
50-64	1243	3.5	8	<1	1	3	4	6	8	15
65+	366	3.9	15	<1	1	3	5	7	10	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.9	9	2	2	4	7	8	11	15
20-34	106	5.8	32	1	2	5	7	11	14	34
35-49	231	6.1	15	2	2	5	8	11	14	20
50-64	356	7.0	40	2	2	6	9	13	17	35
65+	412	8.0	32	2	3	6	10	14	18	26
B. *Operated*										
0-19 YRS	87	3.3	5	1	2	3	4	6	7	15
20-34	359	4.9	47	1	2	3	5	9	14	26
35-49	597	4.8	16	1	2	4	6	10	13	22
50-64	777	5.4	24	2	2	4	6	11	15	27
65+	342	7.5	57	2	2	5	9	17	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	778	4.8	12	1	2	4	6	9	11	18
B. *Operated*	4022	3.4	8	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	1157	7.0	31	2	2	6	9	13	16	27
B. *Operated*	2162	5.4	31	2	2	4	6	11	15	28
1. SINGLE DX	4800	3.6	8	1	1	3	4	6	9	15
2. MULTIPLE DX	3319	6.0	31	2	2	4	7	12	15	27
A. NOT OPERATED	1935	6.1	24	1	2	5	8	12	14	24
B. OPERATED	6184	4.1	17	1	2	3	5	8	11	21
TOTAL 0-19 YRS	570	3.3	6	1	1	3	4	6	8	13
20-34	1429	3.9	19	1	2	3	4	7	9	19
35-49	2315	4.1	11	1	2	3	5	8	10	18
50-64	2561	4.7	19	1	2	3	6	9	12	22
65+	1244	6.5	35	1	2	5	8	14	18	29
GRAND TOTAL	**8119**	**4.6**	**19**	**1**	**2**	**3**	**5**	**9**	**12**	**22**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	5	2.8	4	<1	<1	2	5	5	5	5
50-64	8	4.8	11	1	1	4	7	10	11	11
65+	8	3.4	11	<1	<1	2	4	9	11	11
B. *Operated*										
0-19 YRS	187	3.7	3	2	2	3	5	6	6	11
20-34	440	4.0	3	2	2	4	5	6	7	11
35-49	535	4.1	3	2	2	4	5	7	8	9
50-64	675	4.4	4	2	2	4	5	7	8	11
65+	379	4.8	7	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	6	2.8	13	1	1	1	3	9	10	10
35-49	9	3.8	20	1	1	2	4	11	15	15
50-64	13	4.5	23	<1	<1	3	6	13	15	16
65+	10	5.1	44	<1	<1	3	4	16	22	22
B. *Operated*										
0-19 YRS	115	4.1	3	2	2	4	5	6	7	10
20-34	453	4.4	5	2	2	4	5	6	8	13
35-49	655	4.7	6	2	2	4	5	7	9	15
50-64	1258	5.2	7	2	3	5	6	8	10	15
65+	830	6.2	19	2	3	5	7	10	13	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.5	8	<1	<1	3	5	8	11	11
B. *Operated*	2216	4.3	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	40	4.1	24	<1	1	2	4	11	15	22
B. *Operated*	3311	5.2	10	2	3	4	6	8	10	18
1. SINGLE DX	2241	4.2	4	2	2	4	5	7	8	11
2. MULTIPLE DX	3351	5.2	10	2	3	4	6	8	10	19
A. NOT OPERATED	65	3.8	18	<1	1	2	4	11	13	21
B. OPERATED	5527	4.8	8	2	2	4	6	8	9	15
TOTAL 0-19 YRS	305	3.9	3	2	2	4	5	6	7	10
20-34	902	4.2	4	2	2	4	5	6	8	12
35-49	1204	4.4	5	2	2	4	5	7	8	13
50-64	1954	4.9	6	2	3	4	6	8	9	13
65+	1227	5.8	15	2	3	5	7	10	13	22
GRAND TOTAL	**5592**	**4.8**	**8**	**2**	**2**	**4**	**6**	**8**	**10**	**15**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.1		<1	<1	1	1	2	2	2
20-34	26	1.5	1	<1	<1	1	2	3	4	4
35-49	12	1.3		<1	<1	1	2	2	2	2
50-64	10	2.0	3	<1	<1	1	2	5	5	5
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	822	2.0	1	<1	1	2	2	3	4	5
20-34	1553	2.1	1	<1	1	2	2	3	4	6
35-49	809	2.4	2	<1	1	2	3	4	5	8
50-64	518	2.6	2	<1	1	2	3	5	6	8
65+	177	3.4	10	1	2	2	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.9	1	<1	<1	2	3	4	4	4
20-34	8	1.8	1	1	1	2	2	3	4	4
35-49	16	3.3	7	<1	1	2	5	6	10	11
50-64	15	4.9	13	<1	<1	3	8	9	12	13
65+	14	6.1	14	3	3	5	7	14	14	14
B. *Operated*										
0-19 YRS	93	2.4	2	<1	1	2	3	4	6	7
20-34	267	2.9	4	1	1	2	3	5	6	11
35-49	306	3.5	8	1	1	3	4	7	9	14
50-64	303	4.2	14	1	2	3	5	9	12	20
65+	141	5.7	56	1	2	3	6	13	16	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	1.5	1	<1	<1	1	2	2	4	5
B. *Operated*	3879	2.3	2	<1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	64	3.8	10	<1	<1	3	5	8	12	14
B. *Operated*	1110	3.7	15	1	1	3	4	7	10	18
1. SINGLE DX	3940	2.3	2	<1	1	2	3	4	4	7
2. MULTIPLE DX	1174	3.7	15	1	1	3	4	7	10	18
A. NOT OPERATED	125	2.7	7	<1	<1	2	3	6	8	14
B. OPERATED	4989	2.6	5	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	937	2.0	1	<1	1	2	2	3	4	6
20-34	1854	2.2	2	<1	1	2	3	3	4	7
35-49	1143	2.7	4	<1	1	2	3	4	6	10
50-64	846	3.2	7	1	1	2	4	6	8	14
65+	334	4.5	31	1	2	3	5	9	14	21
GRAND TOTAL	5114	2.6	5	<1	1	2	3	4	6	12

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	14.3	109	2	4	12	21	26	34	52
20-34	51	9.7	78	1	2	8	12	20	29	43
35-49	36	8.8	65	1	2	7	10	18	23	42
50-64	32	10.9	171	1	2	6	13	22	50	55
65+	26	13.4	65	3	4	13	21	24	26	30
B. *Operated*										
0-19 YRS	89	14.3	129	3	4	11	19	28	38	57
20-34	154	13.6	129	2	3	10	17	33	37	54
35-49	114	11.7	135	2	2	7	16	30	40	51
50-64	119	15.9	181	3	3	12	21	38	43	59
65+	79	16.7	212	3	4	12	21	37	45	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	16.6	87	2	5	16	22	29	35	41
20-34	43	12.1	115	1	2	9	17	22	35	52
35-49	50	11.0	135	1	2	7	12	27	35	62
50-64	90	16.4	255	2	3	10	22	33	51	83
65+	88	15.0	106	4	5	13	19	31	39	44
B. *Operated*										
0-19 YRS	61	16.4	117	2	3	14	23	31	36	41
20-34	109	18.3	231	2	4	14	25	46	53	99+
35-49	144	19.8	238	4	6	15	28	43	57	99+
50-64	203	19.4	217	3	3	16	27	43	52	85
65+	204	20.6	234	4	6	17	27	47	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	12.0	103	2	2	9	17	23	31	53
B. *Operated*	555	14.3	155	2	3	10	18	33	41	59
2. MULTIPLE DX										
A. *Not Operated*	315	14.6	154	2	3	11	20	31	40	55
B. *Operated*	721	19.4	220	3	4	15	27	43	54	99+
1. SINGLE DX	793	13.6	140	2	3	10	18	30	40	57
2. MULTIPLE DX	1036	17.9	205	3	4	14	25	40	51	92
A. NOT OPERATED	553	13.5	134	2	3	10	19	28	37	53
B. OPERATED	1276	17.2	198	3	4	13	23	38	48	73
TOTAL 0-19 YRS	287	15.1	114	2	3	14	22	29	36	49
20-34	357	14.3	159	2	2	10	18	36	43	57
35-49	344	14.7	189	2	3	10	19	35	44	74
50-64	444	17.3	216	2	3	13	25	40	50	65
65+	397	18.1	196	3	5	15	24	38	49	74
GRAND TOTAL	1829	16.1	181	2	3	12	22	35	45	66

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	5.0	43	1	1	3	6	10	15	46
20-34	169	3.8	9	1	1	3	5	8	9	13
35-49	245	4.5	11	1	2	4	6	8	11	18
50-64	179	5.6	16	1	2	5	7	11	13	19
65+	333	8.3	37	2	3	7	11	16	19	34
B. *Operated*										
0-19 YRS	823	4.7	20	1	2	3	5	9	12	25
20-34	977	5.3	30	2	2	4	6	10	13	28
35-49	554	6.8	43	2	2	5	9	13	17	32
50-64	487	8.7	44	2	2	7	12	17	20	30
65+	370	12.8	90	2	3	12	17	24	31	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	5.7	54	<1	1	4	6	12	17	43
20-34	259	5.1	21	1	1	4	6	10	13	27
35-49	447	5.6	17	2	2	4	7	10	12	24
50-64	761	7.4	45	2	2	6	9	14	20	32
65+	2385	10.5	52	3	4	9	13	19	24	36
B. *Operated*										
0-19 YRS	233	5.4	36	2	2	4	6	10	15	29
20-34	498	6.6	48	2	2	4	8	13	20	39
35-49	391	9.9	120	2	2	6	13	20	25	70
50-64	568	12.0	111	2	3	9	16	25	33	59
65+	783	17.8	156	3	5	15	23	33	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1060	5.8	27	1	2	4	7	12	15	25
B. *Operated*	3211	6.8	45	2	2	4	8	15	19	33
2. MULTIPLE DX										
A. *Not Operated*	3923	8.9	49	2	3	7	11	18	22	34
B. *Operated*	2473	11.8	128	2	2	8	16	26	34	60
1. SINGLE DX	4271	6.6	41	1	2	4	8	14	18	32
2. MULTIPLE DX	6396	10.0	81	2	3	7	13	21	27	46
A. NOT OPERATED	4983	8.2	46	2	2	6	11	16	21	33
B. OPERATED	5684	9.0	87	2	2	6	11	20	27	46
TOTAL 0-19 YRS	1261	4.9	27	1	2	3	6	9	13	28
20-34	1903	5.5	32	1	2	4	6	10	14	31
35-49	1637	6.9	53	2	2	5	8	13	18	32
50-64	1995	8.9	66	2	2	7	11	18	24	46
65+	3871	12.0	85	3	3	10	15	23	29	46
GRAND TOTAL	**10667**	**8.6**	**68**	**2**	**2**	**6**	**11**	**18**	**24**	**41**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	7	1.7	1	<1	<1	1	2	4	4	4
35-49	5	4.4	15	<1	<1	2	8	10	10	10
50-64	2	13.0	288	<1	<1	12	25	25	25	25
65+	3	3.0	3	2	2	2	4	5	5	5
B. *Operated*										
0-19 YRS	189	4.0	6	1	1	3	5	7	10	13
20-34	175	3.8	10	1	1	3	5	8	10	18
35-49	108	3.6	6	1	1	3	5	7	8	12
50-64	95	5.3	25	<1	1	4	6	11	16	26
65+	40	8.3	49	2	2	5	13	19	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.2	80	<1	<1	2	16	20	21	21
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	9	8.2	29	1	2	7	11	16	19	19
50-64	13	7.0	13	2	3	7	9	11	14	15
65+	20	10.3	59	2	3	8	12	19	27	35
B. *Operated*										
0-19 YRS	106	4.5	7	2	2	4	6	8	9	15
20-34	158	6.0	57	2	2	4	7	12	16	30
35-49	112	6.3	44	2	2	4	8	12	15	40
50-64	134	6.9	31	2	3	6	8	12	19	57
65+	94	10.3	55	2	2	8	14	21	25	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.7	31	<1	<1	2	3	8	17	25
B. *Operated*	607	4.3	14	1	1	3	5	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	52	8.1	43	1	1	7	11	18	19	35
B. *Operated*	604	6.7	43	2	2	5	8	13	19	31
1. SINGLE DX	627	4.3	15	1	1	3	5	9	11	21
2. MULTIPLE DX	656	6.8	43	2	2	5	8	13	19	32
A. NOT OPERATED	72	6.9	43	<1	<1	5	10	17	19	33
B. OPERATED	1211	5.5	30	1	2	4	6	11	15	26
TOTAL 0-19 YRS	304	4.2	8	1	2	4	5	7	10	15
20-34	344	4.7	32	1	2	3	5	9	12	22
35-49	234	5.1	27	1	2	4	6	10	13	29
50-64	244	6.3	30	1	2	5	8	12	19	31
65+	157	9.6	54	2	2	8	14	20	24	35
GRAND TOTAL	**1283**	**5.6**	**30**	**1**	**2**	**4**	**7**	**11**	**16**	**26**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	13	3	3	5	9	12	12	12
20-34	43	6.1	13	1	2	5	8	10	12	19
35-49	76	5.8	12	1	2	5	8	10	12	18
50-64	48	6.4	15	2	2	5	9	11	12	22
65+	28	6.4	15	2	2	5	9	11	15	16
B. *Operated*										
0-19 YRS	2	11.5	61	6	6	11	17	17	17	17
20-34	42	6.1	20	1	2	5	8	13	14	21
35-49	57	6.8	26	2	2	6	10	13	16	26
50-64	28	9.0	45	2	3	7	14	15	18	33
65+	13	13.0	50	3	4	12	17	23	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	33	7.4	56	2	3	5	8	12	15	45
35-49	69	7.6	46	1	2	6	10	13	21	37
50-64	113	7.7	24	2	2	7	11	15	16	23
65+	113	9.0	50	2	3	7	12	15	21	44
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	15	10.5	69	2	2	10	13	23	30	32
35-49	50	9.2	26	2	3	8	12	18	19	23
50-64	38	9.1	33	2	3	8	13	18	25	99+
65+	33	11.0	42	2	3	10	14	18	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	6.1	13	2	2	5	8	11	12	19
B. *Operated*	142	7.7	33	2	2	6	11	15	17	28
2. MULTIPLE DX										
A. *Not Operated*	330	8.1	41	2	2	7	10	15	17	39
B. *Operated*	137	9.8	36	2	3	9	13	18	23	40
1. SINGLE DX	342	6.8	22	2	2	6	9	13	15	23
2. MULTIPLE DX	467	8.6	40	2	3	7	11	15	19	37
A. NOT OPERATED	530	7.3	31	2	2	6	9	13	16	33
B. OPERATED	279	8.7	36	2	2	7	12	16	21	32
TOTAL 0-19 YRS	10	8.0	28	2	2	6	12	16	17	17
20-34	133	6.9	33	2	2	5	9	12	15	34
35-49	252	7.2	28	2	2	6	9	13	18	27
50-64	227	7.8	27	2	2	7	11	15	17	31
65+	187	9.2	45	2	3	8	12	16	22	40
GRAND TOTAL	**809**	**7.8**	**33**	**2**	**2**	**7**	**10**	**14**	**17**	**32**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	3.4	5	1	1	3	4	6	8	11
20-34	438	4.4	11	1	1	3	6	9	11	17
35-49	451	4.8	16	1	2	4	6	9	11	19
50-64	296	5.0	14	1	2	4	6	10	13	19
65+	201	5.9	16	1	2	5	8	11	13	20
B. *Operated*										
0-19 YRS	569	4.9	26	1	1	3	5	14	17	22
20-34	904	4.3	20	1	1	3	5	9	12	23
35-49	644	4.7	20	1	2	3	5	10	13	22
50-64	629	4.3	18	2	2	3	5	8	12	19
65+	323	5.0	43	2	2	3	5	9	15	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	4.1	10	1	1	3	5	8	11	15
20-34	548	5.4	16	1	2	4	7	10	13	19
35-49	899	6.4	29	2	2	5	8	12	15	25
50-64	936	6.5	20	2	2	5	8	12	16	23
65+	891	7.9	37	2	3	6	10	15	20	31
B. *Operated*										
0-19 YRS	316	4.6	33	1	1	3	4	9	16	32
20-34	798	4.9	23	1	1	3	6	10	13	26
35-49	761	6.8	63	1	2	4	8	13	18	43
50-64	711	7.7	63	2	2	5	10	16	22	35
65+	441	8.9	67	2	2	6	12	19	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1558	4.7	13	1	1	4	6	9	11	18
B. *Operated*	3069	4.6	23	1	2	3	5	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	3462	6.5	26	2	2	5	8	12	16	24
B. *Operated*	3027	6.6	52	1	2	4	8	14	19	37
1. SINGLE DX	4627	4.6	20	1	2	3	5	9	13	22
2. MULTIPLE DX	6489	6.6	38	1	2	5	8	13	17	31
A. NOT OPERATED	5020	6.0	23	1	2	5	8	11	15	23
B. OPERATED	6096	5.6	39	1	2	3	6	12	17	31
TOTAL 0-19 YRS	1245	4.5	23	1	1	3	5	11	15	22
20-34	2688	4.7	19	1	1	3	6	9	12	22
35-49	2755	5.9	35	1	2	4	7	11	15	29
50-64	2572	6.1	32	2	2	4	8	13	17	26
65+	1856	7.4	45	2	2	5	9	15	20	35
GRAND TOTAL	**11116**	**5.8**	**32**	**1**	**2**	**4**	**7**	**12**	**16**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.0	15	2	2	5	9	11	11	11
35-49	6	4.2	3	2	2	4	5	7	7	7
50-64	2	5.5	1	5	5	5	6	6	6	6
65+										
B. *Operated*										
0-19 YRS										
20-34	15	3.9	6	1	2	3	5	8	9	9
35-49	10	6.2	18	2	2	5	10	12	13	13
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	1	2	2	4	4	5	5	5
20-34	19	7.8	61	2	2	4	9	23	28	28
35-49	34	6.0	8	2	3	5	6	9	11	18
50-64	27	7.1	28	2	2	5	9	15	18	25
65+	8	11.6	40	4	4	11	16	20	22	22
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	13	6.8	11	2	3	6	9	12	13	13
35-49	15	8.9	42	2	3	7	10	19	23	24
50-64	7	8.6	59	2	2	5	16	19	19	19
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.1	7	2	2	5	6	9	11	11
B. *Operated*	28	4.6	11	1	2	3	6	10	11	13
2. MULTIPLE DX										
A. *Not Operated*	93	7.1	29	2	3	5	8	15	18	28
B. *Operated*	36	8.1	31	2	2	6	10	18	19	24
1. SINGLE DX	41	4.7	9	1	2	4	6	10	11	13
2. MULTIPLE DX	129	7.3	30	2	2	6	9	16	19	28
A. NOT OPERATED	106	6.8	27	2	3	5	8	12	17	28
B. OPERATED	64	6.5	25	2	2	5	9	13	18	23
TOTAL 0-19 YRS	6	4.5	4	2	2	4	5	8	8	8
20-34	52	6.3	30	2	2	5	8	11	15	28
35-49	65	6.5	18	2	3	6	7	11	18	23
50-64	38	7.1	31	2	2	5	9	16	19	25
65+	9	10.4	48	1	2	10	16	20	22	22
GRAND TOTAL	**170**	**6.7**	**26**	**2**	**2**	**5**	**9**	**12**	**18**	**27**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.0	15	<1	1	2	3	6	13	96
20-34	5	4.4	14	2	2	3	6	11	11	11
35-49	1	9.0		9	9	9	9	9	9	9
50-64	5	3.8	4	1	1	4	5	6	6	6
65+	6	2.3	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	67	7.0	15	2	2	7	10	13	14	16
20-34	22	9.8	26	2	3	9	12	18	20	21
35-49	10	8.8	46	3	3	6	11	20	23	23
50-64	3	11.7	4	10	10	11	13	14	14	14
65+	2	9.5	5	8	8	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	5.3	25	1	1	3	7	13	17	21
20-34	14	6.6	58	1	1	5	6	14	27	31
35-49	5	3.4	7	2	2	2	4	8	8	8
50-64	13	6.5	13	1	3	5	9	11	14	15
65+	28	7.3	60	<1	1	5	11	16	21	37
B. *Operated*										
0-19 YRS	107	11.3	176	2	2	7	12	28	38	72
20-34	25	16.8	367	2	3	9	20	49	67	68
35-49	16	10.0	47	2	2	9	14	19	25	27
50-64	8	14.8	75	<1	1	18	21	23	24	24
65+	6	17.8	251	4	4	10	36	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	3.2	13	<1	1	2	4	7	12	83
B. *Operated*	104	8.0	21	2	3	8	11	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	156	5.8	33	1	1	4	7	13	17	30
B. *Operated*	162	12.4	192	2	2	8	14	28	40	68
1. SINGLE DX	175	6.0	23	1	1	4	9	13	15	24
2. MULTIPLE DX	318	9.2	124	1	1	5	11	21	31	67
A. NOT OPERATED	227	5.0	28	1	1	3	6	12	17	32
B. OPERATED	266	10.7	129	2	2	8	12	22	32	67
TOTAL 0-19 YRS	324	7.2	80	1	1	4	9	15	24	59
20-34	66	11.4	177	2	2	9	12	22	42	68
35-49	32	8.6	42	2	2	7	12	18	23	27
50-64	29	8.8	43	1	2	6	12	20	22	24
65+	42	8.2	90	<1	1	5	11	18	36	40
GRAND TOTAL	**493**	**8.1**	**91**	**1**	**1**	**5**	**10**	**17**	**25**	**62**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	1.5	6	<1	1	1	1	2	2	17
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	471	2.1	1	1	1	2	2	3	4	6
20-34	135	2.5	1	1	1	2	3	4	5	6
35-49	85	3.1	4	1	2	3	4	5	6	15
50-64	180	2.8	2	1	2	2	3	4	6	9
65+	146	2.8	2	1	2	3	4	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	1.8	3	<1	<1	1	2	5	6	7
20-34	5	4.2	6	2	2	4	6	8	8	8
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	7	4.1	14	1	1	4	5	11	12	12
65+	4	5.3	23	1	1	4	8	12	12	12
B. *Operated*										
0-19 YRS	150	2.9	21	1	1	2	3	5	6	8
20-34	53	3.7	6	1	2	3	5	7	8	13
35-49	42	3.3	4	1	1	3	3	6	8	10
50-64	137	3.3	7	1	2	3	4	5	8	17
65+	174	3.0	4	2	2	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	1.5	6	<1	1	1	1	2	2	17
B. *Operated*	1017	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	45	2.9	8	<1	<1	2	4	7	9	12
B. *Operated*	556	3.1	9	1	2	2	3	5	7	13
1. SINGLE DX	1114	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	601	3.1	9	1	1	2	3	5	7	13
A. NOT OPERATED	142	2.0	7	<1	<1	1	2	4	6	13
B. OPERATED	1573	2.7	5	1	1	2	3	4	5	10
TOTAL 0-19 YRS	744	2.2	6	1	1	2	2	3	5	8
20-34	193	2.9	3	1	1	2	4	5	6	9
35-49	129	3.2	4	1	2	3	4	5	7	12
50-64	325	3.0	5	1	2	2	3	4	7	13
65+	324	3.0	3	2	2	2	3	5	6	12
GRAND TOTAL	**1715**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	3.2	6	<1	1	2	4	5	10	11
20-34	33	3.1	5	1	1	2	3	7	9	9
35-49	15	4.3	10	2	2	3	5	9	12	13
50-64	13	3.5	3	<1	1	3	4	6	7	7
65+	7	6.1	32	1	1	5	9	16	17	17
B. *Operated*										
0-19 YRS	264	4.7	15	1	2	2	8	10	11	15
20-34	117	6.3	27	2	2	4	9	14	17	23
35-49	75	6.7	36	2	2	7	10	13	15	36
50-64	60	7.3	42	2	2	5	11	14	17	35
65+	15	6.0	42	<1	2	3	6	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	5.4	46	1	1	3	6	10	17	39
20-34	73	5.9	35	2	2	4	7	11	15	38
35-49	65	7.3	57	2	2	6	9	13	18	49
50-64	58	7.7	33	2	2	6	10	16	19	28
65+	82	6.8	41	2	2	5	8	11	23	37
B. *Operated*										
0-19 YRS	355	6.5	78	1	2	2	9	14	20	41
20-34	101	9.0	109	2	2	6	11	21	27	57
35-49	90	8.6	77	2	2	8	12	19	24	85
50-64	91	9.3	74	2	2	6	12	22	26	40
65+	47	9.6	65	2	2	6	14	19	28	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	3.5	8	<1	1	2	4	7	9	14
B. *Operated*	531	5.7	25	1	2	3	9	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	479	6.2	44	1	2	4	7	12	17	39
B. *Operated*	684	7.7	82	1	2	4	10	16	25	45
1. SINGLE DX	654	5.3	22	1	2	3	8	11	13	23
2. MULTIPLE DX	1163	7.1	67	1	2	4	9	15	24	42
A. NOT OPERATED	602	5.7	38	1	1	4	7	11	16	34
B. OPERATED	1215	6.8	58	1	2	3	9	14	20	38
TOTAL 0-19 YRS	875	5.5	48	1	1	2	8	11	15	36
20-34	324	6.7	55	2	2	4	9	14	19	41
35-49	245	7.4	56	2	2	6	10	14	21	53
50-64	222	8.0	52	2	2	6	10	16	24	35
65+	151	7.6	49	2	2	5	10	16	24	36
GRAND TOTAL	**1817**	**6.4**	**52**	**1**	**2**	**4**	**9**	**13**	**19**	**36**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	1	1	1	1	2	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	352	4.1	3	1	2	4	5	7	7	9
20-34	10	3.1	2	2	2	3	4	5	5	5
35-49	7	2.0	1	1	1	2	2	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	42	<1	<1	1	3	5	16	32
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	190	4.7	17	2	2	4	5	7	8	20
20-34	17	4.4	6	2	2	5	5	7	10	11
35-49	6	2.7	2	1	1	2	3	5	5	5
50-64										
65+	2	2.5	1	2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.6	1	1	1	1	2	3	3	3
B. *Operated*	372	4.0	3	1	2	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	23	3.3	42	<1	<1	1	3	5	16	32
B. *Operated*	215	4.6	15	2	2	4	5	7	8	19
1. SINGLE DX	377	4.0	3	1	2	4	5	7	7	9
2. MULTIPLE DX	238	4.5	18	1	2	4	5	7	8	21
A. NOT OPERATED	28	3.0	34	<1	<1	1	3	5	9	32
B. OPERATED	587	4.3	8	1	2	4	5	7	8	11
TOTAL 0-19 YRS	570	4.2	9	1	2	4	5	7	8	11
20-34	27	3.9	5	2	2	4	5	6	8	11
35-49	13	2.3	1	1	1	2	3	4	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	5.0	13	2	2	4	7	10	10	10
GRAND TOTAL	615	4.2	9	1	2	4	5	7	8	11

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.4	3	1	1	2	4	5	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	258	4.5	10	2	2	4	5	7	8	14
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.9	23	2	2	3	5	12	18	18
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	51	5.8	10	2	3	5	7	10	11	16
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.4	3	1	1	2	4	5	6	6
B. *Operated*	258	4.5	10	2	2	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	10	4.9	23	2	2	3	5	12	18	18
B. *Operated*	51	5.8	10	2	3	5	7	10	11	16
1. SINGLE DX	272	4.4	10	2	2	4	5	7	8	14
2. MULTIPLE DX	61	5.6	12	2	2	5	7	10	13	18
A. NOT OPERATED	24	3.5	12	1	1	3	4	6	10	18
B. OPERATED	309	4.7	10	2	2	4	5	8	10	15
TOTAL 0-19 YRS	333	4.6	10	2	2	4	5	8	10	16
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	333	4.6	10	2	2	4	5	8	10	16

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	2.5	5	<1	1	2	3	6	7	12
20-34	17	3.8	11	1	1	4	5	7	12	14
35-49	12	4.3	14	1	1	3	4	12	13	13
50-64	7	4.9	2	3	3	5	6	7	7	7
65+	10	4.3	10	1	1	4	6	9	11	11
B. *Operated*										
0-19 YRS	249	4.3	33	<1	1	2	5	9	13	34
20-34	92	4.2	11	<1	1	3	5	9	10	15
35-49	36	5.9	38	<1	1	4	9	12	14	34
50-64	32	5.4	19	1	2	4	8	12	15	17
65+	28	7.2	28	2	2	6	10	14	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	6.8	178	1	1	4	7	12	17	92
20-34	21	5.1	20	2	2	4	5	8	15	23
35-49	31	5.0	16	1	1	4	8	11	15	16
50-64	46	5.9	23	1	2	5	8	10	15	26
65+	72	6.5	26	1	2	5	9	13	18	23
B. *Operated*										
0-19 YRS	159	7.3	74	1	2	4	9	16	24	53
20-34	91	8.7	55	1	2	7	11	18	22	41
35-49	64	9.1	55	2	2	7	11	20	26	37
50-64	58	10.5	71	2	3	9	14	21	28	39
65+	83	15.5	188	2	3	11	20	33	49	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	3.0	7	1	1	2	4	6	8	14
B. *Operated*	437	4.7	28	<1	1	3	6	10	13	26
2. MULTIPLE DX										
A. *Not Operated*	232	6.1	64	1	1	4	7	12	16	29
B. *Operated*	455	9.7	96	2	2	7	12	21	30	52
1. SINGLE DX	587	4.3	23	<1	1	3	5	9	12	23
2. MULTIPLE DX	687	8.5	88	1	2	6	10	19	25	51
A. NOT OPERATED	382	4.9	44	1	1	3	6	10	13	23
B. OPERATED	892	7.3	69	1	1	4	9	16	22	49
TOTAL 0-19 YRS	574	5.1	58	1	1	3	6	10	16	49
20-34	221	6.1	34	1	1	4	8	12	18	30
35-49	143	7.0	42	1	2	5	9	14	20	34
50-64	143	7.6	46	2	2	6	10	15	21	39
65+	193	10.3	115	1	2	7	14	21	31	54
GRAND TOTAL	1274	6.6	62	1	1	4	8	14	21	41

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	1	<1	<1	2	2	3	4	4
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	604	3.1	3	1	2	3	4	5	6	8
20-34	88	3.8	3	2	2	3	5	6	8	10
35-49	19	3.7	3	2	2	3	4	6	7	8
50-64	6	4.0	4	2	2	3	4	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.0	5	<1	<1	1	2	4	8	10
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	502	3.4	4	1	2	3	4	5	7	11
20-34	66	4.2	4	2	2	4	5	7	9	10
35-49	29	4.0	4	2	2	3	4	7	8	11
50-64	10	5.3	5	3	3	5	7	8	8	8
65+	3	3.3	5	2	2	2	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.3	3	<1	<1	2	3	5	7	7
B. *Operated*	717	3.2	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	26	2.1	4	<1	<1	1	2	4	7	10
B. *Operated*	610	3.5	4	1	2	3	4	6	7	10
1. SINGLE DX	729	3.2	3	1	2	3	4	5	6	9
2. MULTIPLE DX	636	3.5	4	1	2	3	4	5	7	10
A. NOT OPERATED	38	2.1	4	<1	<1	1	2	4	7	10
B. OPERATED	1327	3.4	4	1	2	3	4	5	7	9
TOTAL 0-19 YRS	1137	3.2	4	1	2	3	4	5	6	9
20-34	159	3.9	4	2	2	3	5	7	8	10
35-49	49	3.9	3	2	2	3	4	6	8	11
50-64	16	4.8	5	2	3	4	7	8	8	8
65+	4	3.0	4	2	2	2	4	6	6	6
GRAND TOTAL	1365	3.3	4	1	2	3	4	5	7	10

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	2	1	1	2	3	5	6	6
20-34	19	2.5	1	1	1	3	3	4	4	4
35-49	14	3.6	7	<1	1	3	4	8	9	9
50-64	17	3.7	11	1	1	3	4	6	12	15
65+	13	5.1	31	1	1	2	6	15	16	16
B. *Operated*										
0-19 YRS	526	5.3	18	1	1	4	8	11	13	18
20-34	214	4.5	25	1	1	3	6	9	11	14
35-49	78	4.6	9	1	1	4	7	8	9	13
50-64	54	5.6	19	1	2	5	8	11	14	24
65+	37	6.3	34	1	2	4	10	14	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.6	118	<1	1	2	4	9	10	69
20-34	52	3.8	7	1	1	3	5	7	9	17
35-49	51	5.3	10	1	2	5	7	8	13	16
50-64	52	7.5	47	1	2	5	10	18	22	33
65+	55	7.0	18	2	3	6	9	11	18	19
B. *Operated*										
0-19 YRS	359	5.0	24	1	1	3	7	11	13	21
20-34	318	5.3	16	1	2	5	7	9	12	19
35-49	155	8.7	66	1	2	7	11	17	24	39
50-64	126	8.8	59	<1	1	8	12	18	22	36
65+	114	9.2	71	1	2	6	13	21	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	3.3	9	1	1	2	4	6	9	16
B. *Operated*	909	5.1	20	1	1	4	8	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	249	5.7	37	1	1	4	7	10	17	28
B. *Operated*	1072	6.5	40	1	1	5	8	13	18	30
1. SINGLE DX	999	4.9	19	1	1	3	7	10	13	18
2. MULTIPLE DX	1321	6.4	39	1	1	5	8	13	17	30
A. NOT OPERATED	339	5.1	31	1	1	4	6	9	15	23
B. OPERATED	1981	5.9	31	1	1	4	8	12	15	26
TOTAL 0-19 YRS	951	5.1	24	1	1	3	7	11	13	19
20-34	603	4.8	18	1	1	4	6	9	11	18
35-49	298	6.8	43	1	2	5	8	14	18	28
50-64	249	7.5	47	<1	2	6	10	16	20	30
65+	219	7.9	50	2	2	6	10	18	23	30
GRAND TOTAL	**2320**	**5.7**	**31**	**1**	**1**	**4**	**8**	**12**	**15**	**26**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	252	3.8	4	1	2	4	5	6	7	11
20-34	25	6.0	14	2	3	4	7	14	15	16
35-49	10	5.9	9	2	3	5	7	11	12	12
50-64	7	4.4	9	<1	<1	4	6	9	10	10
65+	5	3.2	4	<1	<1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.7	2	<1	<1	<1	2	4	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	104	4.7	8	2	2	4	6	8	9	17
20-34	50	5.4	5	3	3	5	6	9	9	11
35-49	36	5.6	7	2	2	5	7	10	10	14
50-64	50	5.0	8	2	2	4	5	9	11	16
65+	19	7.4	92	2	2	6	7	9	30	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.8	1	<1	<1	1	2	4	4	4
B. *Operated*	299	4.0	5	1	2	4	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	16	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	259	5.2	13	2	2	5	6	9	10	16
1. SINGLE DX	313	3.9	5	1	2	4	5	6	8	14
2. MULTIPLE DX	275	5.0	13	2	2	4	6	9	10	16
A. NOT OPERATED	30	1.7	1	<1	<1	1	2	4	4	5
B. OPERATED	558	4.6	9	2	2	4	5	7	9	14
TOTAL 0-19 YRS	379	3.9	5	1	2	4	5	6	8	11
20-34	77	5.5	8	2	3	5	6	9	11	16
35-49	47	5.5	8	2	2	5	7	10	11	14
50-64	61	4.7	8	1	2	4	5	9	10	16
65+	24	6.5	76	1	2	5	7	8	21	46
GRAND TOTAL	**588**	**4.4**	**9**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	177	2.7	10	<1	1	2	3	6	8	24
20-34	55	4.6	12	1	2	3	6	10	12	17
35-49	53	6.5	21	1	2	6	8	12	14	27
50-64	46	7.1	26	1	2	6	10	12	18	28
65+	21	7.0	23	2	3	6	10	11	17	24
B. *Operated*										
0-19 YRS	1033	4.3	18	1	1	3	6	8	11	18
20-34	481	4.2	21	<1	<1	3	5	9	11	21
35-49	300	5.6	32	1	1	3	8	13	15	34
50-64	198	7.2	38	2	2	5	10	15	19	40
65+	71	8.5	50	2	2	6	11	19	24	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	191	4.6	22	<1	1	3	6	10	14	23
20-34	95	6.3	23	1	2	5	8	12	16	27
35-49	116	7.2	25	1	2	5	9	15	19	24
50-64	124	7.6	27	2	3	6	10	13	16	28
65+	111	9.0	68	3	3	7	11	18	21	46
B. *Operated*										
0-19 YRS	331	6.6	60	1	2	4	7	15	24	49
20-34	253	6.0	33	1	2	4	8	13	17	31
35-49	238	8.6	51	2	2	7	12	19	21	30
50-64	213	9.6	64	2	2	8	13	19	24	41
65+	119	12.3	154	2	2	9	15	27	32	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	4.4	18	<1	1	3	6	10	12	25
B. *Operated*	2083	4.9	25	1	1	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	637	6.7	34	1	2	5	8	13	18	26
B. *Operated*	1154	8.0	66	1	2	5	10	18	24	40
1. SINGLE DX	2435	4.8	24	1	1	3	6	10	13	23
2. MULTIPLE DX	1791	7.5	55	1	2	5	10	16	22	37
A. NOT OPERATED	989	5.9	29	1	1	4	8	12	16	25
B. OPERATED	3237	6.0	42	1	1	4	8	13	18	32
TOTAL 0-19 YRS	1732	4.6	27	1	1	3	6	9	14	28
20-34	884	5.0	25	<1	1	3	6	10	13	25
35-49	707	6.9	38	1	2	5	9	15	19	29
50-64	581	8.1	45	2	2	6	11	16	21	36
65+	322	10.0	95	2	3	7	12	21	27	56
GRAND TOTAL	4226	6.0	39	1	1	4	8	13	18	31

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1088	4.9	36	1	1	3	5	12	18	29
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	30	11.1	176	2	2	6	13	27	39	63
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	781	10.3	127	1	2	6	14	25	34	62
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	80	19.1	405	2	3	12	28	50	78	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1088	4.9	36	1	1	3	5	12	18	29
B. *Operated*	30	11.1	176	2	2	6	13	27	39	63
2. MULTIPLE DX										
A. *Not Operated*	781	10.3	127	1	2	6	14	25	34	62
B. *Operated*	80	19.1	405	2	3	12	28	50	78	99+
1. SINGLE DX	1118	5.1	40	1	1	3	5	13	19	30
2. MULTIPLE DX	861	11.1	159	1	2	7	15	28	39	71
A. NOT OPERATED	1869	7.2	81	1	2	3	8	18	26	45
B. OPERATED	110	16.9	353	2	2	11	21	47	63	99+
TOTAL 0-19 YRS	1979	7.7	101	1	2	4	9	20	28	53
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	1979	7.7	101	1	2	4	9	20	28	53

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1791	3.0	9	1	1	2	4	5	7	12
20-34	807	3.6	8	1	1	3	4	7	8	15
35-49	469	4.2	12	1	1	3	5	8	10	18
50-64	326	4.7	16	1	2	4	6	8	12	21
65+	276	5.0	16	1	1	4	6	9	12	22
B. *Operated*										
0-19 YRS	21	5.3	36	2	2	3	5	10	19	29
20-34	31	5.1	10	2	2	4	7	9	10	15
35-49	22	4.4	7	2	2	4	5	7	10	14
50-64	25	5.9	15	1	2	5	9	11	14	15
65+	15	8.9	34	3	3	6	10	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1986	3.8	11	1	1	3	4	7	9	17
20-34	886	5.2	19	1	2	4	6	10	14	25
35-49	891	5.8	24	1	2	4	7	11	14	27
50-64	1122	6.3	27	1	2	5	8	12	16	29
65+	1327	8.3	58	2	3	6	10	15	21	41
B. *Operated*										
0-19 YRS	45	8.3	96	1	2	5	10	18	26	52
20-34	83	9.2	82	2	2	7	10	17	21	58
35-49	97	10.0	59	2	3	9	13	19	22	46
50-64	97	12.5	85	3	4	10	16	25	32	44
65+	108	16.3	253	5	6	11	18	38	52	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3669	3.6	11	1	1	3	4	7	9	15
B. *Operated*	114	5.7	20	2	2	5	7	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	6212	5.7	30	1	2	4	7	11	15	28
B. *Operated*	430	11.8	129	2	3	8	14	22	34	61
1. SINGLE DX	3783	3.6	11	1	1	3	4	7	9	16
2. MULTIPLE DX	6642	6.1	38	1	2	4	7	12	16	32
A. NOT OPERATED	9881	4.9	24	1	1	4	6	10	13	25
B. OPERATED	544	10.5	113	2	2	7	13	20	29	53
TOTAL 0-19 YRS	3843	3.5	12	1	1	3	4	6	8	16
20-34	1807	4.7	18	1	1	4	6	9	12	21
35-49	1479	5.5	24	1	2	4	7	11	15	27
50-64	1570	6.4	31	1	2	5	8	12	16	32
65+	1726	8.3	69	2	3	6	10	15	21	42
GRAND TOTAL	**10425**	**5.2**	**30**	**1**	**1**	**4**	**6**	**10**	**14**	**28**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	753	3.2	4	1	1	3	4	5	7	11
20-34	218	4.3	8	1	2	4	5	8	9	16
35-49	116	4.9	7	2	2	4	6	8	9	16
50-64	140	5.8	16	2	2	4	7	10	13	22
65+	174	6.3	22	2	2	5	7	12	16	23
B. *Operated*										
0-19 YRS	14	5.0	8	1	2	5	7	8	11	12
20-34	25	9.6	33	3	3	8	14	15	20	28
35-49	15	12.7	215	1	3	10	14	17	51	63
50-64	19	10.8	49	2	3	10	15	19	25	29
65+	16	8.7	26	2	2	7	12	17	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1132	3.5	6	1	1	3	4	6	8	12
20-34	392	5.3	16	1	2	4	7	9	13	25
35-49	296	6.3	22	2	2	5	8	12	14	19
50-64	514	7.0	27	2	3	6	8	13	16	28
65+	1001	8.3	46	2	3	7	10	15	20	35
B. *Operated*										
0-19 YRS	36	6.9	25	1	2	6	9	16	17	21
20-34	58	9.3	43	3	3	8	11	14	19	40
35-49	53	10.6	61	3	4	9	12	22	30	34
50-64	93	13.8	124	3	4	11	16	28	40	57
65+	165	15.2	179	4	5	11	18	30	37	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1401	4.1	10	1	2	3	5	8	10	17
B. *Operated*	89	9.5	64	2	3	8	13	16	20	50
2. MULTIPLE DX										
A. *Not Operated*	3335	5.9	28	2	2	4	7	11	15	28
B. *Operated*	405	12.7	125	3	4	10	15	25	34	56
1. SINGLE DX	1490	4.5	14	1	2	3	5	8	11	19
2. MULTIPLE DX	3740	6.7	43	2	2	5	8	13	17	34
A. NOT OPERATED	4736	5.4	23	1	2	4	7	10	14	23
B. OPERATED	494	12.1	115	3	4	10	14	22	32	56
TOTAL 0-19 YRS	1935	3.4	5	1	1	3	4	6	8	12
20-34	693	5.5	19	1	2	4	7	10	14	25
35-49	480	6.6	32	2	2	5	8	12	15	33
50-64	766	7.7	43	2	3	6	9	14	19	40
65+	1356	8.9	64	2	3	7	11	17	22	40
GRAND TOTAL	**5230**	**6.0**	**36**	**1**	**2**	**4**	**7**	**12**	**15**	**30**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	505	3.0	4	1	1	2	4	5	7	10
20-34	1156	3.8	7	1	1	3	5	7	8	13
35-49	642	4.3	8	1	2	4	5	8	9	14
50-64	262	4.4	8	1	2	4	5	8	10	14
65+	109	3.8	6	1	2	3	4	7	10	14
B. *Operated*										
0-19 YRS	17	3.0	3	1	2	3	3	5	7	8
20-34	99	4.8	10	2	2	4	6	9	12	16
35-49	92	5.9	17	2	2	4	8	13	15	18
50-64	53	5.8	12	2	2	5	9	10	13	14
65+	23	6.1	24	1	2	4	9	14	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	440	3.8	7	1	1	3	5	7	9	14
20-34	1254	4.8	12	1	2	4	6	8	11	18
35-49	1057	5.6	16	2	2	4	7	10	13	22
50-64	701	6.0	22	2	2	5	8	11	15	22
65+	468	6.6	22	2	2	6	8	12	14	23
B. *Operated*										
0-19 YRS	22	5.9	9	2	3	6	7	9	13	15
20-34	127	7.6	22	2	3	7	10	15	16	23
35-49	157	9.1	36	2	3	8	12	17	23	27
50-64	119	7.4	24	2	2	6	10	14	17	23
65+	78	8.6	21	2	3	8	12	15	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2674	3.8	7	1	1	3	5	7	9	13
B. *Operated*	284	5.4	14	2	2	4	7	11	14	17
2. MULTIPLE DX										
A. *Not Operated*	3920	5.3	16	1	2	4	7	10	13	21
B. *Operated*	503	8.1	27	2	3	7	10	15	18	25
1. SINGLE DX	2958	3.9	8	1	1	3	5	7	9	14
2. MULTIPLE DX	4423	5.6	18	2	2	4	7	11	14	22
A. NOT OPERATED	6594	4.7	13	1	2	4	6	9	11	18
B. OPERATED	787	7.1	24	2	2	6	9	14	16	24
TOTAL 0-19 YRS	984	3.4	5	1	1	3	4	6	8	12
20-34	2636	4.5	11	1	2	4	5	8	11	16
35-49	1948	5.4	17	1	2	4	7	10	13	23
50-64	1135	5.8	19	2	2	5	7	11	14	21
65+	678	6.4	21	2	2	5	8	12	14	22
GRAND TOTAL	**7381**	**5.0**	**15**	**1**	**2**	**4**	**6**	**9**	**12**	**19**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.2	2	<1	<1	2	3	4	6	7
20-34	82	3.7	3	1	1	4	5	6	7	9
35-49	150	4.1	5	1	2	4	5	7	8	13
50-64	201	4.3	5	1	2	4	6	7	8	11
65+	231	4.1	8	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	31	2.2	3	<1	<1	1	3	4	5	8
20-34	57	5.1	7	2	2	4	7	9	10	12
35-49	91	4.9	5	2	2	5	6	8	9	11
50-64	146	5.3	8	1	2	5	7	9	11	16
65+	121	5.5	13	1	2	5	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.7	5	1	1	3	5	6	8	11
20-34	60	4.2	9	1	1	4	6	8	11	14
35-49	162	4.4	8	1	2	4	5	8	9	13
50-64	378	4.8	7	2	2	4	6	9	10	15
65+	519	6.0	35	2	2	5	7	11	14	27
B. *Operated*										
0-19 YRS	18	2.7	2	<1	1	3	4	4	6	7
20-34	39	4.2	4	2	2	4	5	7	9	11
35-49	72	6.5	9	2	3	6	8	11	12	13
50-64	165	7.1	24	2	3	6	8	13	16	26
65+	194	7.2	25	2	3	6	9	13	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	692	4.0	6	1	1	4	5	7	8	12
B. *Operated*	446	5.0	9	1	2	5	6	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	1179	5.2	20	1	2	4	6	9	11	20
B. *Operated*	488	6.7	21	2	3	5	8	12	15	22
1. SINGLE DX	1138	4.4	7	1	2	4	6	8	9	13
2. MULTIPLE DX	1667	5.6	21	1	2	5	7	10	12	22
A. NOT OPERATED	1871	4.7	15	1	2	4	6	8	10	19
B. OPERATED	934	5.9	16	1	2	5	7	10	13	19
TOTAL 0-19 YRS	137	2.9	4	<1	1	2	4	6	7	9
20-34	238	4.2	6	1	2	4	5	7	9	12
35-49	475	4.7	7	1	2	4	6	8	10	13
50-64	890	5.2	11	1	2	5	6	9	11	17
65+	1065	5.7	26	1	2	5	7	10	13	24
GRAND TOTAL	**2805**	**5.1**	**16**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	3.5	6	<1	1	3	5	7	9	10
20-34	76	3.7	5	1	1	3	5	7	7	11
35-49	32	4.0	8	<1	1	4	5	6	8	16
50-64	45	4.2	16	1	1	3	4	10	11	23
65+	45	4.9	15	1	2	3	7	10	13	17
B. *Operated*										
0-19 YRS	294	2.1	2	<1	1	2	2	3	4	8
20-34	232	2.9	4	1	1	2	3	5	6	11
35-49	145	2.8	3	<1	1	2	3	5	6	8
50-64	120	3.3	5	1	2	3	4	6	8	14
65+	76	4.0	13	<1	2	3	5	9	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	3.4	3	1	1	3	4	6	7	8
20-34	135	4.0	9	1	2	3	5	7	10	14
35-49	132	4.7	11	1	2	4	6	8	12	18
50-64	199	6.1	55	1	1	4	7	13	16	28
65+	308	7.8	50	1	2	6	10	17	22	35
B. *Operated*										
0-19 YRS	74	4.1	18	1	1	3	4	9	13	22
20-34	115	4.5	10	1	2	3	6	9	12	14
35-49	101	5.3	21	2	2	4	6	11	14	26
50-64	145	7.5	69	1	2	5	9	15	22	53
65+	114	13.1	207	2	2	7	18	36	44	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	4.0	9	1	1	3	5	8	10	16
B. *Operated*	867	2.8	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	861	5.9	37	1	2	4	7	12	17	28
B. *Operated*	549	7.2	80	1	2	4	8	15	24	53
1. SINGLE DX	1143	3.1	6	<1	1	2	4	6	8	12
2. MULTIPLE DX	1410	6.4	54	1	2	4	7	13	19	39
A. NOT OPERATED	1137	5.4	31	1	2	4	6	11	15	26
B. OPERATED	1416	4.5	38	1	1	3	5	9	14	36
TOTAL 0-19 YRS	533	2.8	5	<1	1	2	3	5	7	12
20-34	558	3.6	7	1	1	3	5	7	9	13
35-49	410	4.1	11	1	2	3	5	8	11	17
50-64	509	5.7	46	1	2	4	7	12	16	29
65+	543	8.2	83	1	2	5	10	18	25	51
GRAND TOTAL	**2553**	**4.9**	**35**	**1**	**1**	**3**	**5**	**10**	**14**	**29**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	13.0	50	8	8	13	18	18	18	18
20-34	4	5.0	3	3	3	5	6	7	7	7
35-49	4	12.0	115	5	5	7	18	28	28	28
50-64	8	10.3	30	4	5	10	12	19	22	22
65+	24	9.2	76	1	2	7	12	16	34	35
B. *Operated*										
0-19 YRS	24	7.2	220	<1	1	3	6	11	32	75
20-34	52	5.7	26	1	1	4	8	14	18	21
35-49	44	12.1	174	2	2	9	14	23	34	77
50-64	93	16.3	148	2	4	14	22	31	38	64
65+	255	16.9	159	3	5	14	22	32	42	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	11.0	72	5	5	11	17	17	17	17
20-34	3	9.3	36	3	3	10	14	15	15	15
35-49	12	19.9	264	1	4	12	37	45	46	46
50-64	32	9.1	44	2	3	7	11	19	24	29
65+	154	12.9	167	3	4	9	15	25	32	82
B. *Operated*										
0-19 YRS	19	6.3	66	<1	1	3	5	19	27	31
20-34	44	13.7	119	2	2	11	22	27	33	45
35-49	103	18.5	236	3	4	14	26	45	49	93
50-64	369	22.4	249	5	7	18	30	44	57	96
65+	1024	23.6	279	6	8	19	30	46	60	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	9.4	61	1	3	7	11	19	30	35
B. *Operated*	468	14.6	161	2	2	11	19	30	40	63
2. MULTIPLE DX										
A. *Not Operated*	203	12.7	154	2	3	9	15	26	36	76
B. *Operated*	1559	22.5	269	4	7	18	29	45	58	91
1. SINGLE DX	510	14.1	155	2	2	11	18	30	38	62
2. MULTIPLE DX	1762	21.3	265	4	6	17	28	43	56	89
A. NOT OPERATED	245	12.1	139	2	3	9	14	25	33	70
B. OPERATED	2027	20.6	255	3	5	16	28	42	55	87
TOTAL 0-19 YRS	47	7.2	141	1	1	3	7	16	23	75
20-34	103	9.2	80	1	1	6	13	23	26	43
35-49	163	16.7	224	2	3	12	23	40	47	86
50-64	502	20.2	229	4	6	16	28	41	51	86
65+	1457	21.0	259	4	6	16	28	42	56	88
GRAND TOTAL	**2272**	**19.7**	**249**	**3**	**5**	**16**	**26**	**41**	**53**	**86**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	2.8	3	1	1	2	4	5	5	9
20-34	782	3.2	6	1	1	3	4	6	7	10
35-49	1936	3.6	6	1	1	3	5	6	8	12
50-64	1585	3.9	6	1	1	3	5	7	8	12
65+	663	4.3	8	1	2	4	5	8	9	16
B. *Operated*										
0-19 YRS	6	3.7	3	1	1	4	5	6	6	6
20-34	101	3.5	6	1	2	2	4	7	8	13
35-49	556	3.2	5	2	2	2	4	6	8	12
50-64	614	3.4	9	2	2	2	4	7	9	14
65+	120	4.9	28	2	2	3	5	10	14	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	3.8	8	1	1	3	5	7	8	18
20-34	1412	4.2	8	1	2	4	5	7	9	14
35-49	4481	4.6	10	1	2	4	6	8	10	16
50-64	5524	5.1	12	2	2	4	6	9	11	18
65+	3856	5.9	19	2	2	5	7	10	14	23
B. *Operated*										
0-19 YRS	12	8.9	86	1	2	5	11	25	31	32
20-34	155	5.8	18	2	2	4	8	12	14	21
35-49	804	5.9	21	2	2	5	8	11	15	23
50-64	1200	6.1	27	2	2	4	8	12	16	25
65+	400	9.0	61	2	2	7	12	19	21	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5091	3.7	6	1	1	3	5	7	8	12
B. *Operated*	1397	3.5	9	2	2	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	15416	5.1	13	2	2	4	6	9	11	19
B. *Operated*	2571	6.5	32	2	2	5	9	13	17	25
1. SINGLE DX	6488	3.6	7	1	1	3	5	7	8	13
2. MULTIPLE DX	17987	5.3	16	2	2	4	7	10	12	20
A. NOT OPERATED	20507	4.7	11	1	2	4	6	8	11	18
B. OPERATED	3968	5.4	26	2	2	3	7	11	15	24
TOTAL 0-19 YRS	286	3.6	10	1	1	3	4	6	8	19
20-34	2450	4.0	8	1	1	3	5	7	9	14
35-49	7777	4.4	10	1	2	4	6	8	10	16
50-64	8923	4.9	13	2	2	4	6	9	11	18
65+	5039	5.9	22	2	2	5	7	11	14	23
GRAND TOTAL	**24475**	**4.8**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	259	3.9	34	1	1	2	4	8	10	34
20-34	69	3.3	5	1	1	3	4	7	8	10
35-49	81	4.0	12	<1	1	3	5	8	10	20
50-64	92	3.5	5	1	1	3	5	7	8	11
65+	109	5.2	42	1	1	3	6	11	17	36
B. *Operated*										
0-19 YRS	27	3.7	28	1	1	2	4	9	13	27
20-34	44	4.8	14	1	1	3	7	10	13	15
35-49	107	4.4	10	1	1	3	6	9	11	14
50-64	179	4.4	13	1	1	3	6	10	11	20
65+	140	4.8	12	1	2	4	6	10	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	282	4.2	12	1	1	3	5	8	11	18
20-34	171	3.9	7	1	1	3	5	8	10	13
35-49	268	5.0	21	1	2	4	6	9	12	19
50-64	581	6.8	45	2	2	5	8	14	17	35
65+	1003	7.4	31	2	2	6	9	15	19	27
B. *Operated*										
0-19 YRS	27	10.0	213	<1	1	5	9	25	39	71
20-34	84	6.6	24	1	2	5	9	14	16	21
35-49	181	7.2	48	1	2	5	9	15	20	42
50-64	417	7.3	47	1	2	6	8	14	18	33
65+	470	9.2	74	2	2	7	12	18	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	610	4.0	25	1	1	3	5	8	10	24
B. *Operated*	497	4.5	13	1	1	3	6	10	11	18
2. MULTIPLE DX										
A. *Not Operated*	2305	6.3	31	1	2	5	8	13	16	27
B. *Operated*	1179	8.0	61	2	2	6	10	16	21	41
1. SINGLE DX	1107	4.3	20	1	1	3	5	9	11	22
2. MULTIPLE DX	3484	6.9	42	1	2	5	8	14	18	32
A. NOT OPERATED	2915	5.8	31	1	1	4	7	12	16	26
B. OPERATED	1676	7.0	49	1	2	5	9	14	19	34
TOTAL 0-19 YRS	595	4.3	33	1	1	3	5	8	12	28
20-34	368	4.5	13	1	1	3	6	10	12	16
35-49	637	5.4	27	1	1	4	7	10	13	24
50-64	1269	6.4	40	1	2	5	8	12	16	32
65+	1722	7.5	43	2	2	6	9	15	20	32
GRAND TOTAL	**4591**	**6.3**	**38**	**1**	**2**	**5**	**8**	**13**	**17**	**30**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	2.0	1	1	1	2	2	4	5	6
20-34	386	2.3	3	1	1	2	3	4	5	8
35-49	356	2.4	3	<1	1	2	3	4	6	9
50-64	260	2.4	2	1	1	2	3	4	5	7
65+	171	3.9	16	1	1	3	5	8	10	24
B. *Operated*										
0-19 YRS	302	1.8	2	<1	1	1	2	3	3	10
20-34	105	4.3	7	1	1	4	6	8	9	12
35-49	115	4.8	14	1	2	4	6	9	10	24
50-64	91	6.6	23	1	2	6	9	14	15	22
65+	98	7.0	21	1	2	6	10	14	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	3.2	4	1	1	3	4	6	7	9
20-34	310	3.2	5	1	1	2	4	6	7	10
35-49	348	4.2	15	1	1	3	5	7	9	25
50-64	395	4.5	12	1	2	4	6	9	12	17
65+	739	6.8	44	1	2	5	8	13	18	32
B. *Operated*										
0-19 YRS	278	2.5	7	1	1	2	2	5	7	16
20-34	147	5.9	16	2	2	5	8	11	13	21
35-49	195	7.3	38	1	2	6	9	15	18	31
50-64	315	8.5	27	2	3	8	11	14	16	30
65+	731	10.8	61	2	4	9	14	20	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1292	2.5	5	1	1	2	3	5	6	10
B. *Operated*	711	4.0	14	1	1	2	5	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	1901	5.0	25	1	1	4	6	10	13	25
B. *Operated*	1666	8.1	48	1	2	7	11	16	21	34
1. SINGLE DX	2003	3.0	8	1	1	2	3	6	9	15
2. MULTIPLE DX	3567	6.5	38	1	2	5	9	13	18	31
A. NOT OPERATED	3193	4.0	18	1	1	3	5	8	11	21
B. OPERATED	2377	6.9	41	1	1	5	9	14	18	32
TOTAL 0-19 YRS	808	2.2	4	1	1	2	2	4	6	13
20-34	948	3.4	7	1	1	2	4	7	8	13
35-49	1014	4.2	18	1	1	3	5	8	11	24
50-64	1061	5.3	20	1	1	4	7	11	14	20
65+	1739	8.2	52	1	2	6	11	16	21	35
GRAND TOTAL	**5570**	**5.2**	**30**	**1**	**1**	**3**	**7**	**11**	**15**	**27**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2686	2.6	3	1	1	2	3	5	6	8
20-34	2981	3.4	8	1	1	3	4	6	8	12
35-49	1735	3.9	9	1	1	3	5	7	8	15
50-64	1145	4.3	11	1	2	3	5	8	10	17
65+	837	4.6	10	1	2	4	6	9	10	17
B. *Operated*										
0-19 YRS	371	3.8	7	1	2	3	4	6	8	11
20-34	612	4.7	11	1	2	4	6	9	12	18
35-49	307	5.4	16	1	2	4	7	10	12	19
50-64	202	6.2	21	1	2	6	8	12	15	23
65+	86	7.3	23	2	2	6	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1637	3.2	6	1	1	3	4	6	7	12
20-34	3159	4.3	12	1	1	3	5	8	10	17
35-49	2592	5.1	16	1	2	4	6	9	11	20
50-64	2537	5.6	16	2	2	5	7	10	13	20
65+	2888	6.5	27	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	250	5.2	11	2	2	4	6	9	11	17
20-34	860	6.7	23	1	2	6	8	12	16	22
35-49	618	8.4	42	2	3	7	11	16	20	34
50-64	512	9.2	41	2	3	8	12	17	21	34
65+	439	11.4	70	3	4	9	14	21	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9384	3.5	8	1	1	3	4	6	8	13
B. *Operated*	1578	5.0	14	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	12813	5.1	17	1	2	4	6	9	12	20
B. *Operated*	2679	8.2	41	2	2	7	10	15	20	33
1. SINGLE DX	10962	3.7	9	1	1	3	5	7	9	14
2. MULTIPLE DX	15492	5.6	23	1	2	4	7	11	14	23
A. NOT OPERATED	22197	4.4	14	1	1	3	5	8	10	18
B. OPERATED	4257	7.0	33	2	2	5	9	14	18	29
TOTAL 0-19 YRS	4944	3.1	5	1	1	3	4	5	7	11
20-34	7612	4.2	13	1	1	3	5	8	10	17
35-49	5252	5.1	19	1	2	4	6	9	12	21
50-64	4396	5.7	20	1	2	5	7	11	14	22
65+	4250	6.6	31	2	2	5	8	12	16	29
GRAND TOTAL	**26454**	**4.8**	**18**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	294	3.0	4	1	1	2	4	6	7	10
20-34	201	3.9	21	1	1	3	5	7	9	16
35-49	172	3.7	10	1	1	3	4	8	9	17
50-64	155	4.5	17	1	1	3	5	10	11	21
65+	203	5.2	29	1	1	4	6	11	14	28
B. *Operated*										
0-19 YRS	25	4.5	17	<1	1	3	6	9	12	20
20-34	65	5.6	42	1	1	3	6	10	14	43
35-49	79	5.9	31	1	1	4	7	12	16	31
50-64	54	5.6	31	1	1	3	8	12	17	30
65+	63	6.4	24	1	2	5	11	14	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	582	3.6	8	1	1	3	4	6	8	18
20-34	455	4.7	17	1	2	4	6	8	12	23
35-49	537	6.0	28	1	2	4	8	12	16	24
50-64	786	6.4	28	2	2	5	8	12	16	28
65+	1477	7.4	38	2	2	6	9	14	19	32
B. *Operated*										
0-19 YRS	59	7.7	45	1	2	5	10	17	21	34
20-34	188	7.2	31	2	2	6	8	13	17	34
35-49	229	8.9	52	2	3	7	10	16	20	42
50-64	244	9.8	72	2	2	8	12	22	27	41
65+	289	12.3	115	2	3	10	16	25	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1025	3.9	16	1	1	3	5	8	10	19
B. *Operated*	286	5.7	31	1	1	4	8	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	3840	6.1	29	1	2	5	7	12	16	28
B. *Operated*	1009	9.7	74	2	2	7	12	19	26	42
1. SINGLE DX	1311	4.3	20	1	1	3	5	9	12	22
2. MULTIPLE DX	4849	6.8	41	1	2	5	8	14	18	34
A. NOT OPERATED	4865	5.6	27	1	2	4	7	11	15	27
B. OPERATED	1295	8.8	67	2	2	7	11	17	24	39
TOTAL 0-19 YRS	960	3.7	11	1	1	3	4	7	9	20
20-34	912	5.1	24	1	1	4	6	9	13	26
35-49	1017	6.2	33	1	2	5	8	12	16	25
50-64	1239	6.8	38	1	2	5	8	13	18	35
65+	2032	7.9	51	2	2	6	10	15	21	38
GRAND TOTAL	**6160**	**6.3**	**37**	**1**	**2**	**5**	**8**	**13**	**17**	**32**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2050	4.2	35	1	1	3	4	8	12	35
20-34	2065	4.5	37	<1	1	3	5	8	12	30
35-49	1654	5.6	58	1	1	4	6	10	15	45
50-64	1873	6.4	56	1	2	4	7	13	19	37
65+	1903	6.9	53	1	2	5	8	14	20	39
B. *Operated*										
0-19 YRS	180	2.9	8	<1	1	2	3	6	9	14
20-34	382	4.2	37	1	1	2	5	8	11	34
35-49	342	4.4	19	1	1	3	5	10	13	22
50-64	397	5.3	35	1	2	3	6	11	16	23
65+	289	6.9	60	1	2	4	9	15	19	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1665	5.1	27	1	1	3	6	10	14	27
20-34	1724	4.4	10	1	2	4	5	8	11	17
35-49	2232	5.2	19	1	2	4	6	9	12	22
50-64	3987	6.3	29	2	2	5	8	12	16	27
65+	8426	7.6	43	2	3	6	9	14	19	32
B. *Operated*										
0-19 YRS	159	6.7	80	1	1	4	8	14	22	39
20-34	426	6.3	48	1	2	4	8	12	17	39
35-49	500	7.0	63	1	2	5	9	14	18	49
50-64	779	9.2	102	2	2	6	11	20	30	71
65+	1179	11.7	125	2	3	9	15	23	32	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9545	5.5	49	1	1	3	6	11	16	38
B. *Operated*	1590	4.9	35	1	1	3	6	10	15	29
2. MULTIPLE DX										
A. *Not Operated*	18034	6.5	34	2	2	5	8	13	17	29
B. *Operated*	3043	9.3	100	2	2	6	11	20	28	57
1. SINGLE DX	11135	5.4	47	1	1	3	6	11	16	37
2. MULTIPLE DX	21077	6.9	44	2	2	5	8	13	18	33
A. NOT OPERATED	27579	6.1	39	1	2	4	7	12	16	31
B. OPERATED	4633	7.8	82	1	2	5	10	17	23	49
TOTAL 0-19 YRS	4054	4.6	33	1	1	3	5	9	13	30
20-34	4597	4.6	29	1	1	3	5	9	12	25
35-49	4728	5.5	38	1	2	4	6	10	14	30
50-64	7036	6.6	46	1	2	5	8	13	18	35
65+	11797	7.9	54	2	2	6	10	15	21	37
GRAND TOTAL	**32212**	**6.4**	**46**	**1**	**2**	**4**	**8**	**12**	**18**	**34**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	375	2.3	4	1	1	2	3	4	6	10
20-34	53	4.2	13	1	1	3	5	11	13	15
35-49	26	4.2	7	1	1	3	6	8	10	10
50-64	8	6.3	34	1	1	4	9	16	18	18
65+	8	8.0	70	<1	<1	5	14	21	22	22
B. Operated										
0-19 YRS	60	6.1	17	2	2	6	8	10	14	23
20-34	39	10.6	95	2	3	7	12	25	35	45
35-49	17	7.9	28	3	3	7	10	14	20	24
50-64	7	14.6	278	5	5	9	11	44	52	52
65+	5	14.6	214	1	1	9	24	38	38	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	216	3.5	11	1	1	2	4	7	10	18
20-34	92	6.0	25	1	1	4	8	13	16	24
35-49	45	6.4	28	1	1	5	8	14	18	26
50-64	39	8.8	84	1	1	5	11	24	31	37
65+	35	13.3	173	2	2	11	21	29	32	65
B. Operated										
0-19 YRS	97	13.2	202	1	3	9	17	30	68	99+
20-34	113	17.7	362	2	3	12	21	53	80	99+
35-49	46	12.7	106	3	4	9	15	28	39	44
50-64	20	12.5	153	1	2	12	20	66	99+	99+
65+	17	31.2	532	3	7	24	51	59	74	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	470	2.7	7	1	1	2	3	5	7	15
B. *Operated*	128	8.5	67	2	3	6	10	15	25	47
2. MULTIPLE DX										
A. *Not Operated*	427	5.6	43	1	1	3	6	13	18	31
B. *Operated*	293	15.8	280	2	3	10	20	44	73	99+
1. SINGLE DX	598	4.0	26	1	1	2	5	8	11	26
2. MULTIPLE DX	720	9.8	165	1	1	5	12	24	40	99+
A. NOT OPERATED	897	4.1	26	1	1	2	5	9	14	26
B. OPERATED	421	13.6	227	2	3	9	16	37	54	99+
TOTAL 0-19 YRS	748	4.3	45	1	1	2	5	9	15	37
20-34	297	10.7	192	1	2	6	12	26	44	94
35-49	134	8.3	61	1	2	6	10	18	26	43
50-64	74	10.1	115	1	1	6	12	30	47	99+
65+	65	17.4	317	1	2	11	24	42	56	79
GRAND TOTAL	1318	7.2	110	1	1	4	8	17	27	79

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	142	3.0	7	1	1	2	4	6	8	18
20-34	70	4.3	9	1	1	3	5	10	11	13
35-49	17	3.5	4	1	2	3	4	7	8	8
50-64	12	5.5	19	1	1	4	8	12	15	15
65+	8	9.6	52	1	2	11	13	20	23	23
B. Operated										
0-19 YRS	21	5.0	9	1	2	4	7	9	11	13
20-34	28	7.7	195	2	2	4	8	10	18	77
35-49	10	4.9	8	1	1	5	8	8	8	8
50-64	5	6.8	41	2	2	3	12	16	16	16
65+	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	6.1	63	1	1	3	7	14	19	42
20-34	113	6.3	23	1	2	4	8	14	17	19
35-49	42	5.7	20	<1	1	5	8	12	15	21
50-64	26	9.1	57	2	3	7	11	22	26	29
65+	31	14.1	130	2	3	12	18	32	34	52
B. Operated										
0-19 YRS	48	8.0	122	1	2	5	8	20	51	99+
20-34	97	16.2	293	2	2	11	21	47	56	94
35-49	35	13.1	136	2	3	8	20	38	45	99+
50-64	20	26.9	299	4	8	22	38	55	59	60
65+	16	18.5	164	3	5	14	28	36	41	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	3.8	11	1	1	3	5	8	11	15
B. *Operated*	66	6.3	89	2	2	4	8	10	12	67
2. MULTIPLE DX										
A. *Not Operated*	336	7.1	55	1	1	5	9	16	21	35
B. *Operated*	216	15.0	243	2	2	9	21	41	54	99+
1. SINGLE DX	315	4.3	28	1	1	3	5	9	11	17
2. MULTIPLE DX	552	10.2	143	1	2	6	12	24	37	63
A. NOT OPERATED	585	5.7	39	1	1	4	7	12	17	33
B. OPERATED	282	13.0	220	2	2	8	16	37	51	96
TOTAL 0-19 YRS	335	5.0	47	1	1	3	6	9	16	52
20-34	308	9.1	143	1	2	5	11	19	32	72
35-49	104	7.8	69	1	2	5	9	20	25	71
50-64	63	13.9	203	2	2	9	18	36	49	60
65+	57	14.5	130	2	3	12	19	33	36	51
GRAND TOTAL	867	8.0	109	1	1	4	9	18	29	59

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.3	4	<1	1	2	3	4	6	11
20-34	96	2.4	4	<1	<1	2	3	5	6	11
35-49	28	2.4	4	<1	<1	1	3	5	7	9
50-64	20	2.6	3	1	1	2	3	4	6	8
65+	12	7.1	24	1	2	6	9	13	19	20
B. *Operated*										
0-19 YRS	1065	2.3	3	<1	1	2	3	4	5	9
20-34	1346	3.0	6	1	1	2	4	5	7	11
35-49	394	3.6	11	1	1	3	4	7	9	15
50-64	123	3.8	14	1	1	3	4	6	12	19
65+	64	5.3	24	1	1	3	7	11	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	3.0	6	<1	1	2	4	6	8	11
20-34	178	3.2	8	<1	1	3	4	6	8	14
35-49	82	3.5	6	<1	1	3	5	6	8	15
50-64	52	4.3	17	1	1	3	5	9	15	22
65+	128	6.6	27	1	2	5	8	12	17	25
B. *Operated*										
0-19 YRS	696	4.7	34	1	1	3	6	9	12	25
20-34	1281	5.3	36	1	2	4	6	10	14	33
35-49	480	6.4	35	1	2	5	8	13	17	31
50-64	213	6.8	47	1	2	5	8	14	19	39
65+	152	10.7	134	2	2	8	14	22	35	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	2.6	6	<1	<1	2	3	6	7	12
B. *Operated*	2992	2.9	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	525	4.2	15	<1	1	3	5	8	11	21
B. *Operated*	2822	5.7	43	1	2	4	7	11	16	35
1. SINGLE DX	3212	2.9	6	1	1	2	3	5	7	12
2. MULTIPLE DX	3347	5.5	39	1	1	4	7	11	15	32
A. NOT OPERATED	745	3.7	13	<1	1	3	5	8	10	20
B. OPERATED	5814	4.3	26	1	1	3	5	8	12	26
TOTAL 0-19 YRS	1910	3.2	15	<1	1	2	4	6	8	16
20-34	2901	4.0	21	1	1	3	5	8	11	22
35-49	984	4.9	24	1	1	3	6	10	13	29
50-64	408	5.4	33	1	1	4	6	12	16	26
65+	356	8.1	77	1	2	6	10	17	23	46
GRAND TOTAL	**6559**	**4.2**	**25**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	229	5.1	23	1	1	4	7	9	10	24
20-34	516	5.8	24	1	2	5	7	10	13	31
35-49	261	6.6	23	1	2	5	9	12	15	28
50-64	321	8.6	41	2	3	7	10	15	20	33
65+	557	10.3	31	3	4	9	14	18	21	25
B. *Operated*										
0-19 YRS	30	15.7	96	2	4	15	21	28	36	42
20-34	82	15.1	200	2	3	11	19	34	51	63
35-49	48	15.3	189	3	4	14	17	25	35	90
50-64	24	12.2	153	1	2	10	17	20	34	61
65+	20	23.2	322	7	8	16	29	54	60	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	6.1	26	1	2	5	7	12	17	27
20-34	413	7.3	39	2	2	6	9	13	19	33
35-49	286	9.6	65	2	3	8	12	18	23	44
50-64	452	11.2	84	3	4	9	13	21	28	48
65+	1826	12.8	60	4	5	11	16	22	28	39
B. *Operated*										
0-19 YRS	78	14.2	175	3	4	11	17	30	60	99+
20-34	205	17.1	256	2	4	12	22	39	50	84
35-49	117	17.0	187	3	4	13	23	40	45	88
50-64	103	19.9	279	4	5	15	25	43	55	88
65+	169	22.7	253	5	7	19	29	40	51	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1884	7.6	33	2	2	6	10	15	18	28
B. *Operated*	204	15.7	192	2	3	13	19	31	49	64
2. MULTIPLE DX										
A. *Not Operated*	3153	11.2	64	3	3	9	14	21	26	40
B. *Operated*	672	18.6	244	3	5	14	24	40	50	86
1. SINGLE DX	2088	8.4	54	2	2	7	11	16	20	38
2. MULTIPLE DX	3825	12.5	104	3	4	10	16	24	31	52
A. NOT OPERATED	5037	9.9	56	2	3	8	13	19	24	35
B. OPERATED	876	17.9	233	3	4	14	23	38	50	83
TOTAL 0-19 YRS	513	7.4	65	1	2	5	8	16	22	56
20-34	1216	8.8	99	1	2	6	10	18	28	57
35-49	712	10.1	92	2	3	8	13	20	28	47
50-64	900	11.3	103	2	3	9	14	22	29	53
65+	2572	13.0	77	4	5	11	16	23	29	46
GRAND TOTAL	**5913**	**11.1**	**90**	**2**	**3**	**9**	**14**	**21**	**28**	**49**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.1	5	<1	<1	3	4	6	7	7
20-34	26	11.7	359	1	1	5	8	34	54	88
35-49	15	6.5	33	1	1	4	13	18	75	99+
50-64	7	10.6	139	1	1	6	18	30	32	32
65+	14	9.4	7	7	7	9	10	14	15	15
B. Operated										
0-19 YRS	12	29.3	412	8	9	22	49	57	68	70
20-34	23	24.7	312	4	5	22	41	51	54	59
35-49	5	14.4	98	6	6	11	21	30	30	30
50-64	5	26.4	125	9	9	27	32	40	40	40
65+	2	68.5	1301	43	43	68	94	94	94	94
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	8.4	15	1	2	9	11	12	12	12
20-34	23	13.4	517	1	2	5	11	62	97	99+
35-49	15	10.1	141	2	2	9	9	22	42	49
50-64	12	11.5	59	3	4	11	13	20	31	33
65+	40	13.3	79	4	5	11	16	26	31	45
B. Operated										
0-19 YRS	30	38.9	551	5	11	39	53	78	99	99+
20-34	48	34.1	578	4	7	30	52	79	97	99+
35-49	21	39.6	551	4	5	41	63	75	86	99+
50-64	15	42.9	722	6	8	41	72	87	96	99+
65+	11	29.8	473	5	9	22	38	62	81	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	8.8	156	1	1	6	10	19	35	97
B. Operated	47	26.8	392	5	7	22	41	51	61	94
2. MULTIPLE DX										
A. Not Operated	97	12.3	182	2	3	9	13	29	41	98
B. Operated	125	36.8	571	5	8	34	56	79	97	99+
1. SINGLE DX	119	15.9	324	1	2	9	22	45	51	96
2. MULTIPLE DX	222	26.1	548	3	4	19	40	69	85	99+
A. NOT OPERATED	169	10.8	172	1	2	8	12	24	35	99
B. OPERATED	172	34.1	539	5	7	30	51	73	92	99+
TOTAL 0-19 YRS	59	27.3	570	1	2	21	46	61	83	99+
20-34	120	23.5	553	1	2	15	38	63	83	99+
35-49	56	20.6	477	2	2	11	35	68	76	99+
50-64	39	25.3	541	2	4	21	36	72	86	99+
65+	67	16.8	268	4	5	11	19	36	45	92
GRAND TOTAL	341	22.6	492	2	3	13	35	59	80	99+

346: Fracture of ribs, sternum, larynx, and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.1	2	<1	1	2	3	4	5	6
20-34	94	3.5	6	1	1	3	5	8	9	10
35-49	108	3.4	5	1	1	3	5	7	8	11
50-64	134	5.1	14	1	1	4	7	10	14	17
65+	166	6.3	21	2	2	5	8	11	17	23
B. Operated										
0-19 YRS	4	4.0	2	2	2	4	5	5	5	5
20-34	5	7.2	81	1	1	3	10	23	23	23
35-49	7	9.1	32	2	3	8	11	18	20	20
50-64	3	5.0	12	3	3	3	8	9	9	9
65+	4	6.3	15	2	2	6	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	4.7	29	1	1	3	6	9	14	34
20-34	310	4.8	18	1	2	4	6	9	11	28
35-49	412	6.1	18	1	2	5	8	11	13	24
50-64	586	7.1	25	2	2	6	9	12	15	26
65+	1132	9.4	50	2	3	8	12	18	23	35
B. Operated										
0-19 YRS	48	10.9	212	2	2	6	11	24	33	88
20-34	162	11.0	95	2	3	8	12	24	34	53
35-49	149	11.5	71	3	3	8	15	24	30	40
50-64	163	12.8	115	3	4	11	16	23	31	63
65+	169	15.7	156	3	4	13	21	33	43	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	528	4.7	14	1	1	4	6	9	11	20
B. Operated	23	6.8	31	1	2	5	9	14	21	23
2. MULTIPLE DX										
A. Not Operated	2529	7.6	38	2	2	6	10	14	19	31
B. Operated	691	12.7	121	3	3	9	16	26	35	60
1. SINGLE DX	551	4.8	15	1	1	4	6	9	11	21
2. MULTIPLE DX	3220	8.7	60	2	2	7	11	17	23	40
A. NOT OPERATED	3057	7.1	35	1	2	6	9	14	18	30
B. OPERATED	714	12.5	119	2	3	9	16	26	35	57
TOTAL 0-19 YRS	167	6.0	86	1	1	3	7	12	19	50
20-34	571	6.3	47	1	2	5	7	12	20	39
35-49	676	6.9	35	1	2	5	8	13	19	31
50-64	886	7.8	46	2	2	6	10	15	19	35
65+	1471	9.8	65	2	3	8	12	19	25	41
GRAND TOTAL	3771	8.1	55	2	2	6	10	16	22	38

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	6.5	40	1	2	5	8	13	17	39
20-34	129	10.0	115	2	3	7	10	18	29	61
35-49	60	10.0	52	2	3	8	13	20	22	37
50-64	106	9.8	62	2	3	8	12	19	22	44
65+	441	12.3	65	3	4	11	16	22	26	35
B. *Operated*										
0-19 YRS	5	20.8	1112	2	2	9	28	80	80	80
20-34	10	23.6	273	2	4	25	35	45	46	46
35-49	7	31.0	211	12	13	37	43	46	47	47
50-64	4	35.5	752	9	9	32	58	68	68	68
65+	8	16.3	18	8	9	17	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	9.4	70	2	3	7	11	20	26	46
20-34	199	11.6	117	2	3	8	14	25	38	56
35-49	126	14.1	99	3	4	12	19	28	37	59
50-64	187	14.4	132	3	4	11	18	27	39	57
65+	937	15.7	106	4	6	14	20	28	34	51
B. *Operated*										
0-19 YRS	62	19.7	263	3	5	15	26	45	55	71
20-34	118	23.3	302	5	7	19	32	49	63	92
35-49	61	26.0	360	4	6	19	39	54	61	76
50-64	57	29.4	445	5	8	22	41	61	71	86
65+	114	24.8	284	6	7	22	30	46	55	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	845	10.8	72	2	3	9	14	20	25	42
B. *Operated*	34	24.4	362	2	6	18	37	47	64	80
2. MULTIPLE DX										
A. *Not Operated*	1553	14.5	111	3	4	12	18	27	36	54
B. *Operated*	412	24.4	324	4	7	20	32	51	63	87
1. SINGLE DX	879	11.3	89	2	3	9	14	21	27	48
2. MULTIPLE DX	1965	16.5	172	3	5	13	21	32	44	66
A. NOT OPERATED	2398	13.2	100	3	4	11	17	25	32	49
B. OPERATED	446	24.4	326	4	7	20	33	50	63	87
TOTAL 0-19 YRS	280	10.8	142	2	2	7	13	23	35	62
20-34	456	14.4	197	2	3	9	17	35	46	67
35-49	254	16.4	192	3	4	12	21	38	47	68
50-64	354	15.7	211	3	4	11	19	35	48	74
65+	1500	15.4	116	4	5	13	19	28	34	58
GRAND TOTAL	**2844**	**14.9**	**152**	**3**	**4**	**12**	**19**	**29**	**40**	**64**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	3.5	22	<1	1	2	3	9	16	24
20-34	66	3.0	6	1	1	2	4	6	9	12
35-49	45	4.0	38	<1	1	2	3	7	14	35
50-64	101	5.0	27	1	1	3	6	9	16	30
65+	309	6.8	55	1	1	5	8	13	17	29
B. *Operated*										
0-19 YRS	1037	4.0	22	1	1	2	4	9	16	23
20-34	192	4.9	26	1	1	4	5	8	16	29
35-49	118	5.4	31	1	1	4	7	9	11	39
50-64	186	6.7	37	1	2	5	7	13	21	30
65+	297	7.6	46	1	2	6	9	15	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.3	16	<1	1	3	6	8	11	24
20-34	64	5.7	24	1	2	4	6	12	14	30
35-49	53	6.8	43	1	1	5	8	15	20	37
50-64	146	8.2	63	2	2	6	9	17	23	44
65+	654	10.8	77	2	3	8	14	21	28	42
B. *Operated*										
0-19 YRS	305	6.3	47	1	2	4	8	15	21	35
20-34	209	10.9	106	2	3	8	14	22	30	60
35-49	116	9.8	86	1	2	7	12	19	27	48
50-64	180	10.1	87	2	3	7	14	24	29	85
65+	476	15.3	169	2	4	11	20	31	42	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	692	5.2	39	1	1	3	6	11	16	28
B. *Operated*	1830	5.0	30	1	1	3	6	11	17	26
2. MULTIPLE DX										
A. *Not Operated*	988	9.4	70	2	2	7	12	20	26	41
B. *Operated*	1286	11.2	123	2	2	8	15	25	32	60
1. SINGLE DX	2522	5.1	33	1	1	3	6	11	16	27
2. MULTIPLE DX	2274	10.4	101	2	2	7	13	22	30	54
A. NOT OPERATED	1680	7.6	61	1	1	5	10	17	23	38
B. OPERATED	3116	7.6	78	1	1	4	9	18	25	45
TOTAL 0-19 YRS	1584	4.4	28	1	1	2	4	10	16	26
20-34	531	7.1	64	1	2	5	8	16	23	48
35-49	332	7.0	58	1	1	5	8	14	21	36
50-64	613	7.8	59	1	2	5	9	18	25	44
65+	1736	10.7	103	2	2	8	14	22	30	52
GRAND TOTAL	**4796**	**7.6**	**72**	**1**	**1**	**5**	**9**	**18**	**24**	**43**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	2.1	4	<1	<1	2	2	4	5	13
20-34	43	2.9	4	<1	1	3	4	5	7	10
35-49	24	2.5	3	<1	<1	2	4	5	6	6
50-64	38	3.3	8	<1	1	3	4	8	10	13
65+	87	6.1	60	1	1	4	8	13	16	48
B. *Operated*										
0-19 YRS	1617	2.1	6	1	1	2	2	4	5	9
20-34	613	3.7	7	1	1	3	5	7	8	15
35-49	345	3.5	6	1	1	3	4	6	8	14
50-64	458	3.4	6	1	1	3	4	6	8	11
65+	537	4.1	11	1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.7	4	1	1	2	4	5	6	10
20-34	75	3.9	11	1	1	3	5	8	11	18
35-49	57	3.6	7	1	1	3	5	6	8	15
50-64	93	7.0	39	1	1	5	10	15	22	29
65+	208	9.1	80	1	2	7	12	21	27	86
B. *Operated*										
0-19 YRS	391	4.4	33	1	1	3	5	10	15	32
20-34	430	7.4	74	1	2	5	8	15	26	54
35-49	255	7.5	67	1	2	5	9	15	24	42
50-64	348	7.0	50	1	2	5	9	14	20	38
65+	517	9.4	82	2	2	7	12	22	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	3.6	24	<1	1	2	4	8	11	19
B. *Operated*	3570	3.0	8	1	1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	507	6.4	50	1	1	4	8	14	21	37
B. *Operated*	1941	7.3	65	1	2	5	9	16	24	42
1. SINGLE DX	3864	3.0	9	1	1	2	4	6	8	14
2. MULTIPLE DX	2448	7.1	62	1	1	5	9	15	23	41
A. NOT OPERATED	801	5.4	42	1	1	3	7	12	17	31
B. OPERATED	5511	4.5	32	1	1	3	5	9	14	31
TOTAL 0-19 YRS	2184	2.6	11	1	1	2	3	5	7	16
20-34	1161	5.1	35	1	1	4	6	9	14	32
35-49	681	5.0	33	1	1	3	6	10	14	33
50-64	937	5.1	29	1	1	4	6	10	15	31
65+	1349	7.1	58	1	2	5	8	15	23	39
GRAND TOTAL	6312	4.6	34	1	1	3	5	10	14	31

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	1.9	1	<1	<1	1	3	4	4	5
20-34	39	3.1	4	<1	1	3	4	6	8	10
35-49	14	2.5	3	<1	1	2	3	6	6	6
50-64	22	3.5	4	<1	1	4	5	6	7	8
65+	17	4.9	39	<1	<1	3	6	10	21	27
B. *Operated*										
0-19 YRS	493	2.2	4	<1	1	2	2	4	4	12
20-34	711	2.4	3	1	1	2	3	4	5	9
35-49	291	2.5	3	1	1	2	3	4	6	10
50-64	165	3.0	4	1	1	2	4	6	7	10
65+	119	3.7	12	1	1	3	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.6	7	1	1	3	5	7	10	11
20-34	55	4.2	42	<1	1	3	5	8	10	45
35-49	39	5.0	28	1	1	4	6	10	15	30
50-64	32	6.5	17	2	3	6	8	12	14	22
65+	73	8.3	67	1	2	6	11	16	22	50
B. *Operated*										
0-19 YRS	201	3.9	31	1	1	3	4	7	10	31
20-34	408	4.6	49	1	1	3	5	8	12	33
35-49	207	4.8	31	1	1	3	5	9	14	31
50-64	136	5.8	44	1	1	3	7	11	18	38
65+	120	8.3	91	1	1	5	10	19	23	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	3.1	9	<1	1	2	4	6	8	15
B. *Operated*	1779	2.5	4	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	230	5.9	42	1	1	4	7	12	15	34
B. *Operated*	1072	5.1	47	1	1	3	6	10	16	38
1. SINGLE DX	1899	2.5	4	1	1	2	3	4	6	10
2. MULTIPLE DX	1302	5.2	47	1	1	3	6	10	15	37
A. NOT OPERATED	350	4.9	33	1	1	3	6	10	14	30
B. OPERATED	2851	3.5	22	1	1	2	4	6	9	23
TOTAL 0-19 YRS	753	2.7	12	1	1	2	3	5	6	14
20-34	1213	3.2	21	1	1	2	3	6	8	20
35-49	551	3.6	17	1	1	2	4	6	10	27
50-64	355	4.4	23	1	1	3	5	9	12	30
65+	329	6.5	59	1	1	4	8	14	20	43
GRAND TOTAL	3201	3.6	23	1	1	2	4	7	10	24

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	17.5	255	1	2	16	24	37	52	65
20-34	16	14.1	298	1	2	6	20	41	57	63
35-49	17	13.4	465	1	2	5	13	29	69	90
50-64	61	11.9	192	1	2	8	16	23	36	87
65+	284	11.2	96	1	1	9	16	23	29	49
B. *Operated*										
0-19 YRS	89	12.3	111	3	3	8	16	24	31	57
20-34	81	14.4	150	4	6	10	16	24	45	63
35-49	143	11.7	52	4	5	10	15	20	28	37
50-64	633	13.9	57	6	7	13	16	21	26	43
65+	4197	17.1	66	8	9	16	20	26	31	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	19.7	201	1	2	20	33	37	44	44
20-34	22	27.0	661	3	4	13	61	65	69	69
35-49	24	15.8	323	1	2	9	18	45	55	71
50-64	77	14.1	200	1	2	10	19	30	48	93
65+	525	17.0	220	2	4	13	22	38	51	98
B. *Operated*										
0-19 YRS	80	18.3	213	3	4	15	22	37	42	81
20-34	155	22.7	346	5	7	18	26	55	77	99+
35-49	186	19.5	212	6	7	16	24	35	47	92
50-64	706	18.8	139	7	8	16	23	32	45	78
65+	5965	21.3	133	9	11	18	25	35	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	12.3	153	1	1	9	17	25	34	64
B. *Operated*	5143	16.4	68	7	8	15	19	25	31	47
2. MULTIPLE DX										
A. *Not Operated*	672	17.0	238	2	3	13	22	39	52	98
B. *Operated*	7092	21.0	142	9	10	18	25	35	45	76
1. SINGLE DX	5572	16.1	76	5	8	15	19	25	31	48
2. MULTIPLE DX	7764	20.6	151	7	10	18	25	36	46	77
A. NOT OPERATED	1101	15.2	210	1	2	11	20	33	48	88
B. OPERATED	12235	19.1	116	8	9	16	22	32	40	65
TOTAL 0-19 YRS	244	16.1	189	2	3	13	21	35	41	64
20-34	274	20.1	326	4	5	14	24	51	64	98
35-49	370	16.0	180	3	5	12	20	30	41	86
50-64	1477	16.2	115	5	7	14	19	28	36	67
65+	10971	19.2	116	8	9	17	23	32	40	64
GRAND TOTAL	13336	18.7	125	7	9	16	22	32	40	66

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	411	17.8	163	1	2	18	25	35	41	53
20-34	62	22.2	493	2	2	9	39	58	65	82
35-49	34	20.4	328	2	3	13	37	49	52	57
50-64	37	25.7	462	1	3	18	45	60	81	99+
65+	124	19.8	368	2	3	12	28	48	66	81
B. *Operated*										
0-19 YRS	519	15.2	172	2	2	12	22	32	42	54
20-34	202	17.1	231	3	4	13	21	35	50	87
35-49	78	17.0	229	3	5	12	20	29	58	77
50-64	97	20.2	283	3	5	16	24	45	65	76
65+	329	19.6	153	7	9	16	24	35	49	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	23.6	203	3	4	24	31	43	48	61
20-34	58	29.9	651	2	2	23	50	70	79	91
35-49	29	31.8	726	4	5	24	47	72	88	95
50-64	56	25.2	510	3	4	18	41	66	73	83
65+	219	25.4	580	2	4	17	37	68	88	99+
B. *Operated*										
0-19 YRS	435	24.1	262	3	5	22	33	48	56	93
20-34	404	27.5	345	5	8	22	38	57	67	99+
35-49	124	27.8	410	4	7	24	39	61	86	99+
50-64	160	27.3	412	6	8	21	37	62	75	99+
65+	491	25.9	293	8	10	21	33	53	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	668	19.2	259	2	2	16	27	43	30	75
B. *Operated*	1225	17.2	192	2	3	14	22	34	46	69
2. MULTIPLE DX										
A. *Not Operated*	510	25.7	481	2	4	19	37	60	75	97
B. *Operated*	1614	26.1	320	5	8	22	35	54	68	99+
1. SINGLE DX	1893	17.9	217	2	3	15	24	37	49	71
2. MULTIPLE DX	2124	26.0	358	4	6	21	36	55	69	99+
A. NOT OPERATED	1178	22.0	365	2	3	18	31	49	63	90
B. OPERATED	2839	22.3	284	3	5	18	29	48	60	96
TOTAL 0-19 YRS	1513	19.3	213	2	3	18	28	40	48	67
20-34	726	24.4	372	3	5	19	35	54	65	94
35-49	265	24.1	406	3	5	18	35	58	73	99+
50-64	350	24.8	403	4	6	18	33	59	72	99
65+	1163	23.4	323	5	7	18	29	51	68	99+
GRAND TOTAL	4017	22.2	308	2	4	18	30	48	61	94

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	296	2.9	5	1	1	3	4	5	6	10
20-34	241	4.3	18	1	1	3	5	8	12	24
35-49	131	5.6	45	1	1	4	6	10	15	42
50-64	145	8.3	93	2	2	5	10	15	23	49
65+	158	10.1	64	2	3	8	13	20	29	40
B. *Operated*										
0-19 YRS	727	4.8	31	1	1	3	6	9	12	25
20-34	587	6.9	42	1	2	5	8	12	17	33
35-49	406	7.8	37	2	3	6	10	15	20	31
50-64	340	9.9	84	2	3	7	12	18	28	49
65+	172	12.2	91	3	4	10	16	23	28	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	4.2	9	1	2	3	5	9	10	16
20-34	116	6.0	34	1	2	4	7	12	14	36
35-49	84	5.7	26	1	1	5	7	11	19	26
50-64	131	10.9	121	2	2	8	13	22	29	62
65+	236	13.0	110	3	4	10	17	27	33	51
B. *Operated*										
0-19 YRS	294	11.5	173	2	2	7	14	25	44	83
20-34	514	14.0	202	3	3	9	17	32	53	99+
35-49	302	14.7	234	3	4	10	17	31	51	91
50-64	288	16.8	242	3	4	12	21	38	55	94
65+	266	18.0	208	4	5	14	23	37	56	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	971	5.6	43	1	1	4	6	12	16	34
B. *Operated*	2232	7.2	52	1	2	5	9	14	19	37
2. MULTIPLE DX										
A. *Not Operated*	654	9.2	87	2	2	6	12	20	27	47
B. *Operated*	1664	14.8	215	3	4	10	18	33	53	98
1. SINGLE DX	3203	6.7	50	1	2	5	8	13	18	36
2. MULTIPLE DX	2318	13.2	185	2	3	9	16	29	45	84
A. NOT OPERATED	1625	7.0	64	1	1	4	9	15	23	38
B. OPERATED	3896	10.5	136	2	2	7	12	22	33	71
TOTAL 0-19 YRS	1404	5.8	63	1	1	4	6	11	18	52
20-34	1458	8.9	109	1	2	6	10	18	28	65
35-49	923	9.6	115	2	2	6	11	19	28	68
50-64	904	12.0	152	2	3	8	14	25	37	75
65+	832	13.9	137	3	4	11	18	27	37	69
GRAND TOTAL	5521	9.5	117	1	2	6	11	20	29	66

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	156	3.2	19	<1	1	2	4	7	8	14
20-34	205	3.6	7	<1	1	3	5	7	9	12
35-49	161	3.7	5	1	1	3	5	7	8	11
50-64	196	5.0	13	1	2	4	6	9	12	22
65+	209	6.6	26	1	2	5	9	13	15	26
B. *Operated*										
0-19 YRS	837	4.0	8	1	2	3	5	7	9	15
20-34	1298	5.1	12	1	2	4	6	9	11	17
35-49	874	5.6	17	2	2	5	7	9	11	21
50-64	925	6.3	13	2	3	6	8	11	13	19
65+	601	8.6	36	3	3	7	11	16	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	4.0	8	1	1	3	5	8	10	15
20-34	170	5.3	21	1	2	4	6	11	15	28
35-49	126	6.8	50	1	2	4	8	13	23	37
50-64	197	6.9	41	1	1	5	9	13	16	34
65+	361	9.2	46	2	3	8	12	17	20	33
B. *Operated*										
0-19 YRS	395	7.7	102	2	2	5	8	13	28	54
20-34	864	7.9	61	2	3	6	9	15	21	47
35-49	543	8.2	64	2	3	6	9	15	21	46
50-64	633	10.2	91	3	3	7	12	19	27	53
65+	541	12.6	105	3	4	10	15	23	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	927	4.5	16	1	1	3	6	9	11	20
B. *Operated*	4535	5.7	18	2	2	5	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	940	7.2	41	1	2	5	9	14	18	31
B. *Operated*	2976	9.3	84	2	3	7	11	18	26	50
1. SINGLE DX	5462	5.5	18	1	2	5	7	10	13	21
2. MULTIPLE DX	3916	8.8	75	2	3	6	11	17	23	46
A. NOT OPERATED	1867	5.9	30	1	1	4	7	12	16	28
B. OPERATED	7511	7.1	47	2	2	5	8	13	18	36
TOTAL 0-19 YRS	1474	4.9	38	1	1	4	5	9	12	33
20-34	2537	6.0	31	1	2	5	7	11	14	31
35-49	1704	6.3	35	2	2	5	8	11	15	31
50-64	1951	7.5	45	2	3	6	9	13	17	34
65+	1712	9.8	63	2	3	8	12	18	23	41
GRAND TOTAL	9378	6.9	44	1	2	5	8	13	17	34

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.9	2	1	1	1	2	4	6	6
20-34	40	3.7	11	1	1	3	5	8	11	15
35-49	19	3.4	13	<1	1	2	4	8	13	15
50-64	13	4.9	23	1	1	2	7	13	14	14
65+	34	6.7	30	2	2	5	9	14	20	24
B. *Operated*										
0-19 YRS	65	3.0	3	1	1	3	4	4	6	9
20-34	59	3.8	17	1	1	3	4	6	9	29
35-49	15	4.7	8	1	2	4	7	9	10	11
50-64	8	4.1	12	1	1	3	4	10	12	12
65+	6	4.7	11	1	1	4	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	4.5	19	1	1	3	6	8	12	24
20-34	150	4.8	33	1	1	3	6	9	10	30
35-49	77	5.8	51	1	1	5	7	9	13	49
50-64	108	7.9	35	2	2	6	11	16	21	26
65+	172	9.5	68	1	3	7	12	19	24	48
B. *Operated*										
0-19 YRS	49	7.2	52	1	1	5	9	18	22	99+
20-34	84	7.8	113	1	2	5	9	13	23	68
35-49	41	8.2	73	1	2	5	11	20	26	43
50-64	31	14.8	190	2	4	11	19	32	43	66
65+	43	16.3	153	2	4	12	26	35	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	4.1	17	1	1	2	5	10	13	22
B. *Operated*	153	3.6	10	1	1	3	4	6	9	12
2. MULTIPLE DX										
A. *Not Operated*	619	6.7	47	1	2	5	8	14	20	31
B. *Operated*	248	10.1	123	1	2	6	12	25	35	81
1. SINGLE DX	293	3.8	13	1	1	3	4	8	11	19
2. MULTIPLE DX	867	7.7	71	1	2	5	9	17	24	47
A. NOT OPERATED	759	6.2	43	1	1	4	8	13	19	30
B. OPERATED	401	7.6	89	1	2	4	9	19	29	56
TOTAL 0-19 YRS	260	4.3	21	1	1	3	5	8	13	25
20-34	333	5.3	50	1	1	3	6	10	12	34
35-49	152	6.0	50	1	1	4	7	12	17	43
50-64	160	8.8	71	1	2	6	12	19	23	43
65+	255	10.2	84	2	2	7	13	24	30	50
GRAND TOTAL	1160	6.7	59	1	1	4	8	14	21	43

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	4	<1	<1	2	3	6	7	7
20-34	6	3.2	3	1	1	3	4	6	6	6
35-49	2	10.0	72	4	4	10	16	16	16	16
50-64	4	12.0	93	4	4	9	18	26	26	26
65+	4	7.0	13	2	2	8	9	10	10	10
B. *Operated*										
0-19 YRS	6	10.8	114	2	2	7	13	29	31	31
20-34	6	6.2	23	1	1	5	12	12	12	12
35-49	3	7.3	20	3	3	7	11	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	8	2	2	3	7	8	8	8
20-34	5	14.2	454	2	2	5	20	52	52	52
35-49	5	4.6	11	1	1	4	6	10	10	10
50-64	10	8.8	157	2	2	4	10	27	43	43
65+	4	23.0	286	11	11	16	33	48	48	48
B. *Operated*										
0-19 YRS	8	20.8	500	4	5	13	23	59	73	73
20-34	13	19.2	163	5	7	18	23	59	91	99+
35-49	7	36.7	1017	7	8	28	52	87	95	95
50-64	6	28.2	798	6	7	14	44	75	79	79
65+	5	26.2	453	6	6	21	39	60	60	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.1	30	<1	1	3	7	10	17	26
B. *Operated*	15	8.3	57	1	2	6	12	13	26	31
2. MULTIPLE DX										
A. *Not Operated*	30	9.9	183	2	2	4	10	30	48	52
B. *Operated*	39	24.9	499	5	6	16	32	66	87	99+
1. SINGLE DX	43	6.2	41	<1	1	4	9	12	19	31
2. MULTIPLE DX	69	18.4	413	2	2	12	21	52	73	99
A. NOT OPERATED	58	7.6	114	1	1	4	9	16	36	52
B. OPERATED	54	20.3	430	3	4	13	25	54	77	99+
TOTAL 0-19 YRS	32	8.8	193	<1	1	4	9	22	30	73
20-34	30	12.6	181	1	2	7	18	40	54	99+
35-49	17	18.9	629	2	3	10	19	53	80	95
50-64	20	15.3	376	2	2	9	14	43	61	79
65+	13	19.3	301	3	5	12	24	50	58	60
GRAND TOTAL	112	13.7	304	1	2	7	15	43	54	97

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	15	2.0	2	<1	<1	1	3	4	5	5
35-49	6	1.0		1	1	1	1	1	1	1
50-64	6	2.3	3	1	1	2	4	5	5	5
65+	9	5.3	24	1	1	3	7	14	15	15
B. *Operated*										
0-19 YRS	149	3.0	2	1	1	3	4	5	5	6
20-34	465	3.3	3	1	1	3	4	5	6	9
35-49	126	3.2	4	1	1	3	4	5	6	13
50-64	70	3.4	4	1	1	3	5	6	7	9
65+	61	3.0	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	3	1	1	2	3	5	5	5
20-34	24	3.8	11	1	1	2	5	10	11	12
35-49	9	4.9	18	1	1	3	6	12	13	13
50-64	14	6.0	9	1	2	6	8	10	12	12
65+	28	7.9	68	1	2	5	10	21	28	35
B. *Operated*										
0-19 YRS	22	4.0	6	1	2	3	4	7	10	12
20-34	100	4.6	12	1	1	4	5	9	11	20
35-49	39	5.6	107	1	1	4	5	7	10	67
50-64	45	6.1	52	1	1	4	7	11	13	47
65+	72	8.2	59	1	1	5	11	21	24	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.6	9	<1	<1	1	3	5	9	15
B. *Operated*	871	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	80	5.6	34	1	1	4	8	12	13	33
B. *Operated*	278	5.9	45	1	1	4	7	11	17	34
1. SINGLE DX	910	3.2	3	1	1	3	4	5	6	10
2. MULTIPLE DX	358	5.8	42	1	1	4	7	11	17	34
A. NOT OPERATED	119	4.6	27	1	1	3	5	11	13	29
B. OPERATED	1149	3.9	14	1	1	3	4	6	8	18
TOTAL 0-19 YRS	179	3.1	2	1	1	3	4	5	5	8
20-34	604	3.5	5	1	1	3	4	6	8	11
35-49	180	3.7	27	1	1	3	4	5	8	13
50-64	135	4.5	22	1	1	4	6	8	11	21
65+	170	6.1	45	1	1	4	7	14	22	34
GRAND TOTAL	1268	3.9	16	1	1	3	4	7	9	21

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.8	3	<1	<1	3	4	5	6	7
20-34	51	2.9	10	<1	<1	2	4	6	9	19
35-49	20	2.5	3	<1	<1	2	3	6	6	6
50-64	13	3.7	4	1	1	3	6	6	7	7
65+	3	3.7	4	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	1064	3.8	4	1	2	4	5	6	7	10
20-34	2161	4.0	5	2	2	4	5	6	8	11
35-49	988	4.2	6	2	2	4	5	7	8	12
50-64	434	4.6	8	2	2	4	6	8	10	15
65+	115	6.5	29	2	2	5	7	14	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.4	3	<1	1	2	3	6	6	6
20-34	21	2.9	4	<1	<1	2	4	6	7	8
35-49	18	2.9	4	<1	1	2	5	6	7	7
50-64	17	6.4	27	1	2	5	7	16	19	20
65+	8	8.0	105	1	2	5	6	25	33	33
B. *Operated*										
0-19 YRS	444	4.4	8	2	2	4	5	7	9	14
20-34	976	4.9	14	2	2	4	6	8	10	19
35-49	568	4.8	13	1	2	4	6	8	11	20
50-64	471	5.8	31	2	2	5	7	10	13	30
65+	188	7.0	45	2	2	5	8	15	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	2.9	6	<1	<1	2	4	6	7	12
B. *Operated*	4762	4.1	6	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	78	4.1	22	<1	1	3	5	7	9	29
B. *Operated*	2647	5.1	19	2	2	4	6	9	12	22
1. SINGLE DX	4880	4.1	6	1	2	4	5	6	8	13
2. MULTIPLE DX	2725	5.1	19	2	2	4	6	9	11	22
A. NOT OPERATED	196	3.4	13	<1	<1	2	5	6	7	20
B. OPERATED	7409	4.5	11	2	2	4	5	7	9	17
TOTAL 0-19 YRS	1553	3.9	5	1	2	4	5	6	8	11
20-34	3209	4.2	8	1	2	4	5	7	9	14
35-49	1594	4.4	8	1	2	4	5	7	9	16
50-64	935	5.2	20	2	2	4	6	9	12	22
65+	314	6.8	40	2	2	5	8	14	19	32
GRAND TOTAL	7605	4.4	11	1	2	4	5	7	9	17

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.7	14	<1	1	3	4	7	12	20
20-34	60	7.2	52	1	1	4	10	16	25	30
35-49	33	5.8	21	1	1	5	8	11	15	20
50-64	32	5.9	31	1	1	4	7	15	20	23
65+	15	7.6	112	<1	<1	5	9	11	36	44
B. *Operated*										
0-19 YRS	228	4.0	44	1	1	2	4	9	14	40
20-34	328	5.3	24	1	1	4	7	12	14	24
35-49	195	7.3	36	1	1	6	10	16	19	28
50-64	113	6.1	24	1	1	5	9	12	15	25
65+	62	8.3	123	2	2	5	10	16	23	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	8.3	91	1	2	5	11	14	37	42
20-34	59	7.9	80	<1	1	5	9	19	26	43
35-49	38	7.6	51	1	1	5	10	17	26	31
50-64	50	8.1	36	1	1	6	12	16	20	27
65+	39	10.4	73	1	2	10	13	20	22	49
B. *Operated*										
0-19 YRS	118	9.3	180	1	1	5	10	18	41	72
20-34	245	9.8	114	1	2	6	13	22	34	92
35-49	146	12.7	225	2	2	8	16	30	44	96
50-64	109	11.0	115	2	2	8	14	24	31	56
65+	74	14.1	167	1	2	11	20	28	48	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	6.0	40	1	1	4	8	13	20	29
B. *Operated*	926	5.7	40	1	1	4	8	13	16	31
2. MULTIPLE DX										
A. *Not Operated*	220	8.4	65	1	1	6	11	18	22	42
B. *Operated*	692	11.0	157	1	2	7	14	25	38	81
1. SINGLE DX	1105	5.8	40	1	1	4	8	13	17	30
2. MULTIPLE DX	912	10.3	136	1	2	7	13	22	35	63
A. NOT OPERATED	399	7.3	55	1	1	5	10	15	21	42
B. OPERATED	1618	8.0	96	1	1	5	10	18	25	51
TOTAL 0-19 YRS	419	5.8	89	1	1	3	6	13	20	47
20-34	692	7.3	67	1	1	5	9	17	22	44
35-49	412	9.1	110	1	1	7	11	20	28	56
50-64	304	8.1	64	1	1	6	11	16	23	40
65+	190	10.9	134	1	2	8	14	22	31	57
GRAND TOTAL	**2017**	**7.8**	**88**	**1**	**1**	**5**	**10**	**18**	**24**	**48**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.4	4	<1	1	2	3	5	6	11
20-34	61	3.1	4	<1	1	2	4	6	7	10
35-49	28	3.8	5	1	1	3	4	8	9	9
50-64	25	4.4	9	1	2	4	5	8	10	15
65+	26	5.8	10	2	2	5	9	11	11	12
B. *Operated*										
0-19 YRS	301	3.8	5	1	1	3	5	6	8	11
20-34	437	4.0	5	1	2	4	5	7	8	11
35-49	108	4.5	8	1	2	4	6	7	11	14
50-64	43	5.7	15	2	2	5	7	11	13	22
65+	16	7.6	17	2	3	7	10	13	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.7	3	1	1	2	4	5	6	7
20-34	57	3.9	8	1	1	3	5	8	10	14
35-49	36	5.4	14	1	2	4	6	9	14	19
50-64	51	6.0	13	2	2	5	9	11	13	16
65+	89	8.0	27	2	2	7	11	14	17	28
B. *Operated*										
0-19 YRS	270	5.0	8	2	2	5	6	8	10	15
20-34	407	5.5	16	2	2	5	6	9	13	23
35-49	123	6.3	23	1	2	5	8	12	16	26
50-64	62	7.3	38	2	2	6	8	13	18	38
65+	26	12.6	143	2	3	9	16	19	32	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	3.6	7	1	1	3	5	7	9	12
B. *Operated*	905	4.1	6	1	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	260	5.8	19	1	2	4	8	11	14	23
B. *Operated*	888	5.8	21	2	2	5	7	10	14	24
1. SINGLE DX	1094	4.0	6	1	1	4	5	7	9	13
2. MULTIPLE DX	1148	5.8	21	1	2	5	7	10	14	24
A. NOT OPERATED	449	4.9	15	1	1	4	7	10	12	17
B. OPERATED	1793	5.0	14	1	2	4	6	8	11	18
TOTAL 0-19 YRS	647	4.2	7	1	1	4	5	7	9	13
20-34	962	4.6	10	1	2	4	6	8	10	15
35-49	295	5.3	15	1	2	4	6	9	13	20
50-64	181	6.1	22	2	2	5	8	11	14	24
65+	157	8.4	45	2	3	7	11	16	18	30
GRAND TOTAL	**2242**	**4.9**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	4.9	10	1	2	4	7	9	11	15
20-34	1435	6.4	18	2	2	6	8	11	13	18
35-49	1415	6.6	14	2	3	6	8	11	14	20
50-64	630	6.7	14	2	3	6	8	12	14	20
65+	187	6.9	18	2	2	6	9	12	15	23
B. *Operated*										
0-19 YRS	20	6.2	12	2	2	6	8	10	13	15
20-34	408	7.9	30	2	2	7	11	15	17	25
35-49	354	8.0	26	2	3	7	11	15	19	23
50-64	87	8.7	26	3	3	8	11	16	18	24
65+	7	8.1	25	3	3	7	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	5.7	14	1	2	5	8	10	13	19
20-34	940	7.2	21	2	3	6	9	13	16	24
35-49	1298	7.7	23	2	3	7	10	14	17	24
50-64	1040	8.0	25	3	3	7	10	14	17	24
65+	698	9.4	45	3	3	8	12	16	21	35
B. *Operated*										
0-19 YRS	14	7.9	27	2	3	6	10	17	19	19
20-34	229	9.9	30	2	3	9	13	18	20	23
35-49	283	11.2	58	3	4	9	14	20	27	40
50-64	162	11.1	41	3	4	10	14	19	25	31
65+	51	13.2	55	4	5	13	17	20	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3807	6.5	16	2	3	6	8	11	14	19
B. *Operated*	876	8.0	28	2	3	7	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	4060	7.9	27	2	3	7	10	14	17	26
B. *Operated*	739	10.9	45	3	4	10	14	19	23	34
1. SINGLE DX	4683	6.8	18	2	3	6	9	12	15	20
2. MULTIPLE DX	4799	8.4	31	2	3	7	10	15	19	28
A. NOT OPERATED	7867	7.2	22	2	3	6	9	13	16	24
B. OPERATED	1615	9.3	38	2	3	8	12	17	20	30
TOTAL 0-19 YRS	258	5.4	13	1	2	5	7	10	13	18
20-34	3012	7.1	23	2	3	6	9	13	16	23
35-49	3350	7.6	24	2	3	7	9	13	17	25
50-64	1919	7.9	24	2	3	7	10	14	17	25
65+	943	9.1	42	2	3	8	11	16	20	34
GRAND TOTAL	**9482**	**7.6**	**25**	**2**	**3**	**7**	**10**	**14**	**17**	**25**

362: Sprains and strains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	3.8	8	1	1	3	5	7	11	13
20-34	1248	5.9	16	1	2	5	8	11	13	18
35-49	960	6.6	18	2	2	6	8	11	14	22
50-64	400	6.5	17	1	2	6	8	12	15	21
65+	147	6.9	18	2	2	6	9	13	15	19
B. *Operated*										
0-19 YRS	24	6.0	16	2	2	4	8	13	14	15
20-34	375	6.5	22	2	2	5	9	13	17	23
35-49	304	7.6	30	2	2	6	10	15	18	27
50-64	87	7.5	28	2	2	6	9	15	17	28
65+	9	8.9	15	4	5	9	12	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	4.4	17	1	1	3	6	9	11	20
20-34	1275	6.7	22	2	2	6	9	13	15	23
35-49	1282	7.3	24	2	3	6	9	13	17	25
50-64	821	7.4	23	2	3	6	9	13	16	25
65+	591	8.1	26	2	3	7	10	14	18	28
B. *Operated*										
0-19 YRS	9	5.3	10	<1	1	5	7	10	11	11
20-34	235	9.7	45	2	3	8	12	18	23	35
35-49	250	10.0	45	2	3	8	14	18	20	36
50-64	131	9.9	38	2	3	9	13	17	20	32
65+	46	12.1	81	3	4	11	14	19	26	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3027	6.0	17	1	2	5	8	11	14	19
B. *Operated*	799	7.1	26	2	2	6	9	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	4188	7.1	24	2	2	6	9	13	16	25
B. *Operated*	671	10.0	46	2	3	9	13	18	22	36
1. SINGLE DX	3826	6.3	19	1	2	5	8	12	15	21
2. MULTIPLE DX	4859	7.5	28	2	2	6	10	14	17	26
A. NOT OPERATED	7215	6.7	21	1	2	6	9	12	15	23
B. OPERATED	1470	8.4	37	2	2	7	11	16	19	31
TOTAL 0-19 YRS	524	4.2	12	1	1	3	5	8	11	15
20-34	3133	6.6	22	1	2	5	9	12	15	23
35-49	2796	7.4	25	2	2	6	9	13	17	25
50-64	1439	7.4	24	2	2	6	9	13	16	25
65+	793	8.1	29	2	3	7	10	14	18	28
GRAND TOTAL	**8685**	**6.9**	**24**	**2**	**2**	**6**	**9**	**13**	**16**	**24**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (16)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	91	2.9	4	<1	<1	2	4	6	7	9
20-34	137	3.4	7	1	1	2	4	8	9	12
35-49	96	4.3	10	1	1	3	5	9	11	16
50-64	64	4.6	14	1	1	4	6	9	12	20
65+	78	5.5	21	1	2	4	8	13	16	19
B. *Operated*										
0-19 YRS	188	3.0	8	1	1	3	4	5	6	11
20-34	422	3.4	4	1	1	3	4	5	6	10
35-49	319	3.8	5	1	2	3	4	6	8	13
50-64	266	4.8	7	2	2	4	6	8	10	13
65+	103	6.2	15	2	3	5	7	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.4	9	1	1	3	4	6	14	93
20-34	150	4.1	11	1	1	4	5	8	10	18
35-49	130	5.2	20	1	1	4	6	10	15	21
50-64	137	6.2	20	2	2	5	8	12	17	21
65+	228	7.8	30	2	3	6	10	19	21	26
B. *Operated*										
0-19 YRS	71	3.6	5	1	1	3	5	6	8	13
20-34	136	4.7	18	1	2	3	5	9	12	24
35-49	112	5.1	15	2	2	4	6	8	12	23
50-64	156	7.1	38	2	3	5	8	15	20	33
65+	88	9.4	83	2	2	7	10	20	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	4.0	11	1	1	3	5	8	10	17
B. *Operated*	1298	3.9	7	1	2	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	702	5.9	23	1	2	4	7	12	16	24
B. *Operated*	563	6.0	35	1	2	4	7	12	17	32
1. SINGLE DX	1764	4.0	8	1	1	3	5	7	9	16
2. MULTIPLE DX	1265	5.9	28	1	2	4	7	12	16	27
A. NOT OPERATED	1168	5.1	19	1	1	4	7	10	14	21
B. OPERATED	1861	4.6	16	1	2	4	5	8	11	21
TOTAL 0-19 YRS	407	3.1	7	1	1	3	4	5	6	15
20-34	845	3.7	8	1	1	3	4	7	9	17
35-49	657	4.3	11	1	2	4	5	8	10	16
50-64	623	5.7	20	2	2	5	7	10	15	21
65+	497	7.4	36	2	2	6	9	15	18	28
GRAND TOTAL	3029	4.8	17	1	2	4	6	9	13	21

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1988	1.6	2	<1	1	1	2	3	4	7
20-34	678	2.2	3	<1	1	2	3	4	5	8
35-49	182	2.5	4	<1	1	2	3	5	7	10
50-64	77	3.1	24	1	1	2	3	6	7	33
65+	65	4.2	25	1	1	2	5	5	11	30
B. *Operated*										
0-19 YRS	17	1.7	1	1	1	1	2	3	4	4
20-34	13	11.2	518	<1	<1	2	8	35	75	84
35-49	3	5.3	14	<1	<1	7	8	8	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	9.5	13	7	7	9	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1661	2.5	12	1	1	2	3	5	6	13
20-34	1411	3.4	17	1	1	2	4	7	10	17
35-49	528	4.4	18	1	1	3	5	9	12	24
50-64	391	5.1	25	1	1	4	7	10	14	21
65+	479	7.7	61	1	1	5	11	17	22	33
B. *Operated*										
0-19 YRS	386	4.5	40	1	1	2	5	10	16	43
20-34	434	5.9	94	1	1	3	6	12	27	52
35-49	170	5.9	51	1	1	4	7	12	19	54
50-64	110	8.5	130	1	1	4	9	24	32	59
65+	129	8.5	75	1	2	6	10	21	31	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2990	1.9	4	<1	1	1	2	3	5	9
B. *Operated*	36	6.0	199	<1	1	2	6	11	20	84
2. MULTIPLE DX										
A. *Not Operated*	4470	3.8	23	1	1	2	4	8	12	23
B. *Operated*	1229	6.0	74	1	1	3	7	14	24	52
1. SINGLE DX	3026	2.0	6	<1	1	1	2	3	5	9
2. MULTIPLE DX	5699	4.3	35	1	1	2	5	9	14	30
A. NOT OPERATED	7460	3.1	16	1	1	2	3	6	9	20
B. OPERATED	1265	6.0	77	1	1	3	7	14	24	54
TOTAL 0-19 YRS	4052	2.3	10	1	1	1	2	4	6	15
20-34	2536	3.6	30	1	1	2	4	7	10	28
35-49	883	4.3	23	1	1	3	5	9	12	27
50-64	579	5.5	47	1	1	4	6	11	17	38
65+	675	7.5	61	1	1	5	10	18	23	37
GRAND TOTAL	8725	3.5	26	1	1	2	4	7	11	27

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	693	2.1	10	<1	1	1	2	4	6	16
20-34	296	3.6	42	<1	1	2	4	8	12	23
35-49	95	3.9	25	1	1	2	5	8	12	32
50-64	36	4.2	21	<1	1	2	5	12	13	22
65+	53	5.3	31	1	1	4	7	10	20	29
B. *Operated*										
0-19 YRS	51	11.5	131	2	3	9	13	21	26	73
20-34	53	13.2	162	3	5	9	15	23	44	70
35-49	37	14.8	302	2	3	10	17	27	[illegible]	81
50-64	41	17.3	278	6	7	11	18	41	50	93
65+	65	17.2	196	5	6	12	22	[illegible]	49	96
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	728	3.7	36	1	1	2	4	8	13	39
20-34	551	6.0	68	1	1	3	7	13	22	47
35-49	245	5.8	63	<1	1	3	7	15	19	60
50-64	158	7.3	74	1	1	5	9	15	30	99+
65+	306	8.8	107	1	1	6	11	21	28	64
B. *Operated*										
0-19 YRS	216	21.7	566	1	1	12	36	66	85	99+
20-34	248	20.2	462	1	2	13	35	68	99+	99+
35-49	127	14.9	248	1	2	11	25	55	99+	99+
50-64	89	20.4	368	2	3	16	28	56	76	99+
65+	169	23.2	330	3	4	20	32	51	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1173	2.8	21	<1	1	1	3	6	9	22
B. *Operated*	247	14.9	206	3	5	10	17	32	46	81
2. MULTIPLE DX										
A. *Not Operated*	1988	5.7	65	1	1	3	7	13	21	55
B. *Operated*	849	20.4	425	1	2	14	32	61	90	99+
1. SINGLE DX	1420	4.9	74	1	1	2	5	12	19	47
2. MULTIPLE DX	2837	10.1	218	1	1	4	12	30	51	99+
A. NOT OPERATED	3161	4.6	51	1	1	2	5	11	16	45
B. OPERATED	1096	19.2	381	1	2	12	25	56	83	99+
TOTAL 0-19 YRS	1688	5.6	136	1	1	2	4	13	29	81
20-34	1148	8.8	190	1	1	4	9	24	48	99+
35-49	504	8.4	140	1	1	4	11	24	42	99+
50-64	324	11.8	214	1	1	7	14	31	55	99+
65+	593	13.5	219	1	2	8	19	34	47	93
GRAND TOTAL	4257	8.4	176	1	1	3	9	24	41	99+

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.3	5	1	1	3	4	6	8	11
20-34	62	3.6	5	1	1	3	5	7	8	9
35-49	23	4.7	11	<1	1	4	6	10	12	13
50-64	18	5.2	20	1	2	4	6	9	16	21
65+	4	3.0	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	31	6.2	21	1	2	5	9	11	15	23
20-34	117	6.3	12	2	3	5	8	10	12	19
35-49	38	5.6	6	2	3	5	7	9	11	13
50-64	24	6.4	15	1	2	5	9	13	14	14
65+	7	8.4	60	2	2	4	13	21	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	5.0	46	1	1	4	6	8	10	47
20-34	110	6.0	35	1	2	5	7	10	13	35
35-49	67	7.5	87	2	2	6	8	13	19	33
50-64	43	8.9	198	1	2	6	11	12	19	94
65+	67	8.3	49	2	3	6	9	16	21	38
B. *Operated*										
0-19 YRS	89	10.4	61	4	4	8	12	17	27	45
20-34	261	11.4	110	3	4	8	13	25	35	55
35-49	119	11.4	93	4	4	9	14	22	32	77
50-64	92	15.1	191	3	4	11	16	38	47	66
65+	57	15.0	219	3	4	10	17	35	42	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	3.9	8	1	1	3	5	8	9	13
B. *Operated*	217	6.2	14	2	3	5	8	11	13	23
2. MULTIPLE DX										
A. *Not Operated*	336	7.0	71	1	2	5	8	12	18	43
B. *Operated*	618	12.2	124	3	4	9	14	25	38	58
1. SINGLE DX	363	5.3	13	1	2	4	7	10	12	20
2. MULTIPLE DX	954	10.3	111	2	3	7	12	20	33	56
A. NOT OPERATED	482	6.0	54	1	2	4	7	11	15	38
B. OPERATED	835	10.6	102	3	4	8	12	21	33	55
TOTAL 0-19 YRS	208	7.2	50	1	2	5	9	14	18	43
20-34	550	8.4	71	2	2	6	9	15	27	42
35-49	247	8.8	77	2	3	6	11	16	22	67
50-64	177	11.4	166	2	3	8	12	22	41	67
65+	135	11.0	131	2	3	7	14	24	39	53
GRAND TOTAL	1317	8.9	89	2	2	6	10	17	27	50

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	208	3.0	5	1	1	2	4	6	8	12
20-34	146	3.4	8	1	1	2	4	7	8	15
35-49	32	3.2	6	1	1	2	4	6	9	10
50-64	22	4.3	13	1	1	3	5	9	12	16
65+	11	4.1	7	1	1	3	6	8	8	8
B. Operated										
0-19 YRS	153	7.0	11	2	3	7	8	12	13	18
20-34	194	8.3	35	3	4	7	9	13	22	30
35-49	66	8.1	25	3	4	7	10	16	20	27
50-64	25	9.3	20	4	6	8	10	15	20	22
65+	8	9.8	77	2	2	7	12	24	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	219	4.1	13	1	1	3	5	8	11	18
20-34	192	4.6	18	1	1	3	5	10	12	23
35-49	83	4.4	16	1	1	4	6	8	11	25
50-64	33	6.7	36	1	2	5	8	14	18	30
65+	50	7.0	38	1	2	6	8	13	23	32
B. Operated										
0-19 YRS	307	13.6	157	4	5	9	15	31	41	72
20-34	601	13.4	132	4	5	10	15	26	38	89
35-49	244	13.8	139	4	6	10	16	27	37	76
50-64	130	17.4	218	6	7	13	22	34	57	98
65+	68	21.0	213	4	5	16	29	36	54	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	419	3.3	7	1	1	2	4	7	8	14
B. Operated	446	7.9	25	2	4	7	9	13	18	26
2. MULTIPLE DX										
A. Not Operated	577	4.7	19	1	1	4	6	10	13	25
B. Operated	1350	14.3	155	4	5	10	16	30	40	76
1. SINGLE DX	865	5.7	22	1	1	5	8	10	13	24
2. MULTIPLE DX	1927	11.4	133	1	2	8	14	25	35	69
A. NOT OPERATED	996	4.1	14	1	1	3	5	8	11	18
B. OPERATED	1796	12.7	130	4	5	9	14	26	35	70
TOTAL 0-19 YRS	887	7.6	81	1	1	5	9	15	24	52
20-34	1133	9.7	97	1	2	7	11	19	28	57
35-49	425	10.3	105	1	2	8	12	21	29	63
50-64	210	13.3	172	2	3	9	15	30	36	81
65+	137	13.9	175	2	2	9	20	32	36	63
GRAND TOTAL	**2792**	**9.6**	**106**	**1**	**2**	**7**	**11**	**20**	**30**	**62**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.7	3	<1	1	2	4	5	6	6
20-34	16	1.9	1	<1	<1	2	3	3	3	3
35-49	4	2.8	3	1	1	2	4	5	5	5
50-64	3	4.0	7	<1	<1	5	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	255	3.3	7	1	1	2	4	6	8	14
20-34	152	3.4	6	1	1	3	5	6	9	12
35-49	79	3.7	6	1	1	3	5	7	8	12
50-64	29	3.3	5	1	1	3	4	7	8	9
65+	23	3.4	10	<1	1	2	4	8	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	3.3	9	<1	1	2	6	9	10	11
20-34	20	4.3	13	<1	1	4	5	6	12	18
35-49	12	4.4	8	1	1	4	5	9	11	11
50-64	5	6.6	12	2	2	6	10	10	10	10
65+	7	6.7	20	2	2	6	8	14	16	16
B. Operated										
0-19 YRS	228	3.8	12	1	1	3	5	8	10	16
20-34	237	5.3	30	1	1	4	6	11	16	24
35-49	108	5.1	13	1	1	4	7	10	11	19
50-64	74	6.1	56	1	2	4	6	12	14	48
65+	46	5.8	21	2	2	5	7	11	12	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	2.5	2	<1	<1	2	3	5	6	6
B. Operated	538	3.4	7	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. Not Operated	71	4.3	12	1	1	4	5	10	11	18
B. Operated	693	4.9	24	1	1	4	6	10	12	23
1. SINGLE DX	586	3.3	6	1	1	3	4	6	8	13
2. MULTIPLE DX	764	4.8	23	1	1	4	6	10	12	23
A. NOT OPERATED	119	3.6	9	<1	1	3	5	8	10	17
B. OPERATED	1231	4.2	17	1	1	3	5	8	11	20
TOTAL 0-19 YRS	534	3.4	9	1	1	3	5	7	9	14
20-34	425	4.5	20	1	1	3	5	9	12	22
35-49	203	4.5	10	1	1	4	6	9	11	19
50-64	111	5.3	41	1	1	4	6	9	12	45
65+	77	5.1	18	1	1	4	7	11	12	25
GRAND TOTAL	**1350**	**4.2**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	2.1	2	<1	1	2	3	4	4	8
20-34	122	2.6	5	<1	<1	2	3	5	6	13
35-49	49	2.7	6	<1	<1	2	3	7	8	11
50-64	26	3.3	33	<1	1	2	3	5	12	30
65+	35	3.3	9	1	1	2	4	8	12	13
B. Operated										
0-19 YRS	385	2.2	11	1	1	1	2	4	6	21
20-34	254	3.1	7	<1	1	2	4	6	9	13
35-49	104	4.0	22	1	1	2	4	7	15	25
50-64	56	3.8	64	1	1	2	3	6	10	57
65+	33	3.9	24	<1	1	2	5	9	14	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	248	2.9	15	<1	1	2	3	5	8	16
20-34	413	3.4	31	<1	1	2	4	6	9	15
35-49	208	4.1	26	<1	1	3	5	9	10	23
50-64	165	4.5	18	1	1	3	6	9	11	27
65+	307	5.8	27	1	1	4	8	12	16	24
B. Operated										
0-19 YRS	595	3.7	22	1	1	2	4	8	11	33
20-34	883	5.0	42	<1	1	3	6	10	15	36
35-49	399	5.7	47	1	1	4	7	11	19	49
50-64	258	6.0	52	1	1	4	8	12	19	44
65+	282	7.0	60	1	1	5	10	15	19	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	341	2.6	7	<1	1	2	3	5	7	13
B. Operated	832	2.9	15	<1	1	2	3	6	9	20
2. MULTIPLE DX										
A. Not Operated	1341	4.1	26	<1	1	3	5	8	11	22
B. Operated	2417	5.2	42	1	1	3	6	11	15	38
1. SINGLE DX	1173	2.8	13	<1	1	2	3	5	8	19
2. MULTIPLE DX	3758	4.8	37	1	1	3	6	10	14	34
A. NOT OPERATED	1682	3.8	22	<1	1	2	5	8	11	21
B. OPERATED	3249	4.6	36	1	1	3	5	10	14	34
TOTAL 0-19 YRS	1337	3.0	16	1	1	2	3	6	9	23
20-34	1672	4.2	32	<1	1	3	5	8	12	29
35-49	760	4.8	36	<1	1	3	6	10	14	41
50-64	505	5.1	42	1	1	3	6	10	15	38
65+	657	6.1	41	1	1	4	8	13	16	31
GRAND TOTAL	4931	4.3	32	<1	1	3	5	9	13	30

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	162	2.7	51	<1	<1	2	3	4	5	9
20-34	378	2.4	5	<1	1	2	3	4	6	11
35-49	148	2.7	8	<1	<1	2	3	6	8	14
50-64	36	3.3	11	<1	1	2	3	9	10	15
65+	17	3.9	17	1	1	2	5	11	14	15
B. Operated										
0-19 YRS	245	4.1	18	1	1	3	5	9	11	19
20-34	405	5.4	27	1	1	4	7	10	15	28
35-49	134	5.2	16	1	1	4	7	11	13	20
50-64	52	6.1	41	1	1	4	7	13	23	30
65+	19	6.8	34	1	2	4	9	15	21	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	103	3.1	17	<1	1	2	4	6	8	23
20-34	286	3.5	9	1	1	3	5	7	9	24
35-49	111	4.0	22	<1	1	3	4	8	13	26
50-64	66	5.8	22	1	2	4	9	13	14	20
65+	30	7.4	27	2	2	6	9	13	21	24
B. Operated										
0-19 YRS	205	7.2	59	1	1	5	8	14	20	40
20-34	789	9.0	87	1	2	7	10	17	22	56
35-49	313	9.7	75	1	2	8	12	20	28	56
50-64	106	11.7	116	1	2	8	15	29	35	52
65+	50	13.6	171	1	2	9	19	32	45	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	741	2.6	16	<1	1	2	3	5	7	12
B. Operated	855	5.1	24	1	1	4	6	10	14	26
2. MULTIPLE DX										
A. Not Operated	596	4.0	16	1	1	3	5	8	11	23
B. Operated	1463	9.2	87	1	2	7	11	18	27	55
1. SINGLE DX	1596	3.9	22	<1	1	2	5	8	11	22
2. MULTIPLE DX	2059	7.7	72	1	1	6	9	16	22	54
A. NOT OPERATED	1337	3.2	17	<1	1	2	4	6	9	19
B. OPERATED	2318	7.7	68	1	1	6	9	15	22	49
TOTAL 0-19 YRS	715	4.5	40	<1	1	3	5	9	12	35
20-34	1858	6.0	53	1	1	4	7	12	18	48
35-49	706	6.5	50	1	1	4	9	13	20	39
50-64	260	7.9	73	1	1	5	10	17	27	42
65+	116	9.5	102	1	1	7	11	21	28	52
GRAND TOTAL	3655	6.1	54	1	1	4	8	12	18	41

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	3.2	8	1	1	2	4	6	7	16
20-34	225	2.9	10	<1	<1	2	4	5	6	15
35-49	87	3.1	8	<1	1	2	4	6	9	16
50-64	39	4.7	21	<1	<1	3	6	12	14	21
65+	15	6.9	71	2	2	5	7	10	30	36
B. *Operated*										
0-19 YRS	834	2.5	8	1	1	2	3	5	6	15
20-34	1379	2.9	10	1	1	2	3	5	8	15
35-49	523	2.7	8	<1	1	2	3	5	8	16
50-64	324	3.0	10	1	1	2	4	6	8	16
65+	114	3.6	18	1	1	2	4	8	14	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	3.0	4	<1	1	3	4	6	7	11
20-34	223	4.0	13	<1	1	3	5	8	10	24
35-49	92	4.2	24	<1	1	3	5	8	11	32
50-64	72	4.5	10	1	2	4	6	8	10	17
65+	62	7.2	47	1	2	5	9	16	20	37
B. *Operated*										
0-19 YRS	569	3.6	16	1	1	2	4	7	11	22
20-34	1083	4.3	28	1	1	3	5	8	12	25
35-49	446	4.5	33	1	1	3	5	9	16	31
50-64	314	5.3	36	1	1	4	6	10	17	33
65+	152	7.5	87	1	1	4	9	17	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	509	3.2	12	<1	1	2	4	6	9	17
B. *Operated*	3174	2.8	9	1	1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*	542	4.3	18	1	1	3	5	8	11	24
B. *Operated*	2564	4.5	31	1	1	3	5	9	14	31
1. SINGLE DX	3683	2.9	10	1	1	2	3	5	8	16
2. MULTIPLE DX	3106	4.4	29	1	1	3	5	9	13	29
A. NOT OPERATED	1051	3.8	15	<1	1	3	4	7	10	21
B. OPERATED	5738	3.5	20	1	1	2	4	7	10	23
TOTAL 0-19 YRS	1639	3.0	11	1	1	2	3	6	8	19
20-34	2910	3.5	17	1	1	2	4	7	10	21
35-49	1148	3.5	20	1	1	2	4	7	10	23
50-64	749	4.2	23	1	1	3	5	9	13	28
65+	343	6.1	59	1	1	4	7	15	21	41
GRAND TOTAL	**6789**	**3.6**	**19**	**1**	**1**	**2**	**4**	**7**	**10**	**23**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	2.9	5	<1	1	2	4	6	8	10
20-34	280	3.5	8	1	1	3	4	7	9	15
35-49	124	3.7	9	1	1	3	5	7	9	17
50-64	45	2.9	4	<1	1	3	4	5	6	12
65+	43	5.7	25	1	1	4	7	14	18	21
B. *Operated*										
0-19 YRS	641	4.1	20	1	1	3	5	8	12	23
20-34	594	5.2	37	1	1	4	6	10	16	28
35-49	215	5.6	60	1	1	3	6	10	15	43
50-64	111	6.9	63	1	1	4	9	14	23	42
65+	55	11.6	134	2	2	9	14	25	33	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	4.4	8	1	1	4	6	8	9	16
20-34	195	4.7	17	1	1	4	6	9	11	20
35-49	84	7.4	81	2	2	5	9	14	16	60
50-64	91	6.4	23	2	2	5	8	12	15	27
65+	98	8.6	43	2	2	7	11	18	22	33
B. *Operated*										
0-19 YRS	294	8.7	143	1	2	5	8	21	33	62
20-34	384	10.7	186	1	2	6	12	26	41	96
35-49	172	11.3	186	2	2	6	13	30	44	74
50-64	140	12.5	186	1	2	7	17	33	45	61
65+	117	16.9	328	2	2	10	20	41	55	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	689	3.4	8	1	1	3	4	7	9	16
B. *Operated*	1616	5.2	40	1	1	3	6	10	16	33
2. MULTIPLE DX										
A. *Not Operated*	558	6.0	33	1	2	4	8	12	15	26
B. *Operated*	1107	11.1	194	1	2	[illegible]	13	29	43	90
1. SINGLE DX	2305	4.6	31	1	1	3	5	10	14	28
2. MULTIPLE DX	1665	9.4	146	1	2	5	10	22	36	70
A. NOT OPERATED	1247	4.6	21	1	1	3	6	9	12	21
B. OPERATED	2723	7.6	112	1	1	4	8	17	28	61
TOTAL 0-19 YRS	1222	5.0	51	1	1	3	5	9	16	39
20-34	1453	6.2	76	1	1	4	7	13	19	51
35-49	595	7.1	97	1	1	4	8	14	25	63
50-64	387	8.3	102	1	1	5	9	20	31	49
65+	313	11.3	180	2	2	7	14	26	39	74
GRAND TOTAL	**3970**	**6.6**	**85**	**1**	**1**	**4**	**7**	**14**	**23**	**52**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.8	3	<1	<1	1	2	4	6	6
20-34	10	2.1	1	<1	<1	2	3	4	4	4
35-49	5	5.0	13	2	2	4	6	11	11	11
50-64										
65+	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	16	4.7	7	1	1	5	7	8	8	8
20-34	33	4.5	13	1	1	3	7	10	13	14
35-49	13	7.2	71	1	2	4	8	16	30	33
50-64	11	4.9	11	1	1	5	6	9	13	13
65+	2	13.0	200	3	3	13	23	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.7	1	<1	<1	1	2	4	4	4
20-34	8	2.3	6	<1	<1	1	2	6	8	8
35-49	4	2.8	8	<1	<1	1	4	7	7	7
50-64	9	15.8	448	1	1	6	20	53	63	63
65+	15	13.0	117	1	2	10	20	32	34	35
B. Operated										
0-19 YRS	34	14.9	560	1	1	6	12	63	95	99+
20-34	89	14.7	308	1	2	7	18	41	55	79
35-49	25	13.0	387	1	2	5	10	34	72	74
50-64	15	10.0	159	1	1	6	12	44	83	99+
65+	5	9.0	67	3	3	7	23	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	2.7	5	<1	1	2	3	6	7	11
B. Operated	75	5.3	25	1	1	4	7	10	13	30
2. MULTIPLE DX										
A. Not Operated	43	8.8	163	<1	1	4	10	25	36	63
B. Operated	168	13.9	346	1	2	6	15	42	68	99+
1. SINGLE DX	102	4.6	21	1	1	3	6	9	12	28
2. MULTIPLE DX	211	12.9	312	1	1	6	14	40	63	99+
A. NOT OPERATED	70	6.4	110	<1	1	2	6	16	32	58
B. OPERATED	243	11.3	262	1	1	6	12	33	56	99+
TOTAL 0-19 YRS	67	9.1	318	1	1	4	8	18	66	99
20-34	140	10.7	227	1	1	5	11	31	47	70
35-49	47	9.7	236	1	1	5	9	26	40	74
50-64	35	9.9	191	1	1	5	9	38	58	99+
65+	24	11.4	100	1	2	8	21	32	51	99+
GRAND TOTAL	**313**	**10.2**	**232**	**1**	**1**	**5**	**11**	**30**	**49**	**97**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external causes (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	3.6	[illegible]	1	1	2	6	7	8	17
20-34	66	4.7	17	<1	1	4	6	9	11	24
35-49	24	5.1	14	1	1	4	7	9	15	15
50-64	31	6.4	20	<1	1	6	8	12	17	19
65+	36	13.3	100	2	3	12	16	34	41	99+
B. Operated										
0-19 YRS	233	3.8	14	1	1	3	4	8	11	19
20-34	422	4.0	17	1	1	3	4	8	11	22
35-49	226	5.4	48	1	2	3	7	9	13	52
50-64	149	6.6	50	1	2	4	8	13	21	39
65+	57	8.1	53	1	2	5	12	20	24	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	8.3	182	1	1	4	10	19	32	81
20-34	104	7.6	70	1	2	5	9	19	32	67
35-49	71	7.3	56	1	2	5	9	15	26	88
50-64	82	9.8	57	2	3	7	14	23	27	78
65+	156	15.4	130	3	4	12	21	30	37	53
B. Operated										
0-19 YRS	134	5.0	37	1	1	3	5	11	18	52
20-34	293	6.7	78	1	2	3	8	14	22	48
35-49	159	7.4	65	2	2	5	9	16	24	96
50-64	137	11.5	144	2	2	7	16	28	35	90
65+	101	15.4	155	2	3	13	22	32	45	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	186	6.5	43	1	1	5	8	15	18	40
B. Operated	1087	4.8	30	1	1	3	5	10	13	29
2. MULTIPLE DX										
A. Not Operated	459	10.7	108	1	2	7	14	25	34	74
B. Operated	824	8.4	99	1	2	5	10	21	31	64
1. SINGLE DX	1273	5.1	33	1	1	3	6	11	15	33
2. MULTIPLE DX	1283	9.2	104	1	2	5	11	23	32	65
A. NOT OPERATED	645	9.5	93	1	2	6	12	23	31	54
B. OPERATED	1911	6.4	63	1	2	4	7	14	22	46
TOTAL 0-19 YRS	442	4.6	40	1	1	3	5	10	14	35
20-34	885	5.4	45	1	1	3	6	11	16	38
35-49	480	6.3	54	1	2	4	8	12	18	57
50-64	399	8.9	96	2	2	6	12	21	29	46
65+	350	14.0	128	2	3	11	19	30	37	63
GRAND TOTAL	**2556**	**7.2**	**73**	**1**	**2**	**4**	**8**	**17**	**25**	**46**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	306	4.3	5	1	2	4	5	7	9	11
20-34	143	4.3	10	1	2	4	5	7	8	19
35-49	44	5.3	55	1	2	4	6	6	9	52
50-64	15	4.3	6	2	2	4	5	5	10	12
65+	13	4.3	5	1	2	4	6	7	9	9
B. *Operated*										
0-19 YRS	12	7.8	16	2	3	7	11	13	15	15
20-34	4	7.0	3	5	5	7	8	9	9	9
35-49	4	5.8	10	3	3	6	8	9	9	9
50-64	1	4.0		4	4	4	4	4	4	4
65+	5	3.6	7	1	1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	4.4	9	1	1	4	6	8	9	16
20-34	112	3.7	5	<1	1	3	5	6	7	13
35-49	53	3.8	7	1	1	3	5	8	9	12
50-64	37	5.0	18	1	2	4	6	8	9	27
65+	35	11.0	155	2	3	6	12	32	38	54
B. *Operated*										
0-19 YRS	38	4.9	13	1	1	4	7	9	10	19
20-34	34	7.0	30	2	2	6	9	13	16	29
35-49	14	7.6	46	3	3	4	10	21	22	22
50-64	6	8.5	90	2	2	4	10	25	27	27
65+	13	7.2	30	1	3	5	8	16	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	4.4	11	1	2	4	5	7	9	15
B. *Operated*	26	6.4	13	2	2	6	9	11	13	15
2. MULTIPLE DX										
A. *Not Operated*	382	4.8	25	1	1	4	6	8	11	30
B. *Operated*	105	6.4	29	1	2	5	8	13	19	28
1. SINGLE DX	547	4.5	11	1	2	4	5	7	9	15
2. MULTIPLE DX	487	5.1	27	1	1	4	6	9	13	28
A. NOT OPERATED	903	4.6	17	1	2	4	5	7	9	20
B. OPERATED	131	6.4	26	1	2	5	8	12	16	27
TOTAL 0-19 YRS	501	4.5	7	1	2	4	5	8	9	15
20-34	293	4.4	11	1	1	4	5	7	9	18
35-49	115	4.9	31	1	1	4	6	9	11	32
50-64	59	5.1	22	2	2	4	5	8	11	27
65+	66	8.4	97	1	2	5	8	21	33	52
GRAND TOTAL	**1034**	**4.8**	**18**	**1**	**2**	**4**	**6**	**8**	**11**	**22**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	743	2.0	3	<1	1	1	2	4	5	8
20-34	702	2.8	6	<1	1	2	3	5	8	12
35-49	335	3.7	15	1	1	3	4	8	11	17
50-64	241	4.1	13	1	1	3	5	9	11	17
65+	355	5.3	16	1	1	4	7	11	14	20
B. *Operated*										
0-19 YRS	117	3.2	11	<1	1	2	4	7	9	18
20-34	141	4.2	18	1	1	3	5	9	11	27
35-49	72	4.6	15	1	1	3	6	10	15	16
50-64	52	5.5	22	1	2	4	7	10	15	25
65+	45	5.8	22	1	2	4	7	12	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1123	2.7	6	1	1	2	3	5	7	12
20-34	1586	3.6	9	1	1	3	5	7	9	15
35-49	899	4.6	14	1	1	4	6	9	11	19
50-64	874	5.6	27	1	1	4	7	11	15	23
65+	2163	7.9	45	2	2	6	10	15	20	33
B. *Operated*										
0-19 YRS	186	4.1	13	1	1	3	5	9	11	20
20-34	301	6.0	56	1	1	4	7	12	17	44
35-49	166	8.2	56	2	2	5	11	18	25	36
50-64	168	9.2	60	1	2	7	13	19	23	38
65+	232	12.5	100	2	3	10	17	23	28	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2376	3.2	9	1	1	2	4	7	9	15
B. *Operated*	427	4.3	17	1	1	3	5	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	6645	5.2	27	1	1	4	7	11	15	24
B. *Operated*	1053	7.9	67	1	2	5	11	18	23	38
1. SINGLE DX	2803	3.4	11	1	1	2	4	7	10	16
2. MULTIPLE DX	7698	5.6	34	1	1	4	7	12	16	28
A. NOT OPERATED	9021	4.7	23	1	1	3	6	10	14	23
B. OPERATED	1480	6.9	55	1	1	4	9	16	21	37
TOTAL 0-19 YRS	2169	2.6	6	1	1	2	3	5	7	12
20-34	2730	3.7	15	1	1	3	5	8	10	17
35-49	1472	4.8	21	1	1	3	6	10	14	24
50-64	1335	5.8	30	1	1	4	7	12	16	24
65+	2795	7.9	48	1	2	6	10	16	20	34
GRAND TOTAL	**10501**	**5.0**	**28**	**1**	**1**	**3**	**6**	**11**	**15**	**25**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	2.8	4	1	1	2	4	6	6	11
20-34	54	3.2	10	1	1	2	4	5	10	18
35-49	14	2.6	2	1	1	3	4	4	5	5
50-64	9	4.6	21	1	1	2	7	12	14	14
65+										
B. Operated										
0-19 YRS	27	8.4	139	1	1	4	8	24	43	45
20-34	68	5.5	67	1	1	3	6	14	16	45
35-49	24	6.6	49	1	1	5	8	12	20	35
50-64	16	7.2	133	1	1	3	6	15	38	48
65+	5	6.4	19	2	2	6	9	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	3.3	7	<1	1	2	5	6	8	12
20-34	46	4.8	20	1	1	4	5	10	17	22
35-49	21	4.7	26	1	1	3	4	15	17	18
50-64	11	6.5	38	1	1	3	10	17	18	18
65+	8	7.3	29	2	2	5	10	16	18	18
B. Operated										
0-19 YRS	42	8.9	71	1	1	6	14	21	26	36
20-34	102	8.3	121	1	1	5	8	22	34	55
35-49	57	9.7	109	1	1	5	13	28	39	95
50-64	29	10.6	208	1	1	5	13	28	46	64
65+	11	8.6	72	<1	1	5	14	23	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	3.1	8	1	1	2	4	6	9	16
B. Operated	140	6.5	83	1	1	3	7	14	25	46
2. MULTIPLE DX										
A. Not Operated	111	4.8	21	1	1	3	5	11	17	20
B. Operated	241	9.0	116	1	1	5	12	23	36	64
1. SINGLE DX	265	4.9	50	1	1	3	5	10	15	45
2. MULTIPLE DX	352	7.7	90	1	1	4	9	18	29	45
A. NOT OPERATED	236	3.9	15	1	1	3	4	8	13	18
B. OPERATED	381	8.1	105	1	1	4	9	21	34	47
TOTAL 0-19 YRS	142	5.8	57	1	1	3	6	14	21	43
20-34	270	6.0	71	1	1	3	6	13	22	45
35-49	116	7.3	75	1	1	4	9	17	33	61
50-64	65	8.2	136	1	1	3	10	18	35	62
65+	24	7.7	45	1	2	5	11	18	22	26
GRAND TOTAL	617	6.5	75	1	1	3	7	15	24	45

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.0	3	<1	<1	1	2	4	7	8
20-34	7	10.0	506	1	1	1	3	49	61	61
35-49	6	1.8	1	<1	<1	1	2	4	4	4
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	12	2.1	7	<1	<1	1	2	5	9	10
20-34	11	2.7	3	<1	<1	2	5	6	6	6
35-49	6	4.2	22	1	1	2	6	12	13	13
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.8		<1	<1	1	2	2	2	2
20-34	7	3.4	9	1	1	3	3	9	10	10
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. Operated										
0-19 YRS	5	1.4	1	1	1	1	2	3	3	3
20-34	8	2.6	4	1	1	2	3	6	7	7
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	3.4	92	<1	<1	1	2	4	7	61
B. Operated	32	2.8	8	<1	<1	2	3	6	10	13
2. MULTIPLE DX										
A. Not Operated	12	2.6	6	<1	<1	2	3	5	9	10
B. Operated	14	2.6	5	1	1	2	3	7	8	8
1. SINGLE DX	71	3.1	54	<1	<1	1	3	6	8	51
2. MULTIPLE DX	26	2.6	5	<1	1	2	3	7	8	10
A. NOT OPERATED	51	3.2	71	<1	<1	1	3	4	8	60
B. OPERATED	46	2.7	7	<1	<1	2	3	6	8	13
TOTAL 0-19 YRS	44	1.9	4	<1	<1	1	2	3	7	10
20-34	33	4.4	108	<1	1	2	3	8	10	61
35-49	13	3.4	13	<1	<1	2	4	9	12	13
50-64	5	2.2	3	<1	<1	2	3	5	5	5
65+	2	3.0		3	3	3	3	3	3	3
GRAND TOTAL	97	3.0	41	<1	<1	2	3	6	8	38

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	553	1.4	1	<1	<1	1	2	2	3	5
20-34	113	1.7	2	<1	<1	1	2	3	4	8
35-49	111	1.8	4	<1	1	1	2	3	4	12
50-64	164	2.1	4	<1	1	1	2	4	8	11
65+	133	2.1	5	1	1	1	2	4	6	12
B. *Operated*										
0-19 YRS	116	2.2	5	<1	1	1	3	4	7	12
20-34	37	2.8	6	<1	1	1	5	7	8	10
35-49	32	3.1	9	<1	<1	2	4	7	11	14
50-64	27	3.9	27	<1	1	2	4	9	15	25
65+	36	4.0	18	1	1	2	5	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	2.4	5	<1	1	2	3	5	7	13
20-34	45	3.2	11	<1	1	2	4	6	12	18
35-49	54	3.8	10	<1	1	3	5	8	10	14
50-64	97	3.9	15	1	1	3	5	10	12	20
65+	198	4.4	14	1	1	3	6	10	12	16
B. *Operated*										
0-19 YRS	48	4.1	25	<1	1	2	4	8	16	26
20-34	30	4.5	10	1	1	3	7	9	10	12
35-49	45	6.6	31	1	1	5	11	15	17	24
50-64	64	6.7	48	1	1	5	9	14	16	41
65+	92	9.0	125	1	2	5	12	19	31	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1074	1.7	2	<1	<1	1	2	3	4	8
B. *Operated*	248	2.8	10	<1	1	2	3	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	503	3.7	12	1	1	2	5	8	11	16
B. *Operated*	279	6.8	65	1	1	4	9	15	19	41
1. SINGLE DX	1322	1.9	4	<1	<1	1	2	3	5	11
2. MULTIPLE DX	782	4.5	33	1	1	3	6	11	14	26
A. NOT OPERATED	1577	2.3	6	<1	1	1	2	5	8	14
B. OPERATED	527	4.9	43	1	1	3	6	12	15	31
TOTAL 0-19 YRS	826	1.8	4	<1	<1	1	2	3	4	9
20-34	225	2.6	7	<1	1	1	3	6	8	12
35-49	242	3.3	14	<1	1	2	4	8	12	19
50-64	352	3.5	19	<1	1	2	4	9	12	21
65+	459	4.6	39	1	1	2	6	11	14	31
GRAND TOTAL	2104	3.0	17	<1	1	2	3	7	10	18

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	6.9	32	1	1	5	9	18	20	26
20-34	39	6.9	22	1	2	6	10	14	15	21
35-49	17	9.4	47	1	2	9	13	21	23	23
50-64	15	11.9	61	2	4	11	17	23	27	28
65+	8	24.9	279	7	7	21	39	48	49	49
B. *Operated*										
0-19 YRS	105	13.8	140	1	2	10	20	33	39	78
20-34	117	13.1	193	2	2	8	17	34	44	86
35-49	62	15.5	259	2	2	9	21	44	50	69
50-64	48	20.8	310	3	5	14	29	47	52	81
65+	34	23.2	316	5	6	18	34	50	52	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	8.9	70	1	2	6	12	20	29	42
20-34	68	9.3	62	1	1	7	15	19	22	38
35-49	35	10.6	81	1	1	8	15	23	28	38
50-64	32	16.9	183	3	4	13	23	36	45	59
65+	26	14.5	127	2	3	11	19	32	35	43
B. *Operated*										
0-19 YRS	115	19.6	221	3	4	15	28	43	56	99+
20-34	174	24.5	328	3	5	21	34	51	63	99+
35-49	115	25.5	437	3	4	21	38	63	96	99+
50-64	97	28.1	398	4	6	24	45	60	70	99+
65+	104	31.2	425	7	9	28	47	69	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	8.9	66	1	2	7	12	19	23	47
B. *Operated*	366	15.7	225	2	2	10	22	38	48	81
2. MULTIPLE DX										
A. *Not Operated*	229	11.0	98	1	2	8	15	24	31	45
B. *Operated*	605	25.5	367	4	5	21	39	58	74	99+
1. SINGLE DX	495	13.9	192	2	2	9	18	34	46	76
2. MULTIPLE DX	834	21.5	335	2	3	17	32	51	63	99+
A. NOT OPERATED	358	10.3	87	1	2	8	14	22	29	46
B. OPERATED	971	21.8	336	2	4	17	33	51	64	99+
TOTAL 0-19 YRS	338	13.8	160	1	2	10	19	34	42	68
20-34	398	16.8	261	2	3	12	23	42	54	96
35-49	229	19.3	345	2	3	14	29	48	68	99+
50-64	192	23.1	341	3	5	17	35	53	61	95
65+	172	26.8	385	5	7	23	39	58	81	99+
GRAND TOTAL	1329	18.7	295	2	3	13	27	46	60	99+

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	380	6.1	30	1	1	5	8	13	17	26
20-34	306	6.3	46	1	1	4	8	15	18	36
35-49	125	6.3	37	1	1	4	8	15	18	28
50-64	60	10.1	58	1	2	8	14	22	26	32
65+	35	10.3	70	<1	2	9	14	21	27	36
B. *Operated*										
0-19 YRS	91	10.7	91	1	2	9	12	24	35	44
20-34	91	11.7	137	1	2	8	15	28	35	55
35-49	32	11.1	93	<1	2	9	13	25	32	43
50-64	23	16.2	144	2	3	13	25	35	38	41
65+	14	16.3	126	2	5	13	29	33	37	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	613	7.0	41	1	1	5	9	15	20	31
20-34	550	6.6	36	1	1	5	10	14	18	30
35-49	290	8.5	55	1	1	7	12	18	24	32
50-64	180	9.4	85	1	2	6	12	23	29	46
65+	165	12.9	99	2	3	11	17	23	29	45
B. *Operated*										
0-19 YRS	126	11.9	109	2	2	9	17	27	34	47
20-34	170	13.5	133	2	3	10	18	30	38	60
35-49	104	17.9	241	1	3	15	22	42	57	84
50-64	64	21.9	279	2	3	22	33	45	59	95
65+	77	30.1	433	4	9	25	42	67	73	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	906	6.6	41	1	1	5	9	15	19	30
B. *Operated*	251	11.9	116	1	2	9	14	29	35	50
2. MULTIPLE DX										
A. *Not Operated*	1798	7.9	55	1	1	6	11	17	23	33
B. *Operated*	541	17.3	243	2	3	13	24	39	52	75
1. SINGLE DX	1157	7.8	62	1	1	5	10	17	24	38
2. MULTIPLE DX	2339	10.1	114	1	2	7	13	23	31	56
A. NOT OPERATED	2704	7.5	50	1	1	5	10	16	22	33
B. OPERATED	792	15.6	209	2	3	11	22	36	48	73
TOTAL 0-19 YRS	1210	7.5	51	1	1	5	10	16	22	36
20-34	1117	8.0	69	1	1	5	10	17	25	43
35-49	551	9.9	104	1	1	7	13	21	30	56
50-64	327	12.5	145	2	2	8	18	30	38	59
65+	291	17.3	243	2	3	13	22	37	51	77
GRAND TOTAL	3496	9.3	98	1	1	6	12	21	29	51

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.7	17	1	1	2	5	6	8	25
20-34	53	4.2	11	<1	1	3	6	8	12	15
35-49	30	4.8	19	<1	<1	3	9	10	11	18
50-64	15	9.1	296	1	1	4	8	11	55	70
65+	13	10.2	64	3	3	8	16	19	28	30
B. *Operated*										
0-19 YRS	87	3.9	39	1	1	2	4	7	10	42
20-34	163	4.0	23	1	1	2	4	8	13	24
35-49	54	3.8	8	1	1	3	4	8	11	14
50-64	49	2.8	3	1	1	2	3	4	5	11
65+	13	9.3	198	2	2	3	10	26	48	93
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.1	17	1	1	4	7	11	14	16
20-34	56	7.2	112	1	1	4	8	14	19	69
35-49	43	5.7	10	1	2	5	8	10	11	13
50-64	35	7.6	38	1	2	6	10	14	23	26
65+	43	13.0	244	3	4	9	14	21	72	99+
B. *Operated*										
0-19 YRS	62	5.6	62	1	1	3	5	14	23	43
20-34	150	7.5	134	1	1	3	7	22	49	99
35-49	79	8.9	206	1	2	4	9	18	48	93
50-64	51	7.6	68	1	1	5	12	34	99+	99+
65+	22	13.3	120	1	2	8	23	29	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	5.2	50	<1	1	3	6	10	15	31
B. *Operated*	366	4.0	29	1	1	2	4	7	12	26
2. MULTIPLE DX										
A. *Not Operated*	197	8.0	102	1	2	6	10	14	21	81
B. *Operated*	364	7.8	129	1	1	4	8	23	39	99+
1. SINGLE DX	514	4.3	35	1	1	3	4	9	13	27
2. MULTIPLE DX	561	7.9	119	1	1	4	9	19	34	99+
A. NOT OPERATED	345	6.8	81	1	1	4	8	13	18	70
B. OPERATED	730	5.9	82	1	1	3	6	14	25	80
TOTAL 0-19 YRS	206	4.5	40	1	1	2	5	8	14	35
20-34	422	5.7	75	1	1	3	6	12	22	57
35-49	206	6.3	90	1	1	4	7	11	16	76
50-64	150	6.2	66	1	1	4	7	14	30	99+
65+	91	12.1	179	2	3	8	16	25	35	96
GRAND TOTAL	1075	6.2	82	1	1	3	7	14	23	74

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	271	2.3	3	1	1	2	3	5	6	8
20-34	316	4.0	42	1	1	3	4	8	10	17
35-49	130	4.1	17	1	1	3	6	8	9	21
50-64	64	5.0	16	1	1	4	6	10	15	19
65+	73	5.9	27	1	1	5	8	12	18	25
B. *Operated*										
0-19 YRS	123	4.8	27	1	1	3	6	10	19	25
20-34	213	5.5	42	1	1	3	6	11	16	39
35-49	103	5.3	31	1	1	3	6	11	17	30
50-64	50	3.7	7	1	1	3	5	8	10	99
65+	21	5.3	58	<1	1	2	9	19	25	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	3.1	7	1	1	2	4	6	9	12
20-34	420	4.4	23	1	1	3	5	10	12	26
35-49	249	5.7	21	1	2	4	7	11	15	24
50-64	222	6.1	26	1	2	5	8	12	16	31
65+	315	8.8	59	2	3	7	11	16	22	51
B. *Operated*										
0-19 YRS	139	7.7	91	1	1	5	10	17	19	56
20-34	240	8.8	105	1	2	6	11	18	28	52
35-49	117	9.9	105	1	2	6	13	24	34	68
50-64	99	10.9	128	1	2	7	16	24	35	52
65+	77	16.5	376	1	2	10	18	46	77	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	854	3.7	2[illegible]	1	1	3	4	7	10	18
B. *Operated*	510	5.1	3[illegible]	1	1	3	6	11	17	32
2. MULTIPLE DX										
A. *Not Operated*	1444	5.6	3[illegible]	1	1	4	7	12	16	29
B. *Operated*	672	10.0	14[illegible]	1	2	6	13	21	34	73
1. SINGLE DX	1364	4.2	28	1	1	3	5	8	12	24
2. MULTIPLE DX	2116	7.0	71	1	1	4	9	15	21	49
A. NOT OPERATED	2298	4.9	30	1	1	3	6	10	14	27
B. OPERATED	1182	7.9	101	1	1	4	10	18	26	56
TOTAL 0-19 YRS	771	3.9	28	1	1	2	4	8	13	23
20-34	1189	5.4	51	1	1	3	6	11	15	39
35-49	599	6.1	42	1	1	4	7	13	18	36
50-64	435	6.8	51	1	1	5	8	15	20	46
65+	486	9.4	115	1	2	7	11	18	28	77
GRAND TOTAL	3480	5.8	56	1	1	4	7	13	18	42

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1531	1.9	4	<1	1	1	2	3	5	7
20-34	1090	2.4	6	<1	1	2	3	5	6	13
35-49	375	2.8	11	<1	1	2	3	6	8	13
50-64	185	3.8	27	1	1	3	5	7	9	32
65+	166	4.7	13	1	1	4	6	9	12	18
B. *Operated*										
0-19 YRS	4	3.3	5	1	1	3	5	6	6	6
20-34	19	2.7	4	<1	<1	2	4	6	7	7
35-49	11	2.1	9	<1	<1	1	2	4	11	11
50-64	8	18.5	429	2	2	12	24	53	69	69
65+	5	5.8	20	2	2	4	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1478	3.5	20	1	1	2	4	7	10	24
20-34	2191	4.3	24	1	1	3	5	9	14	28
35-49	1277	4.9	29	1	1	3	6	10	14	27
50-64	796	6.5	33	1	1	5	8	13	17	31
65+	1370	8.0	42	2	3	6	10	15	19	36
B. *Operated*										
0-19 YRS	23	4.3	7	<1	1	4	7	8	9	10
20-34	114	8.5	128	<1	<1	4	11	25	39	91
35-49	79	8.1	145	<1	<1	4	9	19	33	69
50-64	51	9.9	36	2	2	8	14	18	19	31
65+	109	14.1	122	4	5	12	17	23	42	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3346	2.4	8	<1	1	2	3	5	6	12
B. *Operated*	47	5.6	107	<1	<1	2	6	13	23	66
2. MULTIPLE DX										
A. *Not Operated*	6912	5.3	31	1	1	3	6	11	15	28
B. *Operated*	376	10.0	117	<1	1	7	13	21	31	53
1. SINGLE DX	3393	2.5	9	<1	1	2	3	5	6	13
2. MULTIPLE DX	7288	5.5	37	1	1	4	7	12	16	31
A. NOT OPERATED	10258	4.3	25	1	1	3	5	9	13	25
B. OPERATED	423	9.5	118	<1	1	7	12	21	31	55
TOTAL 0-19 YRS	3836	2.6	12	<1	1	2	3	5	7	16
20-34	3414	3.8	23	<1	1	2	4	8	12	27
35-49	1742	4.6	31	1	1	3	5	10	14	28
50-64	1040	6.2	38	1	1	5	8	13	17	32
65+	1649	8.0	48	2	2	6	10	15	19	40
GRAND TOTAL	10681	4.5	30	1	1	3	5	10	14	27

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	929	1.8	2	<1	1	1	2	3	5	7
20-34	511	2.1	4	1	1	2	2	4	5	10
35-49	246	2.3	6	1	1	2	3	5	7	15
50-64	158	2.4	5	1	1	2	3	5	6	10
65+	80	2.5	4	1	1	2	3	6	8	10
B. *Operated*										
0-19 YRS	26	3.8	6	1	1	3	6	8	8	9
20-34	25	4.7	15	1	1	4	6	9	15	15
35-49	11	4.8	7	2	2	5	6	9	11	11
50-64	3	5.7	6	3	3	6	7	8	8	8
65+	4	14.3	274	1	1	9	26	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	413	2.6	6	1	1	2	3	5	6	13
20-34	357	3.0	7	1	1	2	4	6	8	13
35-49	251	3.8	20	1	1	3	5	7	10	21
50-64	226	4.9	37	1	1	3	6	10	16	42
65+	140	5.8	34	1	1	4	7	14	17	35
B. *Operated*										
0-19 YRS	13	7.8	81	<1	1	5	8	19	32	35
20-34	24	7.1	31	1	2	5	10	16	18	20
35-49	21	19.8	617	2	4	8	19	79	93	99+
50-64	15	16.5	488	1	2	5	23	63	67	68
65+	12	25.2	668	3	4	15	35	60	89	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1924	2.0	3	1	1	1	2	4	5	10
B. *Operated*	69	5.0	27	1	1	4	6	9	15	33
2. MULTIPLE DX										
A. *Not Operated*	1387	3.6	18	1	1	2	4	7	10	22
B. *Operated*	85	14.5	382	1	2	7	16	44	69	98
1. SINGLE DX	1993	2.1	4	1	1	1	2	4	6	10
2. MULTIPLE DX	1472	4.2	45	1	1	2	4	8	13	40
A. NOT OPERATED	3311	2.7	10	1	1	2	3	5	8	16
B. OPERATED	154	10.3	244	1	1	5	9	26	45	94
TOTAL 0-19 YRS	1381	2.1	4	1	1	1	2	4	5	9
20-34	917	2.6	7	1	1	2	3	5	7	15
35-49	529	3.8	47	1	1	2	4	7	10	46
50-64	402	4.4	47	1	1	2	4	9	14	42
65+	236	5.8	80	1	1	3	6	13	17	43
GRAND TOTAL	**3465**	**3.0**	**23**	**1**	**1**	**2**	**3**	**6**	**8**	**20**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	404	2.3	3	1	1	2	3	4	6	9
20-34	306	2.5	9	1	1	2	3	4	6	14
35-49	158	3.4	39	1	1	2	4	5	9	20
50-64	137	4.2	39	1	1	3	5	8	11	41
65+	149	4.3	14	1	1	3	6	8	10	22
B. *Operated*										
0-19 YRS	4	2.8	6	1	1	2	4	6	6	6
20-34	12	5.4	43	1	1	3	6	13	23	25
35-49	7	29.6	979	3	4	22	40	82	92	92
50-64	10	8.4	35	2	2	8	10	18	21	21
65+	9	29.0	1130	<1	1	12	44	85	99	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	285	3.5	10	1	1	3	4	7	11	18
20-34	359	4.0	18	1	1	3	5	9	11	23
35-49	360	4.6	16	1	1	3	6	9	12	22
50-64	524	5.7	27	1	1	4	8	11	16	22
65+	913	8.0	55	2	2	6	10	15	20	38
B. *Operated*										
0-19 YRS	11	17.2	597	2	2	11	18	48	85	88
20-34	28	7.9	168	1	1	4	7	37	55	99+
35-49	46	12.8	274	1	1	7	16	25	45	82
50-64	69	12.3	147	1	2	8	17	28	37	61
65+	87	14.5	155	3	4	11	18	28	49	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1154	3.0	16	1	1	2	3	6	8	16
B. *Operated*	42	15.0	515	1	1	6	15	39	76	99
2. MULTIPLE DX										
A. *Not Operated*	2441	5.9	35	1	1	4	7	12	16	28
B. *Operated*	241	12.9	197	1	2	8	17	27	47	89
1. SINGLE DX	1196	3.4	38	1	1	2	4	6	8	28
2. MULTIPLE DX	2682	6.5	54	1	1	4	8	14	18	38
A. NOT OPERATED	3595	5.0	31	1	1	3	6	10	14	26
B. OPERATED	283	13.2	243	1	2	8	17	28	49	97
TOTAL 0-19 YRS	704	3.0	18	1	1	2	3	6	8	16
20-34	705	3.5	22	1	1	2	4	7	10	26
35-49	571	5.3	66	1	1	3	6	10	16	36
50-64	740	6.1	44	1	1	4	8	12	17	37
65+	1158	8.2	73	2	2	6	10	16	21	47
GRAND TOTAL	**3878**	**5.6**	**51**	**1**	**1**	**3**	**7**	**11**	**16**	**37**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.9	17	<1	1	3	4	8	15	20
20-34	53	3.2	5	<1	<1	2	5	6	7	10
35-49	52	6.4	40	<1	1	5	9	15	19	29
50-64	47	6.5	38	1	2	5	7	14	17	36
65+	114	6.3	44	1	1	5	8	12	21	60
B. *Operated*										
0-19 YRS	308	5.2	23	<1	1	3	7	11	14	24
20-34	482	5.0	41	<1	1	3	6	11	16	30
35-49	429	6.8	71	1	1	4	8	15	20	44
50-64	647	8.3	75	1	2	5	12	18	22	45
65+	1058	9.6	89	1	2	6	14	21	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	4.1	23	1	1	2	4	12	18	95
20-34	101	5.5	19	1	1	4	7	10	14	24
35-49	86	6.2	29	1	1	4	8	13	16	29
50-64	117	8.6	112	1	1	5	10	21	24	57
65+	223	9.0	71	1	2	6	11	22	28	47
B. *Operated*										
0-19 YRS	232	10.1	150	1	2	5	12	25	36	61
20-34	499	7.8	107	1	1	4	9	19	27	63
35-49	574	9.1	127	1	2	5	11	19	28	59
50-64	1035	10.5	140	2	2	7	13	23	30	70
65+	1550	13.0	175	2	2	9	17	29	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	5.4	33	<1	1	4	7	12	18	36
B. *Operated*	2924	7.7	72	1	1	4	10	18	23	41
2. MULTIPLE DX										
A. *Not Operated*	582	7.4	62	1	1	5	9	16	23	42
B. *Operated*	3890	10.9	152	1	2	7	14	25	35	69
1. SINGLE DX	3246	7.5	68	1	1	4	10	17	23	40
2. MULTIPLE DX	4472	10.5	142	1	2	7	14	24	33	66
A. NOT OPERATED	904	6.7	53	1	1	4	8	15	21	38
B. OPERATED	6814	9.5	120	1	2	6	13	22	29	59
TOTAL 0-19 YRS	651	6.7	74	<1	1	4	8	15	23	44
20-34	1135	6.2	69	1	1	3	7	14	22	41
35-49	1141	7.9	96	1	2	5	10	17	24	56
50-64	1846	9.5	114	1	2	6	12	21	27	60
65+	2945	11.2	135	1	2	7	15	25	34	62
GRAND TOTAL	**7718**	**9.2**	**113**	**1**	**2**	**6**	**12**	**21**	**28**	**58**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	2.0	3	<1	1	1	2	4	5	11
20-34	356	2.7	4	1	1	2	3	5	6	11
35-49	157	3.4	7	1	1	3	4	6	9	16
50-64	183	3.9	6	1	1	3	5	7	9	11
65+	233	4.7	17	1	2	4	5	8	10	18
B. *Operated*										
0-19 YRS	196	2.1	7	<1	<1	1	2	4	5	12
20-34	344	3.0	6	1	1	2	4	6	8	12
35-49	155	3.5	9	1	1	2	4	7	9	14
50-64	79	4.7	18	1	1	3	5	11	14	21
65+	85	5.8	21	1	2	4	6	14	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.5	9	<1	1	2	4	8	9	12
20-34	106	3.3	5	1	1	3	4	6	8	11
35-49	61	3.6	7	1	1	3	4	6	8	17
50-64	101	4.7	14	1	2	4	6	9	11	21
65+	190	5.8	24	1	2	5	7	10	13	28
B. *Operated*										
0-19 YRS	26	3.1	13	<1	1	2	3	7	13	16
20-34	90	5.1	34	1	1	3	6	10	14	35
35-49	53	7.2	48	1	1	5	9	16	24	32
50-64	59	8.5	62	1	2	6	10	18	26	38
65+	96	8.9	78	2	3	6	10	18	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1146	3.2	8	1	1	3	4	6	8	12
B. *Operated*	859	3.3	10	1	1	2	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	484	4.6	16	1	1	4	6	8	11	21
B. *Operated*	324	7.0	56	1	1	5	8	15	21	39
1. SINGLE DX	2005	3.3	9	1	1	2	4	6	9	15
2. MULTIPLE DX	808	5.6	33	1	1	4	7	11	15	33
A. NOT OPERATED	1630	3.7	11	1	1	3	5	7	9	15
B. OPERATED	1183	4.3	26	1	1	3	5	9	14	27
TOTAL 0-19 YRS	465	2.2	6	<1	1	1	2	4	6	12
20-34	896	3.1	8	1	1	2	4	6	8	13
35-49	426	3.9	14	1	1	3	5	8	11	22
50-64	422	4.9	20	1	1	4	6	9	13	24
65+	604	5.8	31	1	2	4	7	11	15	32
GRAND TOTAL	**2813**	**3.9**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	5.4	11	2	2	5	7	10	11	18
20-34	224	5.7	30	2	2	5	7	9	12	31
35-49	157	7.3	33	2	2	5	9	15	19	24
50-64	113	9.4	63	2	3	7	12	23	26	63
65+	102	8.7	41	2	3	7	11	18	21	31
B. *Operated*										
0-19 YRS	75	6.6	26	1	1	6	9	13	16	26
20-34	161	8.4	58	1	2	6	11	19	26	35
35-49	141	9.7	75	2	2	7	15	19	25	46
50-64	117	10.7	115	2	2	7	13	24	30	53
65+	98	11.4	77	2	2	10	15	21	27	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	5.3	15	1	2	4	7	10	12	20
20-34	118	6.9	30	2	2	6	8	11	18	33
35-49	116	8.6	43	2	2	7	11	16	23	34
50-64	126	10.8	71	3	4	8	14	21	25	49
65+	157	11.7	92	2	3	9	15	22	28	58
B. *Operated*										
0-19 YRS	38	8.7	57	<1	1	8	11	20	23	36
20-34	111	10.7	86	2	3	8	13	24	35	44
35-49	134	13.7	106	2	4	11	20	27	31	51
50-64	172	16.2	229	3	4	12	21	36	59	99+
65+	159	19.1	219	3	4	16	25	43	55	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	680	7.1	38	2	2	5	8	14	19	34
B. *Operated*	592	9.4	74	2	2	7	12	20	26	44
2. MULTIPLE DX										
A. *Not Operated*	548	9.4	63	2	3	7	12	18	24	40
B. *Operated*	614	15.0	173	2	3	11	21	33	45	87
1. SINGLE DX	1272	8.2	56	2	2	6	10	17	23	40
2. MULTIPLE DX	1162	12.4	129	2	3	9	16	26	35	63
A. NOT OPERATED	1228	8.1	50	2	2	6	10	16	23	37
B. OPERATED	1206	12.2	132	2	3	9	16	26	36	62
TOTAL 0-19 YRS	228	6.3	25	1	2	5	8	12	16	25
20-34	614	7.5	50	2	2	6	8	14	23	37
35-49	548	9.8	70	2	2	7	13	21	26	44
50-64	528	12.2	138	2	3	9	15	26	35	97
65+	516	13.4	134	2	3	10	17	27	38	59
GRAND TOTAL	**2434**	**10.2**	**95**	**2**	**2**	**7**	**13**	**22**	**30**	**54**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.9	33	1	1	2	5	7	13	32
20-34	110	5.1	17	1	1	4	6	11	14	21
35-49	72	6.4	79	1	2	4	7	12	16	61
50-64	82	7.0	30	1	2	5	10	13	19	28
65+	89	7.4	42	1	2	6	10	16	18	36
B. *Operated*										
0-19 YRS	84	4.8	36	<1	1	3	5	10	13	38
20-34	225	6.4	56	1	1	4	7	15	21	39
35-49	217	7.4	81	1	2	5	9	15	22	39
50-64	206	7.4	72	1	1	5	9	16	25	47
65+	188	9.4	113	1	2	6	12	22	31	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.0	28	1	1	3	5	7	10	35
20-34	138	5.7	25	1	1	4	7	12	14	26
35-49	136	6.6	26	1	2	6	8	13	17	24
50-64	152	7.5	40	1	2	6	9	14	20	33
65+	240	11.0	110	2	3	8	14	22	32	58
B. *Operated*										
0-19 YRS	41	8.6	64	<1	1	6	13	19	28	33
20-34	220	9.3	87	1	2	7	11	18	27	62
35-49	282	11.9	128	2	2	8	14	26	37	54
50-64	354	12.4	162	1	2	9	16	26	34	69
65+	422	14.7	173	2	2	11	20	32	45	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	387	6.2	39	1	1	4	8	12	16	31
B. *Operated*	920	7.3	76	1	1	4	9	17	24	43
2. MULTIPLE DX										
A. *Not Operated*	728	7.8	62	1	2	6	10	16	22	38
B. *Operated*	1319	12.4	146	2	2	9	16	27	37	62
1. SINGLE DX	1307	7.0	66	1	1	4	8	15	22	42
2. MULTIPLE DX	2047	10.8	121	1	2	7	14	24	33	58
A. NOT OPERATED	1115	7.3	55	1	2	5	9	15	21	37
B. OPERATED	2239	10.3	124	1	2	7	13	24	32	58
TOTAL 0-19 YRS	221	5.2	41	1	1	3	6	12	17	34
20-34	693	7.0	56	1	2	5	8	14	21	42
35-49	707	8.9	94	1	2	6	11	19	26	50
50-64	794	9.6	108	1	2	7	12	22	30	54
65+	939	12.0	139	2	2	8	16	26	37	63
GRAND TOTAL	**3354**	**9.3**	**103**	**1**	**2**	**6**	**11**	**21**	**29**	**54**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.8	5	1	1	2	4	5	9	9
20-34	18	3.9	8	1	1	3	4	9	11	11
35-49	10	5.8	13	1	2	5	7	11	14	14
50-64	4	3.8	10	1	1	3	6	8	8	8
65+	3	4.7	1	4	4	4	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	5	5.8	20	2	2	6	8	13	13	13
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	5.0	18	2	2	5	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.7	7	1	1	3	4	9	10	10
20-34	14	5.0	1	3	3	5	6	6	7	7
35-49	17	4.4	14	1	1	3	5	12	13	13
50-64	22	7.7	30	2	3	6	9	15	22	23
65+	31	4.7	14	1	1	3	6	11	13	15
B. *Operated*										
0-19 YRS										
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	5	7.2	36	1	1	4	13	15	15	15
50-64	9	10.6	260	1	1	6	8	35	53	53
65+	9	10.0	27	2	4	8	15	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.7	8	1	1	3	4	8	10	14
B. *Operated*	8	5.5	14	2	2	5	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	101	5.2	16	1	1	4	6	10	13	22
B. *Operated*	26	8.7	105	1	1	6	11	17	24	53
1. SINGLE DX	73	3.9	8	1	1	3	5	8	11	14
2. MULTIPLE DX	127	5.9	36	1	1	4	7	12	15	30
A. NOT OPERATED	166	4.6	13	1	1	4	6	9	12	21
B. OPERATED	34	8.0	85	1	1	6	9	15	17	53
TOTAL 0-19 YRS	47	3.1	6	1	1	3	4	7	9	10
20-34	40	4.4	7	1	1	4	5	7	11	13
35-49	33	5.2	16	1	1	4	7	13	14	15
50-64	37	7.8	81	1	2	6	8	12	23	53
65+	43	5.8	20	1	1	4	8	13	16	17
GRAND TOTAL	200	5.2	27	1	1	4	6	10	13	22

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	35	1.4	1	<1	<1	1	1	2	4	4
35-49	11	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	120	2.0	1	<1	<1	2	3	3	4	5
20-34	8051	1.8	1	<1	<1	2	2	3	4	6
35-49	2494	1.8	1	<1	<1	2	2	3	3	5
50-64	32	1.7	1	<1	<1	1	2	3	3	4
65+	7	1.9	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	79	1.3	1	<1	<1	1	1	3	4	7
35-49	32	1.5	1	<1	<1	1	2	2	4	5
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	70	2.8	3	<1	<1	2	4	5	7	9
20-34	4617	2.3	3	<1	<1	2	3	4	5	8
35-49	1750	2.2	3	<1	<1	2	3	4	5	9
50-64	21	3.0	6	1	1	2	3	5	9	12
65+	6	6.5	123	1	1	2	4	26	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	1.3	1	<1	<1	1	1	2	4	4
B. *Operated*	10704	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	116	1.4	1	<1	<1	1	1	2	4	6
B. *Operated*	6464	2.3	3	<1	<1	2	3	4	5	8
1. SINGLE DX	10751	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	6580	2.3	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	163	1.4	1	<1	<1	1	1	2	4	5
B. OPERATED	17168	2.0	2	<1	<1	2	2	3	4	7
TOTAL 0-19 YRS	195	2.3	2	<1	<1	2	3	4	5	7
20-34	12782	2.0	2	<1	<1	2	2	3	4	7
35-49	4287	2.0	2	<1	<1	2	2	3	4	7
50-64	54	2.2	3	<1	<1	2	3	3	4	12
65+	13	4.0	57	<1	<1	2	3	9	25	29
GRAND TOTAL	17331	2.0	2	<1	<1	2	2	3	4	7

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	4	36.5	203	21	21	35	47	54	54	54
1500-1749	10	18.1	54	8	8	19	26	27	27	27
1750-2499	3666	3.6	6	1	2	3	4	6	7	14
2500+	160040	3.1	2	2	2	3	4	5	6	7
B. *Operated*										
1-999 G										
1000-1499	3	43.0	228	29	29	41	54	59	59	59
1500-1749										
1750-2499	6	9.5	31	2	2	10	14	16	16	16
2500+	82	4.2	12	1	2	4	5	6	7	25
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	38	49.7	623	7	10	56	75	94	99+	99+
1000-1499	308	38.3	201	14	22	37	47	59	64	85
1500-1749	489	23.7	81	11	14	23	28	34	38	56
1750-2499	6853	7.8	41	2	2	6	11	16	20	30
2500+	49785	4.1	5	2	2	4	5	6	8	12
B. *Operated*										
1-999 G	58	66.0	649	15	22	82	97	99+	99+	99+
1000-1499	235	48.0	306	24	29	47	61	74	89	99+
1500-1749	163	33.0	168	16	21	31	40	55	65	99+
1750-2499	534	17.1	178	2	5	14	21	30	42	79
2500+	1167	8.5	87	1	2	6	10	16	25	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163720	3.1	2	2	2	3	4	5	6	7
B. *Operated*	91	5.8	67	2	2	4	5	8	16	52
2. MULTIPLE DX										
A. *Not Operated*	57473	4.9	23	2	2	4	5	8	11	27
B. *Operated*	2157	18.3	380	2	3	11	26	51	69	99+
1. SINGLE DX	163811	3.1	2	2	2	3	4	5	6	7
2. MULTIPLE DX	59630	5.4	42	2	2	4	5	8	14	37
A. NOT OPERATED	221193	3.6	8	2	2	3	4	6	7	14
B. OPERATED	2248	17.8	373	2	3	10	25	50	68	99+
TOTAL 1-999 G	96	59.6	696	10	18	73	92	99+	99+	99+
1000-1499	550	42.4	268	18	24	41	53	66	74	99+
1500-1749	662	25.9	119	11	15	24	31	39	47	79
1750-2499	11059	6.9	45	2	2	4	9	15	19	30
2500+	211074	3.4	3	2	2	3	4	5	6	9
GRAND TOTAL	**223441**	**3.7**	**14**	**2**	**2**	**3**	**4**	**6**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	21.5	25	18	18	21	25	25	25	25
1500-1749	7	17.7	5	13	14	19	19	19	19	19
1750-2499	408	5.0	10	1	2	4	6	9	12	17
2500+	1284	4.4	4	2	2	4	5	6	7	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	19.5	221	9	9	19	30	30	30	30
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	5	51.6	577	9	9	62	63	67	67	67
1000-1499	65	36.1	169	15	22	35	44	51	56	76
1500-1749	100	23.4	85	10	13	22	27	35	42	55
1750-2499	941	9.8	43	3	4	8	14	18	21	31
2500+	566	5.5	8	3	3	5	6	8	10	14
B. *Operated*										
1-999 G	10	59.8	178	43	43	67	85	99+	99+	99+
1000-1499	42	48.9	297	24	29	46	61	79	85	99+
1500-1749	35	32.9	216	14	19	30	40	44	56	93
1750-2499	62	16.0	117	1	5	15	20	28	32	67
2500+	22	13.0	389	2	3	7	12	24	53	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1701	4.6	6	2	2	4	6	7	9	15
B. *Operated*	2	19.5	221	9	9	19	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	1677	10.3	89	3	3	7	13	21	28	51
B. *Operated*	171	29.7	465	4	6	26	43	63	80	99+
1. SINGLE DX	1703	4.6	7	2	2	4	6	7	9	16
2. MULTIPLE DX	1848	12.1	155	3	3	7	15	26	40	67
A. NOT OPERATED	3378	7.4	55	2	3	5	8	16	21	41
B. OPERATED	173	29.6	462	4	6	26	43	63	80	99+
TOTAL 1-999 G	15	57.1	296	22	43	62	79	99+	99+	99+
1000-1499	109	40.7	259	18	23	39	51	62	78	91
1500-1749	142	25.5	132	11	14	23	29	40	45	62
1750-2499	1413	8.7	44	2	3	6	12	18	20	31
2500+	1872	4.8	10	2	3	5	6	7	8	13
GRAND TOTAL	**3551**	**8.5**	**98**	**2**	**3**	**5**	**9**	**18**	**27**	**57**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	35.0		35	35	35	35	35	35	35
1500-1749	2	44.0		44	44	44	44	44	44	44
1750-2499	35	3.8	13	1	1	3	4	5	12	20
2500+	401	2.7	4	1	1	2	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	78.0		78	78	78	78	78	78	78
1000-1499	3	22.7	196	7	7	27	32	34	34	34
1500-1749	13	22.3	129	7	9	22	35	36	40	41
1750-2499	68	9.3	40	2	2	8	14	19	20	25
2500+	143	3.9	4	1	2	3	5	7	7	9
B. *Operated*										
1-999 G	1	59.0		59	59	79	99+	99+	99+	99+
1000-1499	2	38.5	113	31	31	38	46	46	46	46
1500-1749	1	53.0		53	53	53	53	53	53	53
1750-2499	4	13.0	49	7	7	11	18	22	22	22
2500+	6	15.8	229	6	6	11	14	43	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	3.1	15	1	1	3	3	4	5	21
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	228	7.2	69	2	2	4	7	16	22	37
B. *Operated*	14	24.0	367	6	6	15	46	59	90	99+
1. SINGLE DX	439	3.1	15	1	1	3	3	4	5	21
2. MULTIPLE DX	242	8.1	100	2	2	5	8	19	28	60
A. NOT OPERATED	667	4.5	37	1	2	3	4	7	15	35
B. OPERATED	14	24.0	367	6	6	15	46	59	90	99+
TOTAL 1-999 G	2	68.5	181	59	59	78	94	99+	99+	99+
1000-1499	6	30.0	167	7	9	32	35	45	46	46
1500-1749	16	26.9	206	8	9	23	38	44	50	53
1750-2499	107	7.6	38	1	2	5	13	18	20	24
2500+	550	3.2	8	1	1	3	4	5	6	12
GRAND TOTAL	**681**	**4.9**	**51**	**1**	**2**	**3**	**4**	**8**	**16**	**44**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.5	21	<1	<1	2	4	9	16	17
20-34	19	2.4	4	1	1	2	2	4	7	10
35-49	4	5.0	13	1	1	5	8	8	8	8
50-64	4	3.5	4	1	1	4	5	5	5	5
65+	8	2.8	4	<1	<1	2	3	6	7	7
B. *Operated*										
0-19 YRS	646	2.5	4	<1	1	2	3	4	5	9
20-34	979	2.7	4	1	1	2	3	4	5	11
35-49	473	3.0	7	1	1	2	3	5	6	14
50-64	387	3.5	8	1	1	3	4	6	9	14
65+	312	5.5	24	1	2	4	7	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	6	<1	<1	1	2	6	8	8
20-34	10	2.0	3	<1	<1	1	2	5	6	6
35-49	4	2.0	2	<1	<1	1	3	4	4	4
50-64	5	13.2	500	2	2	2	18	53	53	53
65+	4	3.0	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	85	3.4	17	1	1	2	4	5	7	28
20-34	150	4.6	29	1	1	3	5	10	18	28
35-49	93	5.7	30	1	2	4	7	14	15	32
50-64	121	7.3	74	1	2	4	9	18	25	44
65+	139	10.2	114	2	2	7	14	20	28	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.0	9	<1	1	2	4	7	9	17
B. *Operated*	2797	3.2	8	1	1	2	4	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	31	4.0	86	<1	<1	2	3	6	8	53
B. *Operated*	588	6.5	62	1	2	4	8	15	21	38
1. SINGLE DX	2844	3.2	8	1	1	2	4	5	7	16
2. MULTIPLE DX	619	6.4	64	1	1	4	7	15	21	38
A. NOT OPERATED	78	3.4	39	<1	1	2	4	7	8	43
B. OPERATED	3385	3.7	19	1	1	3	4	7	11	23
TOTAL 0-19 YRS	751	2.6	6	<1	1	2	3	4	5	13
20-34	1158	3.0	8	1	1	2	3	5	6	19
35-49	574	3.5	12	1	1	2	4	6	9	18
50-64	517	4.5	30	1	1	3	5	9	13	29
65+	463	6.9	56	1	2	4	9	15	18	38
GRAND TOTAL	**3463**	**3.7**	**20**	**1**	**1**	**2**	**4**	**7**	**11**	**23**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0		2	2	2	2	2	2	2
50-64	12	1.2		1	1	1	1	2	3	3
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	5.0	4	3	3	5	6	7	7	7
65+	3	9.3	14	5	5	11	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	1.7		1	1	2	2	2	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	27	2.0	2	1	1	2	2	2	3	8
50-64	450	1.2	2	1	1	1	1	1	2	6
65+	299	1.2	1	1	1	1	1	1	1	5
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	8	3.8	5	<1	1	3	6	7	7	7
35-49	20	3.9	27	<1	<1	<1	5	11	16	20
50-64	14	10.8	489	1	1	5	8	17	71	87
65+	14	5.9	32	1	1	4	9	12	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.3		1	1	1	2	2	3	3
B. *Operated*	9	6.7	12	2	2	6	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	832	1.2	1	1	1	1	1	2	2	5
B. *Operated*	57	6.0	139	<1	<1	3	7	10	18	82
1. SINGLE DX	26	3.2	11	1	1	2	5	9	11	12
2. MULTIPLE DX	889	1.6	11	1	1	1	1	2	3	10
A. NOT OPERATED	849	1.2	1	1	1	1	1	2	2	5
B. OPERATED	66	6.1	121	<1	<1	4	8	11	14	76
TOTAL 0-19 YRS	56	1.7		1	1	2	2	2	3	3
20-34	11	3.8	5	<1	1	3	6	7	7	7
35-49	50	2.9	13	<1	<1	2	2	8	9	20
50-64	479	1.5	17	1	1	1	1	1	3	9
65+	319	1.4	4	1	1	1	1	1	4	12
GRAND TOTAL	**915**	**1.6**	**12**	**1**	**1**	**1**	**1**	**2**	**4**	**11**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1179	2.6	9	<1	<1	2	3	5	7	17
20-34	1632	2.4	9	<1	<1	2	3	5	6	14
35-49	761	3.1	23	<1	1	2	3	6	8	26
50-64	1061	3.3	26	1	1	2	4	6	9	23
65+	882	5.0	83	1	1	2	5	11	24	99+
B. *Operated*										
0-19 YRS	589	3.2	25	<1	1	2	3	7	10	18
20-34	2727	3.0	10	<1	1	2	3	6	9	14
35-49	1282	3.8	18	<1	1	2	4	9	11	18
50-64	915	4.7	27	1	1	3	6	11	13	22
65+	864	4.9	29	1	1	3	7	12	14	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	758	4.6	59	<1	1	2	5	8	16	43
20-34	1558	3.9	37	<1	1	2	4	7	10	33
35-49	1571	4.5	64	1	1	2	5	8	13	49
50-64	3411	4.4	48	1	1	2	4	9	15	40
65+	3274	6.3	92	1	1	3	6	15	26	67
B. *Operated*										
0-19 YRS	304	6.8	150	1	1	3	6	16	36	99+
20-34	2373	4.0	55	<1	<1	2	4	7	12	35
35-49	1480	6.0	102	<1	1	3	6	12	20	65
50-64	1475	7.5	113	1	1	4	9	16	28	67
65+	1719	8.3	132	1	1	4	10	19	30	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5515	3.1	27	<1	1	2	3	6	9	27
B. *Operated*	6377	3.7	18	<1	1	2	4	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	10572	4.9	64	1	1	2	5	10	17	48
B. *Operated*	7351	6.2	101	<1	1	3	7	14	22	66
1. SINGLE DX	11892	3.4	22	<1	1	2	4	7	11	23
2. MULTIPLE DX	17923	5.5	80	1	1	3	5	12	19	56
A. NOT OPERATED	16087	4.3	52	1	1	2	4	8	15	45
B. OPERATED	13728	5.0	64	<1	1	2	5	11	16	45
TOTAL 0-19 YRS	2830	3.7	42	<1	1	2	4	7	11	36
20-34	8290	3.3	28	<1	<1	2	4	6	9	24
35-49	5094	4.6	58	<1	1	2	5	9	13	41
50-64	6862	4.9	58	1	1	2	5	11	16	45
65+	6739	6.5	94	1	1	3	7	15	25	70
GRAND TOTAL	**29815**	**4.7**	**58**	**<1**	**1**	**2**	**5**	**10**	**15**	**45**

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve – *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer – *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever